

Zeitschrift: Archives des sciences [1948-1980]
Herausgeber: Société de Physique et d'Histoire Naturelle de Genève
Band: 25 (1972)
Heft: 1

Artikel: Eosentomon hauseri : a new species of Protura from Brazil
Autor: Nosek, Josef
DOI: <https://doi.org/10.5169/seals-739372>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 04.07.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

EOSENTOMON HAUSERI A NEW SPECIES OF PROTURA FROM BRAZIL

BY

Josef NOSEK

Holotype ♀ from Foz do Iguaçu, secondary forest without tree-under-growth. The dense herbaceous stratum consists of herbs and bracken. The samples were taken on a humid place from loam, 5 cm of B-horizon, 6.2.1965, Dr. W. Hüther leg.

Holotype mounted in Swan's medium kept in Muséum d'Histoire naturelle, Geneva.




FIG. A-B. — *Eosentomon hauseri* ♀ holotype:
A. Foretarsus in exterior view. — B. Foretarsus in interior view.

Eosentomon hauseri n. sp.

Fig. A—G

Description: Length of body 1000 μ , foretarsus without claw 97 μ .

Head. — The clypeal apodeme with side rods connected anteriorly (Fig. C). The pseudoculi enough large, PR = 10. Mandible with few teeth at apex and dorsal striation (Fig. D). Labial palpus with leaf-shaped sensilla (Fig. E).

Thorax. — Foretarsus is first and foremost characterized by non spatulate *e* and *g* sensillae and distinct leaf-shaped sensilla b'_2 (Figs. A, B). The ratio of sensillae on foretarsus on exterior side $a:b:x:c:d:e:f_1:f_2:g$ as 10:20.5:41:27:31:12.5:14.5:14:19.5; on interior side $a':b'_2:c'$ as 33.5:14:10. TR = 5.9, BS = 1.5, EU = 0.9.

Abdomen. — Central lobe of praecosta large not incised. p'_1 greatly by-passing p_1 in terg. I—VI (Fig. F). Squama genitalis ♀ is characterized by weakly sclerotized caput processus appearing as a free rod (Fig. G).




FIG. C-G. — *Eosentomon hauseri* ♀ holotype:
C. Clypeal apodeme. — D. The apical part of mandible. — E. Labial palpus. — F. The ratio of p_1 and p'_1 setae on terg. II. — G. Female squama genitalis (Magnification 100×10).

Survey of chaetotaxy in Tuxen's system:

	I	II-III	IV-VI	VII	VIII	IX-X	XI	XII
terg.	$\frac{4}{10}$	$\frac{10}{12}$	$\frac{8}{14}$	$\frac{6}{16}$	$\frac{6}{9}$	8	6	$\frac{6}{3}$
stern.	$\frac{4}{4}$	$\frac{6}{4}$	$\frac{6}{10}$	$\frac{6}{10}$	7	4	8	$\frac{8}{4}$

Derivatio nominis. Named in honour of Dr. Bernd Hauser, Muséum d'Histoire naturelle de Genève.

Affinity. *Eosentomon hauseri* belongs to "maya" group and is closely related to *E. ruseki* Nos. known from Brazil and *E. atlanticum* Cdé known from France. It differs from *E. ruseki* in PR, TR, in the presence of sensilla *e*, and in ratio of sensillae on foretarsus. It differs from *E. atlanticum* in BS, TR, chaetotaxy of stern. VIII and terg. II-VII, in ratio of p_1 , p'_1 and in the form of sensillae t_2 and b'_2 on foretarsus.

REFERENCES

- CONDÉ, B. (1947): Description de quatre Protoures nouveaux du Sud-Ouest de la France. *Coll. Mus. Zool. Nancy* 2: 5-12.
- NOSEK, J. (1972): Four new species of Protura from Brazil. *Acta Soc. zool. Bohemoslov.* (in press).
- (1972): Three new species of Protura from Brazil. *Rev. suisse zool.* (in press).
- TUXEN, S. L. (1964): The Protura. A revision of the species of the world with keys for determination. Paris: Hermann 360 pp.

Institute of Virology
Slovak Academy of Sciences, Bratislava