

A contribution to the knowledge of Algerian jumping plant-lice (Homoptera, Psylloidea)

Autor(en): **Lauterer, Pavel / Burckhardt, Daniel**

Objekttyp: **Article**

Zeitschrift: **Archives des sciences et compte rendu des séances de la Société**

Band (Jahr): **47 (1994)**

Heft 1

PDF erstellt am: **24.07.2024**

Persistenter Link: <https://doi.org/10.5169/seals-740169>

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Ein Dienst der *ETH-Bibliothek*

ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, www.library.ethz.ch

A CONTRIBUTION TO THE KNOWLEDGE OF ALGERIAN JUMPING PLANT-LICE (HOMOPTERA, PSYLLOIDEA)

BY

Pavel LAUTERER* & Daniel BURCKHARDT**

(*Ms soumis le 11.2.1993, accepté le 8.7.1993*)

ABSTRACT

A contribution to the knowledge of Algerian jumping plant-lice (Homoptera, Psylloidea).- Twenty-one species of psyllids are recorded from a collection made during an expedition to Algeria by A. Hoffer and J. Horák in 1971. Three species, *Caillardia haloxyl* Bergevin, *Colposcenia faceta* Loginova and *Crastina linnauorii* Loginova, are new for the Algerian fauna.

INTRODUCTION

Jumping plant-lice or psyllids constitute a small group of sternorrhynchous plant bugs with a high degree of specificity towards their, almost exclusively, dichotyledonous hosts. They are well-represented in xerothermic biotopes, such as encountered in the Mediterranean Basin. Within the Palaearctic fauna the North African psyllids have been studied only relatively superficially and this in contrast with those of the former USSR (GEGECHKORI & LOGINOVÁ, 1990). In particular, there are 3 papers which summarise the existing information for the following countries: Morocco (LOGINOVÁ, 1972), Egypt (SAMY, 1973) and Algeria (BURCKHARDT, 1989a). The last paper records 62 species for Algeria which may represent as little as a third of the number of extant species.

Among unidentified material in the collections of the National Museum of Prague were some psyllids collected by A. Hoffer and J. Horák in Algeria. Specimens were obtained by extracting swept material in photo-ecclectors, a method used for collecting micro-hymenopterans. Therefore, the psyllids are represented by winged adults only, and there is no information on host plants. This collection contains 21 species, three of which are new for Algeria, viz., *Caillardia haloxyl* Bergevin, *Colposcenia faceta* Loginova and *Crastina linnauorii* Loginova respectively.

* Moravské Muzeum, Preslova 1, CZ-65937 Brno, Czechoslovakia.

** Muséum d'Histoire naturelle, case postale 6434, CH-1211 Genève 6, Switzerland.

The present paper, which constitutes a supplement to the publication of BURCKHARDT (1989a), lists localities and dates for this collection. General information on distribution and host plants are cited from the latter source if not indicated otherwise. All material was collected by A. Hoffer and J. Horák and their names are not repeated in the following text. The material is dry mounted and preserved in the National Museum, Prague.

LIST OF SPECIES

***Caillardia haloxylī* Bergevin**

Material: 2♀, Biskra, 23.v.1971; 1♀, same but 29-30.v.1971; 2♀, same but 7-8.vi.1971; 1♂, 1♀, Hammam Salahine, 34°53'N 5°40'E, 24-25.v.1971.

Previously known only from Tunisia, this species is new for Algeria.

Host plant: *Haloxylon schmittianum*.

***Crastina linnavuorii* Loginova**

Material: 1♂, 4♀, Biskra, 23.v.1971.

Described from Israel and Jordan (LOGINOVA, 1974), this species is new for Algeria.

Host plant: *Tamarix* sp.

***Colposcenia aliena* (Löw)**

Material: 1♀, Biskra, 29-30.v.1971; 22♂, 34♀, same but 7-8.vi.1971; 2♀, Hammam Salahine, 34°53'N 5°40'E, 24-25.v.1971; 3♂, Grande Kabylie, Djurdjura, 1000-2000 m, 15-19.vi.1971; 5♂, 7♀, Grande Kabylie, Aït Hassem, 36°35'N 4°11'E, 16-18.vi.1971.

Widely distributed throughout the temperate and eremial subregions of the Palaearctic, recorded from the Canary Islands to China, and from France to the Sudan.

Host plants: *Tamarix gallica*, *T. africana* and *T. nilotica*.

***Colposcenia faceta* Loginova**

Material: 1♀, Grande Kabylie, Tizi-Ouzou, 15.vi.1971.

Recorded from Morocco (LOGINOVA, 1972). This species is new for the fauna of Algeria.

Host plant unknown.

Colposcenia tamaricis (Puton)

Material: 3♀, Grande Kabylie, Tizi-Ouzou, 15.vi.1971; 3♀, Grande Kabylie, Aït Hassem, 36°35'N 4°11'E, 16-18.vi.1971.

Recorded from Morocco, Algeria, Tunisia, Egypt, Spain, France and Italy.

Host plant: *Tamarix gallica* and *T. africana*.

Livia mediterranea Loginova

Material: 1♂, 1♀, Bouira, 12-14.vi.1971.

Recorded from the Crimea, the Caucasus, Bulgaria and Algeria.

Host plant unknown.

Euphyllura olivina (Costa)

Material: 1♀, Alger, 15-16.v.1971; 1♂, 4♀, Aïn Zaatout, 35°08'N 5°49'E, 1-4.vi.1971; 3♀, Grande Kabylie, Tizi-Ouzou, 15.vi.1971; 5♀, Grande Kabylie, Aït Hassem, 36°35'N 4°11'E, 16-18.vi.1971.

Recorded as a minor pest on *Olea* from the western Mediterranean. In the eastern Mediterranean the species is replaced by *E. straminea* Loginova. Recorded from the Canary Islands, Spain, France, Italy, Morocco, Algeria, Tunisia, and as an introduction from Great Britain.

Euphyllura phillyreae Förster

Material: 17♂, 50♀, Bouira, 12-14.vi.1971; 1♀, Grande Kabylie, Djurdjura, 1000 m, 11.vi.1971.

Widely distributed throughout the Mediterranean region, the Crimea and the Caucasus.

Host plants: *Phillyrea* and *Osmanthus* spp., and locally as minor pest on *Olea*.

Lisronia varicicosta (Hodkinson & Hollis)

Material: 1♀, Bouira, 12-14.vi.1971; 1♀, Grande Kabylie, Djurdjura, 1000-2000 m, 15-19.vi.1971.

Widely distributed in the Mediterranean; recorded from Portugal, Spain, France, Italy, Greece and Algeria.

Host plants: *Cistus* spp. and *Tuberaria lignosa*.

***Psyllopsis fraxinicola* (Förster)**

Material: 1 ♀, Bouira, 10.vi.1971.

West Palaearctic and introduced into North America.

Host plants: *Fraxinus excelsior*, *F. monophylla* and rarely *F. ornus*.

***Diaphorina chobauti* Puton**

Material: 2 ♂, Biskra, 23.v.1971.

Recorded from North Africa, Italy, Cyprus, Israel, Central Asia and Mongolia.

Host plants: *Convolvulus* spp.

***Arytaina africana* Heslop-Harrison**

Material: 1 ♂, Grande Kabylie, Aït Hassem, 36°35'N 4°11'E, 16-18.vi.1971.

Recorded from Libya, Algeria, Spain, Southern Italy, Sicily, Sardinia and possibly Morocco (BURCKHARDT, 1989b; CONCI *et al.*, 1993).

Host plant: *Cytisus villosus*.

***Livilla adusta* (Löw)**

Material: 1 ♂, 1 ♀, Biskra, 29-30.1971; 1 ♀, same but 7-8.vi.1971; 1 ♂, 1 ♀, Grande Kabylie, Aït Hassem, 36°35'N 4°11'E, 16-18.vi.1971.

Recorded from Spain, Algeria and Tunisia.

Host plant unknown; some specimens were collected on *Cytisus scoparius*.

***Livilla nigripennis* Burckhardt**

Material: 4 ♀, Bouira, 12-14.vi.1971.

Known from Algeria only.

Host plants: *Genista tricuspidata* and perhaps *G. ulicina*.

***Livilla retamae* (Puton)**

Material: 1 ♂, Grande Kabylie, Aït Hassem, 36°35'N 4°11'E, 16-18.vi.1971.

Recorded from Portugal, Spain, Sicily, North Africa and Israel (CONCI *et al.*, 1993).

Host plants: *Retama* spp.

***Arytainilla cytisi* (Puton)**

Material: 9 ♂, 14 ♀, Bouira, 12-14.vi.1971; 2 ♀, Grande Kabylie, Djurdjura, 1000m, 11.vi.1971; 11 ♂, 28 ♀, same but 1000-2000 m, 15-19.vi.1971; 4 ♂, 8 ♀, Grande

Kabylie, Tizi-Ouzou, 15.vi.1971; 1♀, Grande Kabylie, Aït Hassem, 36°35'N 4°11'E, 16-18.vi.1971.

Recorded from Spain, France (including Corsica: 5♀, between Bonifacio and Pertusato, 20-80 m, 15.v.1969, leg. B. & O. Tkalcu), Italy, Algeria, Yugoslavia, Greece, Turkey and Israel.

Host plants: *Calicotome* spp.

Arytainilla hakani Loginova

Material: 2♀, Grande Kabylie, Tizi-Ouzou, 15.vi.1971; 12♂, 20♀, Grande Kabylie, Aït Hassem, 36°35'N 4°11'E, 16-18.vi.1971.

Recorded from Morocco, Algeria and Italy.

Host plant: *Genista monspessulana*.

Baeopelma foersteri (Flor)

Material: 1♀, Grande Kabylie, Tizi-Ouzou, 15.vi.1971.

Widely distributed throughout the Palaearctic region.

Host plants: *Alnus glutinosa* and *A. incana*.

Cacopsylla alaterni (Förster)

Material: 1♀, Alger, 15-16.v.1971; 1♂, 1♀, Grande Kabylie, Djurdjura, 15-19.vi.1971.

Reported from France, Italy, Algeria, Ireland and Turkey.

Host plant: *Rhamnus alaternus*.

Cacopsylla crataegi (Schrank)

Material: 1♀, Grande Kabylie, Djurdjura, 1000-2000 m, 15-19.vi.1971; 1♀, Bouira, 12-14.vi.1971.

Recorded from most of Europe except the north, from Israel, North Africa and Iran (BURCKHARDT & LAUTERER, 1993).

Host plants: *Crataegus* spp., rarely on *Mespilus* and *Sorbus* spp.

Trioza foersteri Meyer-Dür

Material: 9♂, 14♀, Grande Kabylie, Djurdjura, 1000-2000 m, 15-19.vi.1971.

This thermophilous species is recorded from Switzerland, Austria, Czechoslovakia, Poland, Rumania, Greece, Turkey, Spain, Morocco and Algeria.

Host plants: *Mycelis muralis* and *Prenanthes purpurea*.

ACKNOWLEDGMENTS

We thank Dr. J. Dlabola from the National Museum, Prague for the loan of material, N. D. Springate for correcting the English, and the Swiss National Science Foundation for partly funding the stay of P. L. at the Muséum d'Histoire naturelle, Genève, during which the material treated in the present paper was identified (Grant number 70TK-031544).

RÉSUMÉ

La collection de Hoffer et Horák comprend 21 espèces de Psylles, dont 3 sont nouvelles pour la faune d'Algérie.

LITERATURE

- BURCKHARDT, D. (1989a). Les Psylles (Insecta, Homoptera, Psylloidea) de l'Algérie. *Archs Sci. Genève* 42: 367-434.
- BURCKHARDT, D. (1989b). Zur Kenntnis einiger westpaläarktischer Ginsterblattflöhe (Homoptera, Psylloidea). *Mitt. schweiz. ent. Ges.* 62: 315-322.
- BURCKHARDT, D. & LAUTERER, P. (1993). The jumping plant-lice of Iran (Homoptera, Psylloidea). *Revue suisse zool.* 100: 829-898.
- CONCI, C., RAPISARDA, C. & TAMANINI, L. (1993). Annotated catalogue of the Italian Psylloidea. First part (Insecta Homoptera). *Atti Acc. Rov. Agiati, a.* 242 (1992), ser. 7, vol. 2, B: 33-136.
- GEGECHKORI, A., M. & LOGINOVА, M. M. (1990). *Psyllidy (Homoptera, Psylloidea) SSSR.* Gosudarstv. Muzei Grusii, Tbilisi, 164 pp.
- LOGINOVА, M. M. (1972). On the fauna of Psylloidea (Homoptera) from Morocco. *Commentat. biol.* 47: 37 pp.
- LOGINOVА, M. M. (1974). Jumping plant lice of the tribe Stigmaphalarini Vondr. (Psylloidea, Aphala-ridae) from arid regions of the Palaearctic. *Ent. obozr.* 54: 150-170.
- SAMY, O. (1973). Psyllids of Egypt. *Bull. Soc. ent. Egypte* 56: 437-480.