

Zeitschrift: Boissiera : mémoires de botanique systématique
Band: 39 (1987)

Artikel: Bibliography of Botanical Research of the Middle Eastern Region
Register: H
Autor: Yudkiss, Hedda / Heller, David
DOI: <https://doi.org/10.5169/seals-895485>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 07.10.2024

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

 H

- HAAS, J. ⚡ DODD, J. & al. (1983) — KRIKUN, J. & al. (1982).
- HAASE-BESSELL, G. (1939). Bericht über die Rosen. Ergebnisse der Deutschen Hindukusch-Expedition. II. *Gartenbauwissenschaft* 13: 441-484.
- HABER, M. ⚡ NEVO, E. & al. (1979).
- HABIB, I. M. ⚡ AL-ANI, T. A. & al. (1971).
- HADAC, E. (1960). The family Cuscutaceae in Iraq. *Iraq Nat. Hist. Mus. Publ.* 18: 19-32.
- HADAC, E. (1961a). The Cyperaceae of Iraq. *Bull. Coll. Arts Sci. Baghdad* 6: 1-28.
- HADAC, E. (1961b). The Pteridophyta in Iraq. *Bull. Iraq. Nat. Hist. Mus.* 1, 3: 1-11.
- HADAC, E. (1961c). The Valerianaceae in Iraq. *Bull. Coll. Arts Sci. Baghdad* 6: 29-41.
- HADAC, E. (1967). Contributions to the flora of Iraq. III. A new species and variety of Valerianella from Iraq. *Kew Bull.* 21: 5-60.
- HADAC, E. (1970). A plant collection from Hindukush. *Repert. Spec. Nov. Regni Veg.* 81: 457-459.
- HADAC, E. (1976). The alliance of Fimbristylidion dichotomae in Iraq. *Folia Geobot. Phytotax.* 12: 107-108.
- HADAC, E., AGNEW, A. D. Q. (1962). Report on the 1960 University of Baghdad Scientific Excursion to Helgurd Mountain Erbil Liwa, Iraq. I. A floristic and plant ecological survey of the Helgurd region. *Bull. Iraq. Nat. Hist. Inst.* 2: 5-10.
- HADAC, E., AGNEW, A. D. Q. (1963). Plant-communities of the Helgurd region. *Bull. Iraq. Nat. Hist. Inst.* 2(6): 1-18.
- HADAC, E., CHRTEK, J. (1968). Festuca karadagensis, a new grain from Iraq. *Folia Geobot. Phytotax.* 4: 211-213.
- HADAC, E., CHRTEK, J. (1973). A contribution to the Brassicaceae of Iraq. *Acta Univ. Carol., Biol.* 1971: 231-265.
- HADAC, E., CHRTEK, J. (1980). A contribution to the Iraqi Rosaceae. *Candollea* 35: 311-328.
- HADAC, E. ⚡ CHRTEK, J. & HADAC, E. (1969a-b, 1970, 1974).
- HADAR, Y., ELAD, Y., CHET, I., HENIS, Y. (1981). Induction of macroscopic strand formation in Schlerotium rolfsii by Trichoderma harzianum. *Israel J. Bot.* 30: 156-164.
- HADAS, O. ⚡ CAVARI, B. Z. & HADAS, O. (1979).
- HADDAD, D. A., KHAFAGY, S. M., FATATRY, I. E. (1959). A contribution to the study of Achillea santolina L.: Egypt. *Egypt. Pharm. Bull.* 40: 167-179.
- HADI, A. ⚡ CHRISTIANSEN-WENIGER, F. & HADI, A. (1932).
- HADIDI, M. N. (EL) ⚡ ABD EL RAHMAN, A. A. & al. (1958a-b).
- HAECKEL, Ingeborg, TROLL, W. (1938). Botanische Ergebnisse der Deutschen Hindukusch-Expedition. *Repert. Spec. Nov. Regni Veg., Beih.* 108: 1-72.
- HAGEN, H. B. (1914). Geographische Studien über die floristischen Beziehungen des mediterranen und orientalischen Gebietes zu Afrika, Asien und Amerika I. *Mitt. Geogr. Ges. München* 9: 111-222.
- HAGILADI, A. ⚡ BEN-JAACOV, J. & al. (1981).

- HAGILADI, A., BEN-JAACOV, J. (1981). The introduction into the Galilee of plants cut for the production of decorative branches. *Israel J. Bot.* 30: 50.
- HAHMANN, A. (1859). Die Dattelpalme, ihre Namen und ihre Verehrung in der alten Welt. *Bonplandia* 7: 206-217, 224-233.
- HAINES, R. W. (1951a). Haloxylon schweinfurthii Asch., Chenopodiaceae near Cairo. *Bull. Inst. Désert Egypte* 1: 77-80.
- HAINES, R. W. (1951b). Potential annuals of the Egyptian Desert. *Bull. Inst. Désert Egypte* 1: 103-118.
- HAINES, R. W. (1956-1957). Flowers of the Falluja Desert. *Prospects Iraq Biol.*: 30-40.
- HAINES, R. W. (1957). Autumn flowering in the gypsum deserts of Baghdad. *Iraq Nat. Hist. Mus. Publ.* 13: 1-12.
- HAINES, R. W. & AGNEW, A. D. Q. & HAINES, R. W. (1960).
- HAINES, S. B. (1839). Memoir to accompany a chart of the south coast of Arabia from the entrance of the Red Sea to Misenat. *J. Roy. Geogr. Soc.* 9: 125-156.
- HAINES, S. B. (1845). Memoir of the south and east coast of Arabia. *J. Roy. Geogr. Soc.* 15: 104-160.
- HAJRA, H. H. (1978). Field study on the ecology of Avicennia marina along the Red Sea coast, Saudi Arabia. [Arabic]. *Proc. Saudi Biol. Soc.* 2:83-100.
- HAKIM, K. (1959). Poplars in Turkey. [Hebrew]. *La-Yaaran* 9: 17-20.
- HAKIM, K. (1961). Acacia introduction trials (preliminary results). [Hebrew]. *La-Yaaran* 11: 11-13.
- HALACSY, E. VON (1892-1893). Beiträge zur Flora der Balkanhalbinsel. VIII-IX. *Österr. Bot. Z.* 42: 368-375, 400-401, 412-420; 43: 22-24.
- HALACSY, E. VON (1895). Beitrag zur Flora von Griechenland. *Österr. Bot. Z.* 45: 121-125, 171-177.
- HALACSY, E. VON (1897). Florula Sporadum. *Österr. Bot. Z.* 47: 60-67.
- HALACSY, E. VON (1898). Die bisher bekannten Centaurea Arten Griechenlands. [German]. *Bull. Herb. Boissier* 6:565-603, 633-659.
- HALACSY, E. VON (1901-1908). *Conspectus florae graecae*. 3 vols. Leipzig, Engelmann.
- HALACSY, E. VON (1904). Novitäten aus der griechischen Flora. [Referat]. *Verh. Zool.-Bot. Ges. Wien* 54: 483-484.
- HALACSY, E. VON (1906). Aufzählung der von Herrn Prof. Dr. L. Adamovic im Jahre 1905 auf der Balkanhalbinsel gesammelten Pflanzen. *Österr. Bot. Z.* 56: 205-277.
- HALACSY, E. VON (1910). Aufzählung der von Herrn Dr. B. Tuntas auf der Insel Skyros der Nördlichen Sporaden im Juni 1908 gesammelten Arten. *Österr. Bot. Z.* 60: 114-141.
- HALACSY, E. VON (1912). Supplementum secundum Conspectus florae graecae. *Magyar Bot. Lapok* 11: 114-202.
- HALE, M. E., Jr. (1980). Taxonomy and distribution of the Pamelia flaventior group (Lichens: Parmeliaceae). *J. Hattori Bot. Lab.* 47: 75-84.
- HALEVY, A. H. (1956a). Orange leaf transpiration under orchard conditions. IV. A contribution to the methodology of transpiration measurements in citrus leaves. *Bull. Res. Council Israel* 5D: 155-164.
- HALEVY, A. H. (1956b). Orange leaf transpiration under orchard conditions. V. Influence of leaf age and changing exposure to light on transpiration, on normal and dry summer days. *Bull. Res. Council Israel* 5D: 165-175.

- HALEVY, A. H. (1961). Notes on the anatomy of contractile roots leaves and stomata of *gladiolus*. *Gladiolus Yearb.* 36: 53-58.
- HALEVY, A. H. ✧ JACOBY, B. & HALEVY, A. H. (1970) — ZIV, Meira & al. (1976).
- HALEVY, G. (1970). *Acacia gerardii*, key to geomorphology in the Negev. [Hebrew]. *Teva Vaaretz* 12: 209-212.
- HALEVY, G. (1971). A study of *Acacia albida* in Israel. [Hebrew]. *La-Yaaran* 21: 89-99.
- HALEVY, G., ORSHAN, G. (1972). Ecological studies on *Acacia* species in the Negev and Sinai. I. Distribution of *Acacia raddiana*, *A. tortilis* and *A. gerrardii* spp. *negevensis* as related to environmental factors. *Israel J. Bot.* 21: 197-208.
- HALEVY, G., ORSHAN, G. (1973). Ecological studies on *Acacia* species in the Negev and Sinai. II. Phenology of *Acacia raddiana*, *A. tortilis* and *A. gerrardii* spp. *negevensis*. *Israel J. Bot.* 22: 120-138.
- HALEVY, G., RAVEK, S. (1972). Vegetation of Western Galilee. [Hebrew]. *Sal'it* 1: 265-270.
- HALEVY, G. ✧ LAMPREY, H. F. & al. (1974).
- HALIM, Y. (1960). Observations on the Nile bloom of phytoplankton in the Mediterranean. *J. Cons. Perm. Int. Explor.* 36: 57-67.
- HALIM, Y. (1963). Microplankton des eaux égyptiennes. Le genre *Ceratium* Schrank (Dinoflagellatae). *Rapp. Comm. Int. Explor. Mer Méditerr.* 17: 495-602.
- HALL, O. ✧ JOHNSON, B. L. & HALL, O. (1967).
- HALLBERG, F. ✧ BLATTER, E. & HALLBERG, F. (1918).
- HALLIDAY, P. (1983). A new species of *Kleinia* (Compositae) from Arabia. *Kew Bull.* 37: 633-635.
- HALMANN, M., ELGAVISH, A. (1974). The role of phosphate in eutrophication. Stimulation of plankton growth and residence times of inorganic phosphate in Lake Kinneret waters. *Verh. Int. Verein. Theor. Angew. Limnol.* 19: 1357-1369.
- HALMANN, M. ✧ ELGAVISH, A. & al. (1980, 1982).
- HALWAGY, M. ✧ HALWAGY, R. & HALWAGY, M. (1974a-b).
- HALWAGY, R. (1963). Studies in the succession of vegetation in some islands and sand banks in the Nile near Khartoum, Sudan. *Vegetatio* 11: 217-234.
- HALWAGY, R., HALWAGY, M. (1974a). Ecological studies on the desert of Kuwait. I. The physical environment. *J. Univ. Kuwait (Sci.)* 1: 75-85.
- HALWAGY, R., HALWAGY, M. (1974b). Ecological studies on the desert of Kuwait. II. The vegetation. *J. Univ. Kuwait (Sci.)* 1: 87-95.
- HALWAGY, R., MACKSAD, A. (1972). A contribution towards a flora of the State of Kuwait and the Neutral Zone. *J. Linn. Soc., Bot.* 65: 61-79.
- HAMED, K. A. Kh. ✧ KHALIFA, S. F. & HAMED, K. A. Kh. (1979).
- HAMEED, H. A. ✧ HUQ, M. F. & al. (1978).
- HAMET-AHTI, Leena ✧ AHTI, T. & al. (1973).
- HAMMOUDA, M. A. (1970). Pattern and process in a fenced area at Ras El Hekma in twelve years. *Bull. Inst. Désert Egypte* 18: 175-192.
- HAMMOUDA, M. A., BAKR, S. Y. (1969). Some aspects of germination of desert seeds. *Phyton (Horn)* 13: 183-201.
- HAMMOUDA, M. A., SHALABY, A. F. (1957). On the germination of some medicinal desert plants. *Bull. Inst. Désert Egypte* 7: 1-12.

- HAMMOUDA, M. A., SHALABY, A. F. (1967). The habitat and soils of some medicinal plants of the Egyptian deserts. *Bull. Inst. Désert Egypte* 12: 73-84.
- HAMMOUDA, M. A. ♂ ABD EL RAHMAN, A. A. & HAMMOUDA, M. A. (1960) — MIGA-HID, A. M. & HAMMOUDA, M. A. (1976) — MIGA-HID, A. M. & al. (1960).
- HAMPE, E. (1837). Revision der durch Herrn Dr. Frivaldsky von Frivald in Pest verteilten getrockneten Pflanzen aus der Türkei. *Flora* 15: 225-234.
- HAMZA, M. K. ♂ EL-GAZZAR, A. I. H. & HAMZA, M. K. (1978).
- HAMZAKHEYL, N. G. (1969). A preliminary survey of pomegranates in Afghanistan with some laboratory varietal analysis. *Fac. Agriculture, Kabul Univ. Tech. Bull.* 16: 13 pp.
- HANDEL-MAZZETTI, H. VON (1908). Bericht über die im Sommer 1907 durchgeführte botanische Reise in den pontischen Randgebirgen im Sandschak Trapezunt. *Jahresber. Naturwiss. Orientvereins Wien* 13: 13-46.
- HANDEL-MAZZETTI, H. VON (1909). Ergebnisse einer botanischen Reise in das pontische Randgebirge im Sandschak Trapezunt. *Ann. Naturhist. Mus. Wien* 23: 6-212, 8 pl.
- HANDEL-MAZZETTI, H. VON (1909-1910). Revision der balkanischen und vorderasiatischen Onobrychis-Arten aus der Sektion Eubrychis. *Österr. Bot. Z.* 59: 369-378, 424-430, 479-488; 60: 5-12, 64-71.
- HANDEL-MAZZETTI, H. VON (1911a). Die Expedition nach Mesopotamien. *Jahresber. Naturwiss. Orientvereins Wien* 16: 41-60.
- HANDEL-MAZZETTI, H. VON (1911b). Im innersten Kurdistan. *Neue Freie Presse* 16.975: 23-24.
- HANDEL-MAZZETTI, H. VON (1911c). Reisebilder aus Mesopotamien und Kurdistan. II. Durch Kurdistan. *Deutsche Rundschau Geogr.* 33: 312-331, 401-419. ill.
- HANDEL-MAZZETTI, H. VON (1912a). Kurdistan. *Vegetationsbilder* 10/6, pls. 31-36.
- HANDEL-MAZZETTI, H. VON (1912b). Mesopotamien. *Vegetationsbilder* 10/5, pls. 25-30.
- HANDEL-MAZZETTI, H. VON (1912c). Neues aus den pontischen Randgebirgen im Sandschak Trapezunt. *Repert. Spec. Nov. Regni Veg.* 10: 397-402.
- HANDEL-MAZZETTI, H. VON (1912-1914). Pteridophyta und Anthophyta aus Mesopotamien und Kurdistan, sowie Syrien und Prinkipo, I-IV. *Ann. Naturhist. Mus. Wien* 26: 120-154; 27: 41-92; 28: 14-39.
- HANDEL-MAZZETTI, H. VON (1913a). Die biovulaten Haplophyllum-Arten der Türkei. Nebst Bemerkungen über jene des übrigen Orients. *Verh. Zool.-Bot. Ges. Wien* 63: 26-55, 2 pl.
- HANDEL-MAZZETTI, H. VON (1913b). Pentapleura, novum genus Labiatarum ex oriente. *Öst. Bot. Z.* 63: 225-226.
- HANDEL-MAZZETTI, H. VON (1913c). Über die Begriffe Wüste, Steppe und Puszta im Orient. *Verh. Ges. Deutsch. Naturf.* 85, 2: 651-653. Publ. 1914.
- HANDEL-MAZZETTI, H. VON (1914a). Beiträge zur Kenntnis der orientalischen Flora. 1. *Verh. Zool.-Bot. Ges. Wien* 64: 309-321.
- HANDEL-MAZZETTI, H. VON (1914b). Die Vegetationsverhältnisse von Mesopotamien und Kurdistan. In: Wissenschaftliche Ergebnisse der Expedition nach Mesopotamien, 1910. 6 T. ill. *Ann. Naturhist. Mus. Wien* 28: 48-111.
- HANDEL-MAZZETTI, H. VON (1923). Beiträge zur Kenntnis der orientalischen Flora. II. *Verh. Zool.-Bot. Ges. Wien* 72: 31-35.
- HANDEL-MAZZETTI, H. VON ♂ BUBAK, F. & HANDEL-MAZZETTI, H. VON (1921) — SCHIFFNER, V. & HANDEL-MAZZETTI, H. VON (1913) — STEINER, J. & HANDEL-MAZZETTI, H. VON (1921).

- HANELT, P. (1961). Zur Kenntnis von *Carthamus tinctorius* L. *Kulturpflanze* 9: 114-145.
- HANELT, P. (1963). Monographische Übersicht der Gattung *Carthamus* L. *Repert. Spec. Nov. Regni Veg.* 67: 41-180, pls. i-xviii.
- HANSEN, A. (1971). Flora der Inselgruppe Santorin. *Candollea* 26: 109-163.
- HANSEN, T. (1964). *Arabia Felix; the Danish expedition of 1761-1767*. [Transl.] London, Collins, 381 pp., ill.
- HARAN, N. (1952). Apomixis in *Taraxacum cyprium* Lindb. *Palest. J. Bot. Jerusalem Ser.* 5: 237-247.
- HARBERD, D. J. (1972). A contribution to the cytotaxonomy of Brassica (Cruciferae) and its allies. *Bot. J. Linn. Soc.* 65: 1-23.
- HARBOURNE, J. B. & WILLIAMS, Christine A. & al. (1983).
- HARDER, R. (1932). Ökologie der Wüstenpflanzen während der Dürreperiode. *Forsch. & Fortschr.*: 166-172.
- HARDING, J. & HOROVITZ, A. & HARDING, J. (1983).
- HARDING, W. F. W., HARDY, H. (1946). The autumn bulbs of Palestine. *J. Roy. Hort. Soc.* 71: 62-67.
- HARDY, E. (1946). Plant-hunting in Transjordan. Spring flowers in the Wadi Hemrin. *J. Roy. Hort. Soc.* 71: 296-299.
- HARDY, E. (1948). The Palestine flora. *J. Roy. Hort. Soc.* 162: 286-287.
- HARDY, E. (1954). Nature study in the Holy Land. *Contemp. Rev.* 185: 170-173.
- HARDY, H. & HARDING, W. F. W. & HARDY, H. (1946).
- HARDY, J. T., JUBAYLI, Z. (1976). Phytoplankton standing crop and nutrient enrichment along the central coast of Lebanon. *Environment Pollution 6B* 11: 195-202.
- HAREL, E. & SHOMER, I. & al. (1979).
- HAREUBENI, E. (1925a). New light on the flora of the Old and New Testaments. *J. New York Bot. Gard.* 26: 200-203.
- HAREUBENI, E. (1925b). The lilies of the field. *Bull. Torrey Bot. Club* 25: 35-38.
- HAREUBENI, E. (1930). Tzimkhe refuot usgulot etzel haaravim. [Hebrew]. *Harefuah* 4: 113-124.
- HAREUBENI, E. (1931a). Recherches sur les plantes de l'Évangile, *Ziziphus spina-christi*, *Poterium spinosum*. *Rev. Biblique* 42: 230-234.
- HAREUBENI, E. (1931b). Zur Frage der sirium und der sira. [Hebrew]. *Tarbiz* 2: 21-24.
- HAREUBENI, E. (1933a). Biblical botany and Arabic lore. *Sci. Monthly* 37: 147-148.
- HAREUBENI, E. (1933b). *To the knowledge of periodicity in plant life*. [Hebrew]. Gilyonoth Lemadaei Hatteva, Tel Aviv.
- HAREUBENI, E. (1935a). *Cuscuta monogyma* Vahl. *Palest. J. Bot. Rehovot Ser.* 1: 48-50.
- HAREUBENI, E. (1935b). The datura. [Hebrew]. *Hatteva Vehaaretz* 3: 426-428.
- HAREUBENI, E. (1938). *Viscum cruciatum* Sieb. on olive trees. [Hebrew]. *Hatteva Vehaaretz* 5: 169-174.
- HAREUBENI, E. (1941). *Thesaurus plantarum terrae Erez-Israel: de Urginea maritima L. and Asphodelo microcarpo Viv.* Jerusalem, 185 pp., pls.
- HAREUBENI, E. (1947). Bibliography. [Hebrew]. *Hatteva Vehaaretz* 7: 303-305.
- HAREUBENI, E. (1952). *Cephalaria syriana* (L.) Schrad. Thesis, Hebrew University, Jerusalem.

- HAREUBENI, E. ⇨ HAREUBENI, H. & HAREUBENI, E. (1947).
- HAREUBENI, H., HAREUBENI, E. (1947). The onion of giants. [Hebrew]. *Hatteva Vehaaretz* 7: 32.
- HARHASH, A. E. ⇨ MOSTAFA, M. A. & HARHASH, A. E. (1958).
- HARIF, I. (1978). The effect of burning on the germination and development of the maquis plants. *Israel J. Bot.* 27: 44.
- HARITONIDIS, S. ⇨ DIANNELIDIS, T. & al. (1977).
- HARLAN, J. R., ZOHARY, D. (1966). Distribution of wild wheats and barley. *Sci.* 153: 1074-1080.
- HARLAN, J. R. (1966). A wild wheat harvest in Turkey. *Archeol.* 20: 97-201.
- HARLAN, J. R. ⇨ RAWAL, J. & HARLAN, J. R. (1975).
- HARMS, H. (1918). [Review of] Christensen, Carl. Naturforskeren Pehr Forskal. Hans rejse til Aegypten og Arabien 1761-1763 og hans botaniske arbejder og samlinger. *Bot. Jahrb. Syst.* 25: 49-52. [Literaturbericht].
- HARPAZ, Y. ⇨ NOY-MEIR, I. & HARPAZ, Y. (1977).
- HARPER, J. L. ⇨ LITAV, M. & HARPER, J. L. (1967).
- HARRIS, F. S. (1941). Forest trees of Iran. *Proc. Utah Acad. Sci.* 18: 25-26.
- HARRIS, S. A. (1960). The distribution of certain plant species in similar desert and steppe soils in central and northern Iraq. *J. Ecol.* 48: 97-105.
- HARRISON, M. N., JACKSON, J. K. (1958). Ecological classification of the vegetation of the Sudan. *Forests Bull. Sudan (N.S.)* 2: 1-45.
- HARRISON, R. K. (1966). *Healing herbs of the Bible*. Leiden, E. J. Brill, 58 pp.
- HARRISON S. G. (1950). Manna and its sources. *Kew Bull.*: 1950: 407-417.
- HART, H. Ch. (1885). A naturalist's journey to Sinai, Petra and southern Palestine. *Palest. Expl. Fund Quart St.*: 231-285.
- HART, H. Ch. (1885). Report on the botany of Sinai and South Palestine. *Trans. Roy. Irish Acad.* 28: 373-452.
- HART, H. Ch. (1891). *Some account of the fauna and flora of Sinai, Petra and Wadi Arabah*. London, Palestine Exploration Fund, 225 pp., ill.
- HARTMAN, M. ⇨ ZOHARY, M. & HARTMAN, M. (1983).
- HARTMANN, E. (1900). Sämereien gesammelt... in der Umgebung von Beirut in Syrien. *Hortus Botanicus Vindobonensis Delect. Sem.*: 24-26.
- HARTMANN, H. (1966). Beiträge zur Kenntnis der Flora des Karakorum. *Bot. Jahrb. Syst.* 85: 259-328, 329-409.
- HARTMANN, H. (1968). Über die Vegetation des Karakorum. I. *Vegetatio* 15: 297-387.
- HARTMANN, H. (1972). Über die Vegetation des Karakorum. II. Rasen- und Strauchgesellschaften im Bereich der alpinen und der höheren subalpinen Stufe des Zentralkarakorum. Vegetationskundliche Ergebnisse der Schweizerischen Expedition zum Biago-Gletscher 1962. *Vegetatio* 24: 91-157.
- HARVEY-GIBSON, R. J. (1908-1909). Reports of the marine biology of the Sudanese Red Sea. IX. Algae. *J. Linn. Soc., Zool.* 31: 76-80. [Reprinted in *J. Linn. Soc., Bot.* 38: 441-445].
- HARVEY-GIBSON, R. J., KNIGHT, Margery (1913, 1915). Reports of the marine biology of the Sudanese Red Sea. IX. Algae (Suppl.). *J. Linn. Soc., Bot.* 41: 305-309, 4 figs. [Reprinted in *J. Linn. Soc., Zool.* 31: 401-405].

- HARZ, C. O. (1899). Beiträge zur Flora des mittleren Halysthales. In: OBERHUMMER, R., *Durch Syrien und Kleinasien...*: 348-370. Berlin, D. Reimer.
- HASHIM, F. M., SAYED, M. D., EL-KEIY, M. A. (1959). The macro- and micromorphology of the leaves and stem of *Ruta graveolens* L. grown in Egypt. *Egypt. Pharm. Bull.* 40: 187.
- HASHIM, F. M. ⇨ ABD EL WAHAB, A. M. & al. (1963).
- HASHIMOTO, T. (1964). Studies on Afghan plants. I. *J. Jap. Bot.* 39: 25-30.
- HASSAN, A. H. ⇨ ABD EL RAHMAN, A. A. & al. (1976).
- HASSAN, S. (1897). Note sur l'Eragrostis abyssinica comme plante fourragère en Egypte. *Bull. Inst. Egypte* 27: 23-27.
- HASSANEIN BEY, A. M. (1926). *Rätsel der Wüste*. Transl. Leipzig, F. A. Brockhaus, 319 pp., ill., map.
- HASSANYAR, A. S. (1971). *The major terrestrial ecosystems of four regions of Afghanistan*. A research report. Kabul, Faculty of Agriculture, 34 pp.
- HASSANYAR, A. S. (1972). *Ecology of Central Afghanistan*. [Farsi]. Kabul, Faculty of Education, 36 pp.
- HASSELQUIST, F. (1757). *Iter palestinum: eller Resa til Heliga landet forratad ifran ar 1749-1752... utgifven af Carl Linnaeus*. Stockholm, Salvii. XVI, 620 pp.
- HASSELQUIST, F. (1762). *Reise nach Palästina in den Jahren von 1749-1752*. Hrsg. von Carl Linnaeus. Rostock, J. L. Koppe. XVI, 606 pp.
- HASSELQUIST, F. (1766). *Voyages and travels in the years 1749, 1750, 1751, 1752... published by Charles Linnaeus*. London, A. Davis & C. Reymers. 456 pp., map.
- HASSIB, M. (1938). Cucurbitaceae in Egypt. *Bull. Fac. Sci. Egypt. Univ.* 3: 173 pp.
- HASSIB, M. (1952). Distribution of plant communities in Egypt. *Bull. Fac. Sci. Egypt. Univ.* 29: 59-261.
- HASSIB, M. (1954). The life forms of the Egyptian flora. *Bull. Inst. Désert Egypte* 4: 65-69.
- HASSIB, M. ⇨ MONTASIR, A. H. & HASSIB, M. (1956).
- HASSLOW, O. J. (1939). Einige Characeen-Bestimmungen: Syria. *Bull. Nat.* 2: 295-301.
- HATTORI, S. (1976). Studies on the asiatic species of the genus *Porella* (Hepaticae). VI. *J. Hattori Bot. Lab.* 40: 121-138.
- HATTORI, S. (1978a). Studies on the asiatic species of the genus *Porella* (Hepaticae). VII. A synopsis of Asiatic Porellaceae. *J. Hattori Bot. Lab.* 44: 91-120.
- HATTORI, S. (1978b). A note on asian *Porella platyphylla*. *Misc. Bryol. Lichenol.* 8: 1-2.
- HAUCK, F. (1887). Über einige von J. M. Hildebrandt im Rothen Meere und Indischen Ocean gesammelte Algen. III + IV. *Hedwigia* 26: 18-21, 41-45.
- HAUCK, F. (1888). Über einige von J. M. Hildebrandt im Rothen Meere und Indischen Ocean gesammelte Algen. V. *Hedwigia* 27: 86-93.
- HAUCK, F. (1889). Über einige von J. M. Hildebrandt im Rothen Meere und Indischen Ocean gesammelte Algen. VI. (Schluss.). *Hedwigia* 28: 188-190.
- HAUSSKNECHT, C. (1868). Botanische Reisen in Kurdistan und Persien. *Z. Ges. Erdk. Berlin* 3: 464-473.
- HAUSSKNECHT, C. (1893-1899). Symbolae ad floram graecam. Aufzählung der im Sommer 1885 in Griechenland gesammelten Pflanzen. *Mitth. Thüring. Bot. Vereins, N.F.*, 3/4: 96-116; 5: 41-126; 7: 25-64; 8: 43-54; 10: 47-66; 11: 30-65; 13: 18-77.

- HAUSSKNECHT, C. (1897a). Drei Neue Cruciferengattungen der orientalischen Flora. *Mitth. Thüring. Bot. Vereins* 11: 68-76.
- HAUSSKNECHT, C. (1897b). Eine neue Scilla Persiens. *Mitth. Thüring. Bot. Vereins, N.F.*, 10: 44-45.
- HAUTZINGER, L. K. K. H. VON (1983). Orchis anatolica Boiss. ssp. anatolica x O. mascula L. ssp. mascula, ein neuer interspezifischer Hybrid. *Ann. Naturhist. Mus. Wien* 84: 1-3.
- HAVIVI, E., LEIBOWITZ, J. (1958). Investigations in the germination and respiration of Pollen of Pinus canariensis. *Bull. Res. Council Israel* 6D: 259.
- HAYEK, A. VON (1914). Plantae Sieheanae. *Ann. Naturhist. Mus. Wien* 28: 150-188, 4 pl.
- HAYEK, A. VON (1923). Pontische und pannonische Flora. *Österr. Bot. Z.* 72: 231-235.
- HAYEK, A. VON (1924-1926). Plantae novae orientales. *Repert. Spec. Nov. Regni Veg.* 19: 333-335; 23: 272.
- HAYEK, A. VON (1924-1930). Prodrum Flora Peninsulae Balcanicae. *Repert. Spec. Nov. Regni Veg. Beih.* 30(1): 1193 pp.; 30(2): 576 pp.
- HAYEK, A. VON (1926). *Allgemeine Pflanzengeographie*. Berlin, Bornträger, 409 pp.
- HAYNALD, S. F. VON (1894). Les plantes qui fournissent les gommés et les résines mentionnées dans les livres saints. *Magyar Nemz. Muz. Dept. Bot.* 4.
- HAYON, J. C., KILBERTUS, G., PELT, J. M. (1970). Flore et végétation d'un barrage de travertins en Afghanistan central (Ziarat de Band-i-Amir). *Comptes Rend. Hebd. Séances Acad. Sci. Paris* 270: 3075-3078.
- HAYON, J. C., PELT, J. M., YOUNOS, M. C. (1968). Les formations végétales de la basse vallée du Kounar (Afghanistan oriental). *Comptes Rend. Hebd. Séances Acad. Sci. Paris, Ser. D*, 266: 2086-2089.
- HAYON, J. C., PELT, J. M., YOUNOS, M. C. (1970). Caractères écologiques et floristiques de deux stations halophiles d'Afghanistan. *Vegetatio* 20: 307-328.
- HAYON, J. C. & PELT, J.-M. & al. (1965, 1967a-b, 1968a-b, 1970a-b).
- HEADY, H. F. (1963). *Report to the Government of Saudi Arabia on Grazing resources and problems*. Rome, F.A.O. ETAF Rep. 1640, project SA/TE/P1, 30 pp.
- HÉBRARD, J. P. (1982). Mousses et hépatiques du bassin méditerranéen. *Beih. Nova Hedwigia* 71: 369-386.
- HEDGE, I. C. (1957-1961). Studies in East Mediterranean species of Salvia. I-IV. *Notes Roy. Bot. Gard. Edinburgh* 22: 173-188; 23: 47-69, 167-171, 551-567.
- HEDGE, I. C. (1959). A new Arabis from Turkey. *Notes Roy. Bot. Gard. Edinburgh* 23: 23-24.
- HEDGE, I. C. (1960). Two remarkable new Salvias from Afghanistan. *Notes Roy. Bot. Gard. Edinburgh* 23: 163-165.
- HEDGE, I. C. (1961a). Iranian plants collected by Per Wendelbo in 1959. IV. Labiatae. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 7: 20 pp.
- HEDGE, I. C. (1961b). Materials for a flora of Turkey. V. *Notes Roy. Bot. Gard. Edinburgh* 23: 547-558.
- HEDGE, I. C. (1961c). Salvia glutinosa and S. nubicola Sweet: two previously confused species. *Notes Roy. Bot. Gard. Edinburgh* 23: 205-208.
- HEDGE, I. C. (1961d). Some remarks on the perennial species of Ziziphora with special reference to those in Turkey. *Notes Roy. Bot. Gard. Edinburgh* 23: 209-221.

- HEDGE, I. C. (1963a). Iranian plants collected by Per Wendelbo in 1959. VII. Cruciferae. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 13: 11 pp.
- HEDGE, I. C. (1963b). Notes on Nábelek's Labiatae from Turkey, Iran & Iraq. *Notes Roy. Bot. Gard. Edinburgh* 25: 51-54.
- HEDGE, I. C. (1966a). Materials for a flora of Turkey. XI. A new species of Saponaria. *Notes Roy. Bot. Gard. Edinburgh* 26: 353.
- HEDGE, I. C. (1966b). Studies in the flora of Afghanistan. III. An account of Salvia. *Notes Roy. Bot. Gard. Edinburgh* 26: 407-425.
- HEDGE, I. C. (1967). Studies in the Flora of Afghanistan. VI. Labiatae A-Lal. *Notes Roy. Bot. Gard. Edinburgh* 27: 149-173.
- HEDGE, I. C. (1968a). Physocardamum: a new genus of Cruciferae from Turkey. *Notes Roy. Bot. Gard. Edinburgh* 28: 293-296.
- HEDGE, I. C. (1968b). Studies in the flora of Afghanistan. VIII. Labiatae: conclusions and key to genera. *Notes Roy. Bot. Gard. Edinburgh* 28: 163-172.
- HEDGE, I. C. (1969a). Elburzia: a new genus of Cruciferae from Iran. *Notes Roy. Bot. Gard. Edinburgh* 29: 181-184.
- HEDGE, I. C. (1969b). Materials for a flora of Turkey. XVII. Onobrychis and Hedysarum. *Notes Roy. Bot. Gard. Edinburgh* 29: 33-37.
- HEDGE, I. C. (1974). A further note on Salvia tetradonta. *Notes Roy. Bot. Gard. Edinburgh* 33: 295-299.
- HEDGE, I. C. (1982). Studies in the flora of Arabia. II. Some new and interesting species of Labiatae. *Notes Roy. Bot. Gard. Edinburgh* 40: 63-73.
- HEDGE, I. C., BOKHARI, M. H. (1975). Anatomical characters in Capparis spinosa and its allies. *Notes Roy. Bot. Gard. Edinburgh* 34: 231-240.
- HEDGE, I. C., COODE, M. J. E., CULLEN, J., HUBER-MORATH, A. (1967). Materials for a Flora of Turkey. XII. *Notes Roy. Bot. Gard. Edinburgh* 27: 211-217.
- HEDGE, I. C., FEINBRUN, Naomi (1968). Satureia thymbrifolia Hedge & Feinbrun, sp. nov. *Israel J. Bot.* 17: 217-216.
- HEDGE, I. C., KJAER, A., MALVER, O. (1980). Dipterygium — Cruciferae or Capparaceae? *Notes Roy. Bot. Gard. Edinburgh* 38: 247-250.
- HEDGE, I. C., LAMOND, J. M. (1963). A guide to the Turkish genera of Umbelliferae. *Notes Roy. Bot. Gard. Edinburgh* 25: 171-177.
- HEDGE, I. C., LAMOND, J. M. (1973). A review of the tribe Echinophoreae (Umbelliferae). *Notes Roy. Bot. Gard. Edinburgh* 32: 167-188.
- HEDGE, I. C., LAMOND, J. M. (1978). Further notes on Umbelliferae-Echinophoreae. *Notes Roy. Bot. Gard. Edinburgh* 37: 61-66.
- HEDGE, I. C., LAMOND, J. M. (1980). Notes on Umbelliferae: some asiatic Scandiceae. *Notes Roy. Bot. Gard. Edinburgh* 38: 251-257.
- HEDGE, I. C., MATTHEWS, V. A., LAMOND, J. M. (1971). Materials for a flora of Turkey. XXV. *Notes Roy. Bot. Gard. Edinburgh* 31: 75-79.
- HEDGE, I. C., WENDELBO, P. (1963a). Notes on the giant Asphodels of Afghanistan. *J. Roy. Hort. Soc.* 88: 402-405.
- HEDGE, I. C., WENDELBO, P. (1963b). Studies in the flora of Afghanistan. I. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 18: 1-56.

- HEDGE, I. C., WENDELBO, P. (1964). *Acantophyllum xantoporphyranthum*, sp. nov. from West Afghanistan. *Bot. Not.* 117: 315-317.
- HEDGE, I. C., WENDELBO, P. (1969). A note on the Rhododendrons of Afghanistan. *Rhododendron Camellia Year Book* 177-181.
- HEDGE, I. C., WENDELBO, P. (1970). Some remarks on endemism in Afghanistan. *Israel J. Bot.* 19: 401-417.
- HEDGE, I. C., WENDELBO, P. (1972). Studies in the flora of Afghanistan. XIII. Various new taxa and records. *Notes Roy. Bot. Gard. Edinburgh* 31: 331-350.
- HEDGE, I. C., WENDELBO, P. (1978). Patterns of distribution and endemism in Iran. *Notes Roy. Bot. Gard. Edinburgh* 36: 441-464.
- HEDGE, I. C. ♀ BOKHARI, M. H. & HEDGE, I. C. (1971, 1976, 1977) — BRECKLE, S.-W. & al. (1969, 1975) — DANIN, A. & al. & HEDGE, I. C. (1973) — DAVIS, P. H. & HEDGE, I. C. (1971, 1975) — DAVIS, P. H. & al. (1971) — FEINBRUN, Naomi & HEDGE, I. C. (1968) — MILLER, A. G. & al. (1982) — WENDELBO, P. & HEDGE, I. C. (1964).
- HEDLUNG, T. (1901). Monographie der Gattung Sorbus. *Kongl. Svenska Vetenskapsakad. Handl.* 35: 1-147.
- HEFNAWI, M. I. (1922). *Key to the flora of Egypt*. Cairo, Ministry of Agriculture.
- HEFNAWY, M. T. (1935). A journey to Sinai. *Hort. Rev. (Cairo)* 22, No. 93.
- HEHN, V. (1911). *Kulturpflanzen und Haustiere in ihrem Übergang aus Asien nach Griechenland sowie in das übrige Europa*. 8th ed. Berlin, Bornträger, xviii, 665 pp.
- HEIDER, A. (1885). Einiges über die Vegetationsverhältnisse Pamphyliens. *Öst. Bot. Z.* 35: 428-432.
- HEIKAL, M. M., AHMED, A. M., SHADAD, M. A. (1980). Dry matter and mineral composition of some oil producing plants as influenced by some salination treatments. *Phyton (Horn)* 20: 159-173.
- HEIKAL, M. M. ♀ AHMED, A. M. & al. (1979).
- HEILBRON, A., BASMAN-HEILBRON, M., ATTLA, A. (1949). *Hortus botanicus Istanbulensis index seminum*. Istanbul, Universitesi Botanik Bahcesi, 13 pp.
- HEIN, W. (1902). Austrian investigations in southern Arabia. *Geogr. J.* 20: 226-227.
- HEISI, C. ♀ SMITH, P. & HEISI, C. (1957).
- HEJAZI, R. (1956). Iranian beech species: are they *Fagus silvatica* L. or *Fagus orientalis* Lipsky? [Farsi; English abstract]. *Bull. Coll. Agric. Univ. Teheran* 10A: 28-34.
- HEJAZI, R. (1959). The unknown forest communities of Iran. [Farsi]. *Teheran Minist. Agric. Publ.* 1-2: 6-15.
- HEJAZI, R. (1960). Fars forests. [Farsi]. *Bull. Coll. Agric. Univ. Teheran* 28.
- HEJAZI, R., SABETI, H. (1961). Guide to natural vegetation of Elburz (Karaj-Tchalus profile). *Bull. Coll. Agric. Univ. Teheran* 26: iii, 48 pp., map.
- HEJAZI, R., SABETI, H., TABATABAI, M. (1959). Study on Iranian ironwood, *Parotia persica* C. C. [Farsi; English abstract]. *Bull. Coll. Agric. Univ. Teheran* 22.
- HEJAZI, R., TABATABAI, M. (1960). Shisho forest, *Dalbergia sissoo* Roxb. in Iran. [Farsi; English abstract]. *Bull. Coll. Agric. Univ. Teheran* 24.
- HEJAZI, R., TABATABAI, M., MOSLEMI, A. A. (1957). Study on the softwood trees in Iran. [Farsi; English abstract]. *Bull. Coll. Agric. Univ. Teheran* 15.

- HEJAZI, R., TABATABAI, M., NILLOFARI, P. (1956). Study on the poplar tree in Iran, *Populus nigra* var. *pyramidalis* Roz. [Farsi; English abstract]. *Bull. Coll. Agric. Univ. Teheran* 12.
- HEJAZI, R., TABATABAI, M., SOLEYMANI, M. P. (1957). Study on plane-tree, *Platanus orientalis* L. in Iran. [Farsi; English abstract]. *Bull. Coll. Agric. Univ. Teheran* 16.
- HELBAEK, H. (1953). Queen Ichetis'wheat. *Dansk Biol. Medd.* 21: 3-17.
- HELBAEK, H. (1959a). Domestication of food plants in the Old World. *Sci.* 130: 165-372.
- HELBAEK, H. (1959b). Die Paleoethnobotanik des Nahen Ostens und Europas. *Op. Eth. Mem. Ludov. Biro Sacr.*: 265-289.
- HELBAEK, H. (1964). Archaeological evidence for genetical changes in wheat and barley. *Proc. Int. Bot. Congr.* 10: Abstr. 285, p. 126.
- HELBAEK, H. (1966). Commentary on the phytogenesis of *Triticum* and *Hordeum*. *Econ. Bot.* 20: 350-360.
- HELDREICH, Th. DE (1862). *Die Nutzpflanzen Griechenlands, unter besonderer Berücksichtigung der neugriechischen und pelagischen Vulgärnamen*. Athens, K. Wilberg, viii, 104 pp.
- HELDREICH, Th. DE (1877). *Catalogus systematicus herbarii Th. G. Orphanidis. Leguminosae*. Florenz.
- HELDREICH, Th. DE (1880). *Stachys spreitzenhoferi*, n. sp. *Öst. Bot. Z.* 30: 344-346.
- HELDREICH, Th. DE (1882). *Flore de l'île de Céphalonie*. Lausanne, G. Bridel, 90 pp.
- HELDREICH, Th. DE (1890). *Publications du Dr. Th. de Heldreich*. Le Mans, Monnoyer, 7 pp.
- HELDREICH, Th. DE (1898). Ergebnisse einer botanischen Exkursion auf die Cycladen. *Öst. Bot. Z.* 48: 182-188.
- HELLER, D., SHMIDA, A. (1983). Professor Michael Zohary. [Hebrew]. *Teva Vaaretz* 25(5): 23-25.
- HELLER, D. ⇨ DAFNI, A. & HELLER, D. (1980a, 1982b) — SHMIDA, A. & HELLER, D. (1983) — ZOHARY, M. & HELLER, D. (1970, 1984) — ZOHARY, M. & al. (1980, 1983).
- HELMAN, D. (1956). Therapeutic plants in ancient sources. [Hebrew]. *Koroth* 1: 342-344.
- HEMPRICH, F. W. ⇨ EHRENBERG, Ch. G. (1828) — HUMBOLDT, A. VON (1827, 1829) — SCHUMANN, K. (ed.) (1900).
- HEMSLEY, U. B. A. ⇨ LACE, J. H. & HEMSLEY, U. B. A. (1891).
- HENDERSON, D. M. (1957). Uredinales from Asia Minor. *Notes Roy. Bot. Gard. Edinburgh* 22: 195-200.
- HENDERSON, D. M. (1959, 1961). Uredinales from S. W. Asia. I-II. *Notes Roy. Bot. Gard. Edinburgh* 23: 71-83, 249-258.
- HENDERSON, D. M. (1961). Contribution to the Bryophyte flora of Turkey. V. Summary of present knowledge. *Notes Roy. Bot. Gard. Edinburgh* 23: 279-301.
- HENDERSON, D. M. (1969). Two new Puccinias from South West Asia. *Notes Roy. Bot. Gard. Edinburgh* 29: 389-390.
- HENDERSON, D. M. (1970). Studies in the flora of Afghanistan. XII. Uredinales, 2. *Notes Roy. Bot. Gard. Edinburgh* 30: 197-202.
- HENDERSON, D. M., JØRSTAD, I. (1966). Studies in the flora of Afghanistan. II. Uredinales. *Aarbok Univ. Bergen, Mat.-Naturvitensk. Ser.* 4: 1-18.

- HENDERSON, D. M., MUIRHEAD, C. W. (1955-1958, 1961). Contributions to the Bryophytes flora of Turkey. I-V. *Notes Roy. Bot. Gard. Edinburgh* 22: 29-43, 289-293, 611-620; 23: 263-301.
- HENDERSON, D. M., MUIRHEAD, C. W. (1956). Eastern mediterranean Bryophytes. *Notes Roy. Bot. Gard. Edinburgh* 22: 121-129.
- HENDERSON, D. M., PRENTICE, H. (1969). Contributions to the Bryophyte flora of Turkey. VIII. *Notes Roy. Bot. Gard. Edinburgh* 29: 235-262.
- HENDY, N. I. (1970). Some littoral diatoms of Kuwait. *Nova Hedwigia, Beih.* 31: 107-167.
- HENEEN, W. K., RUNEMARK, H. (1972). Chromosomal polymorphism in isolated populations of *Elymus* (Agropyron) in the Aegean. I. *Elymus striolatus* sp. nov. *Bot. Not.* 125: 419-429.
- HENNERO, D. (1956). Gärten und Pflanzenexpeditionen im frühen Altertum. *Das Altertum* 2: 151-161.
- HENNINGS, I. (1972). Die dreidimensionale Vegetationsanordnung in Kaukasien. *Erdwiss. Forsch.* 4: 182-204.
- HENNINGS, P. C. (1893). Fungi aethiopici-arabici. *Bull. Herb. Boissier* 1: 97-122.
- HENNINGS, P. C. (1901). Fungi Africae borealis. *Hedwigia* 40: 98-101.
- HENNINGS, P. C. (1902). Battareopsis artini n. gen. sowie andere von Prof. Dr. G. Schweinfurth in Ägypten 1901-1902 gesammelte Pilze. *Hedwigia* 41: 211-215.
- HENSLOW, G. (1906). *The plants of the Bible: their ancient and medieval history, popularly described*. London, Masters, xv, 294 pp.
- HENSON, F. R. S., ELLIOTT, G. F. (1958). Specimens of *Collenia* from pre-Permian sediments in South Arabia. *Proc. Geol. Soc.* 1561: 89.
- HEPHER, B., LANGER, J. (1970). On the primary production by phytoplankton in Lake Kinneret (Tiberias). *Bull. Sea Fish Res. Station Haifa* 55: 21-62.
- HEPHER, D. ♦ PORATH, D. & al. (1979).
- HEPPER, F. N. (1969). Arabian and African Frankincense trees. *J. Egypt. Archaeol.* 55: 66-72.
- HEPPER, F. N., WOOD, J. R. I. (1979). Were there forests in the Yemen? *Proc. Sem. Arab. Studies* 9: 65-71.
- HEPPER, F. N., WOOD, J. R. I. (1982). A new combination of *Breonadia* (Rubiaceae) based on Forsskal's Arabian collection. *Kew Bull.* 36: 861.
- HERDER, F. VON (1886). *Catalogus systematicus Bibliothecae Horti in Imperiali Botanici petropolitani*. Editio nova. Petropolis, Academia Caesarea Scientiarum, xi, 510 pp.
- HERINCQ, F. (1876). *La vérité sur le prétendu Sulphion de la Cyrénaïque*. Paris, Lauwerayns, 51 pp.
- HERMANN, F. (1936). Die Pflanzendecke des Strandshagebirges. *Repert. Spec. Nov. Regni Veg. Beih.* 87: 1-103.
- HERRNSTADT, Ilana, HEYN, Chaia C. (1971a). Studies in Heptaptera (Umbelliferae) I. A bi-systematic study of Heptaptera in Israel. *Notes Roy. Bot. Gard. Edinburgh* 31: 81-89.
- HERRNSTADT, Ilana, HEYN, Chaia C. (1971b). Studies in Heptaptera (Umbelliferae) II. A bi-systematic study of Heptaptera in Israel. *Notes Roy. Bot. Gard. Edinburgh* 31: 91-107.
- HERRNSTADT, Ilana, HEYN, Chaia C. (1975a). New combinations in *Cachrys* L. as a genus distinct from *Hippomarathrum* Link. *Notes Roy. Bot. Gard. Edinburgh* 33: 441-443.
- HERRNSTADT, Ilana, HEYN, Chaia C. (1975b). Study of *Cachrys* populations in Israel and its application to generic delimitation. *Bot. Not.* 128: 127-234.

- HERRNSTADT, Ilana, HEYN, Chaia C. (1977). A monographic study of the genus *Prangos* (Umbelliferae). *Boissiera* 26: 1-91.
- HERRNSTADT, Ilana, HEYN, Chaia C., BEN-SASSON, Rivka, CROSBY, M. R. (1982). New records of mosses from Israel. *Bryologist* 85: 214-217.
- HERRNSTADT, Ilana, HEYN, Chaia C., CROSBY, M. R. (1980). New data on the moss genus *Gigaspermum* *Bryologist* 83: 536-541.
- HERRNSTADT, Ilana ⇄ GRÜENBERG-FERTIG, Irene & al. (1973) — HEYN, Chaia C. & HERRNSTADT, Ilana (1967, 1977) — PAZY, Batia & al. (1977).
- HERTZ, Naomi ⇄ ZIV, Meira (1983).
- HERZFELD, E. (1908). Herbaraufnahmen aus Kal at-Serkat-Assur. *Orientalistische Literatur-Z.*: 1-9.
- HERZOG, Th. (1938). Bryophytes, in Botanische Ergebnisse der Deutschen Hindukush-Expedition 1935. *Repert. Spec. Nov. Regni Veg. Beih.* 108: 3-12.
- HESLOP-HARRISON, Y. (1980). Review of: A. Fahn, Secretory Tissues in Plants. *New Phytol.* 86: 119.
- HESLOT, H. (1958). *Triticum ispahanicum*: une nouvelle espèce de blé cultivé originaire d'Iran. *Compt. Rend. Hebd. Séances Acad. Sci. Paris* 247: 2477-2479.
- HESS, E. (1924). Die Zypresse auf der Insel Kreta. *Schweiz. Z. Forstwesen* 75: 14-18.
- HETH, D. (1962). Eucalypt introduction trials in the northern Negev. [Hebrew]. *La-Yaaran* 12: 138-142.
- HETH, D. (1966). The cedars of Mount Scopus. [Hebrew]. *La-Yaaran* 16: 162-163.
- HETH, D. (1967). On two occurrences of *Juniperus phoenicea* L. in northern Sinai. [Hebrew]. *La-Yaaran* 17: 105-107.
- HETH, D. (1974). Water potentials of stressed pine seedlings under controlled climatic conditions. *Israel J. Bot.* 23: 127-131.
- HETH, D. (1975). Water potentials and water saturation deficits in *Cupressus sempervirens* L., *Cupressus atlantica* Gaussen and *Pinus halepensis* Miller. *La-Yaaran* 24: 38-43.
- HETH, D., BLUM, Ronit, WIRZBERG, B. (1967). Tree introduction trials in the Negev. [Hebrew]. *La-Yaaran* 17: 20-28.
- HEWER, T. F. (1970). An unusual means of propagation of a plant in the desert. *J. Roy. Hort. Soc.* 95: 128-129.
- HEWER, T. F. (1971). A botanical expedition to Iran and Afghanistan, 1969. *J. Roy. Hort. Soc.* 96: 403-412.
- HEWER, T. F. (1973). A botanical expedition to Iran and Afghanistan, 1971. Parts I & II. *J. Roy. Hort. Soc.* 98: 288-294, 341-348.
- HEYDECKER, W. ⇄ GUTTERMANN, Y. & al. (1973, 1975).
- HEYDRICH, F. (1897a). Corallinaceae, insbesondere Melobesieae. *Ber. Deutsch. Bot. Ges.* 15: 34-70, 3 figs., pl. 3.
- HEYDRICH, F. (1897b). Melobesieae. *Ber. Deutsch. Bot. Ges.* 15: 403-420, pl. 18.
- HEYDRICH, F. (1901). Die Lithothamnien des Museum d'Histoire naturelle in Paris. *Bot. Jahrb. Syst.* 28: 529-545, pl. 11.
- HEYN, Chaia C. (1956). Some chromosome counts in the genus *Medicago*. *Caryologia* 9: 160-165.
- HEYN, Chaia C. (1959a). Evolutionary problems in the genus *Medicago*. *Bull. Res. Council Israel* 7D: 112.

- HEYN, Chaia C. (1959b). The genus *Medicago* L. in Linnaeus's *Species Plantarum*. *Bull. Res. Council Israel* 7D: 157-174.
- HEYN, Chaia C. (1962a). On the cytotaxonomy of *Onobrychis crista-galli* (L.) Lam. and *O. squarrosa* Viv. *Bull. Res. Council Israel* 11D: 177-182.
- HEYN, Chaia C. (1962b). Studies of bulbous *Poa* in Palestine. I. The agamic complex of *Poa bulbosa*. *Bull. Res. Council Israel* 11D: 117-126.
- HEYN, Chaia C. (1963). The annual species of *Medicago*. *Scripta Hierosol.* 12: 1-154.
- HEYN, Chaia C. (1964). Cytotaxonomy of two legumes from Israel *Onobrychis caput-galli* (L.) Lam. and *Hedysarum spinosissimum* (L.). *Israel J. Bot.* 12: 187-191.
- HEYN, Chaia C. (1966). A study of the *Lotus peregrinus* group. *Israel J. Bot.* 15: 37-47.
- HEYN, Chaia C. (1968). Evolutionary study of fruit morphology in the tribe Trigonellae (Leguminosae). *Phytomorphology* 18: 54-59.
- HEYN, Chaia C. (1969). The typification of *Medicago* (Leguminosae). *Taxon* 18: 667-669.
- HEYN, Chaia C. (1970). Studies in *Lotus*. III. The *L. angustissimus* group. *Israel J. Bot.* 19: 271-292.
- HEYN, Chaia C. (1971). Biosystematic approaches to the solution of taxonomic problems in Israel. In: DAVIS, P. H. & al. (eds.), *Plant Life of South-West Asia*: 181-193. Bot. Soc. Edinburgh.
- HEYN, Chaia C. (1978). Flora of Cyprus, vol. 1 by R. D. Meikle [review]. *Israel J. Bot.* 27: 218-219.
- HEYN, Chaia C. (1979, 1980). Flora Palestina, Part 3 by Naomi Feinbrun-Dothan [review]. *Israel J. Bot.* 28: 51.
- HEYN, Chaia C. (1981). Trifolieae (Bronn) Benth. (1865). In: POLHILL, R. M. & RAVEN, P. H. (eds.), *Advances in Legume Systematics*: 383-385. R. Bot. Gard. Kew.
- HEYN, Chaia C. (1983). Davis, P. H. (ed). Flora of Turkey, Vol. 7. *Israel J. Bot.* 32: 176.
- HEYN, Chaia C., DAFNI, A. (1971). Studies in the genus *Gagea* (Liliaceae) I. The platyspermous species in Israel and neighbouring areas. *Israel J. Bot.* 20: 214-233.
- HEYN, Chaia C., DAFNI, A. (1977). Studies in the genus *Gagea* (Liliaceae) II. The non-platyspermous species from the Galilee, the Golan heights and Mt. Hermon. *Israel J. Bot.* 26: 11-22.
- HEYN, Chaia C., DAGAN, Ora, NACHMAN, Bilha (1974). The annual *Calendula* species: taxonomy and relationships. *Israel J. Bot.* 23: 169-201.
- HEYN, Chaia C., HERRNSTADT, Ilana (1967). The *Lotus creticus* group. *Kew Bull.* 21: 299-309.
- HEYN, Chaia C., HERRNSTADT, Ilana (1977). Seed coat structure of Old World Lupins. *Bot. Not.* 130: 427-435.
- HEYN, Chaia C., JOEL, A. (1983). Reproductive relationships between annual species of *Calendula*. *Pl. Syst. Evol.* 143: 311-329.
- HEYN, Chaia C., RAVIV, V. (1966). Experimental taxonomic studies in the genus *Scorpiurus* (Papilionaceae). *Bull. Torrey Bot. Club* 93: 259-267.
- HEYN, Chaia C. & BAND, Louise & al. (1981) — DI NOLA, Liliana & al. (1983) — GRÜENBERG-FERTIG, Irene & al. (1973, 1974) — HERRNSTADT, Ilana & HEYN, Chaia C. (1971a-b, 1975a-b, 1977) — HERRNSTADT, Ilana & al. (1980, 1982) — MATTATIA, J. & HEYN, Chaia C. (1976) — PAZY, Batia & al. (1977, 1981) — PLITMANN, U. & HEYN, Chaia C. (1978) — PLITMANN, U. & al. (1980) — WEITZ, Shulamith & HEYN, Chaia C. (1981) — ZOHARY, M. & al. (1980, 1983).
- HEYWOOD, V. H. (1952). *Chrysanthemum praeteritum* Horwood; its provenance, taxonomy and allied species: Anatolia, Syria, Turkey. *Notes Roy. Bot. Gard. Edinburgh* 21: 53-60.

- HEYWOOD, V. H. (1983). Relationships and evolution of the *Daucus carota* complex. *Israel J. Bot.* 32: 51-65.
- HIFNY, S. A. A. ✧ FAHMY, I. R. & HIFNY, S. A. A. (1931).
- HIFNY, S. A. A., BALBAA, S. I., AWAD, A. T. (1962a). A botanical study of *Cassia obovata* Coll. growing in Egypt. I. The leaves and stem. *J. Bot. Un. Arab Republ.* 5: 61-83.
- HIFNY, S. A. A., BALBAA, S. I., AWAD, A. T. (1962b). A botanical study of *Cassia obovata* Coll. growing in Egypt. II. *J. Bot. Un. Arab Republ.* 5: 85-109.
- HIFNY, S. A. A., MAHRAN, G. H., EL-ALFY, T. S. (1969). The macro- and micromorphology of *Ranunculus sceleratus* L. growing in Egypt. *J. Bot. Un. Arab Republ.* 12: 89-103.
- HIGHKIN, H. R. ✧ CASO, O. H. & al. (1960) — KOLLER, D. & al. (1960).
- HILDEBRANDT, J. M. ✧ HAUCK, F. (1887, 1888, 1889).
- HILDEBRANDT, M. (1875). Ergebnisse auf einer Reise von Massaua in das Gebiet der Afer und nach Aden. *Z. Ges. Erdk. Berlin* 10: 1-38.
- HILGER, H. H. ✧ BORCHERS, Eva & al. (1982).
- HILL, A. B. (1940). Desert transformation in Libya. *Proc. Linn. Soc. London* 152: 40-44.
- HILL, R. W. (1959). A bibliography of Libya. *Univ. Durh. Res. Pap., Ser. 1*: 48-56.
- HILLCOAT, D., LEWIS, G., VERDCOURT, B. (1980). A new species of *Ceratonia* (Leguminosae-Caesalpinioideae) from Arabia and the Somali Republic. *Kew Bull.* 35: 261-271.
- HILLEL, D., TADMOR, N. (1962). Water regime and vegetation of principal plant habitats in the Central Negev Highlands of Israel. *Ecol.* 43: 33-41.
- HILLEL, D. ✧ KOLLER, D. & al. (1958) — TADMOR, N. H. & al. (1969).
- HILLEL, J., FELDMAN, M. W., SIMCHEN, G. (1973). Mating system and population structure in two closely related species of the wheat group. 1. Variation between and within populations. *Heredity* 30: 141-167.
- HILLEL, J., SIMCHEN, G., FELDMAN, M. W. (1973). Mating system and population structure in two closely related species of the wheat group. 2. Environmental factors and population structure. *Heredity* 30: 73-83.
- HILLI, M. R. ✧ BATANOUNY, K. H. & HILLI, M. R. (1973).
- HILLIARD, O. M., BURTT, B. L. (1980). *Helichrysum fruticosum*: its correct name and taxonomic status. *Notes Roy. Bot. Gard. Edinburgh* 38: 145-148.
- HILMY, S. N. ✧ AYYAD, M. A. & HILMY, S. N. (1974).
- HINDORF, H. (1975). *Pflanzenkrankheiten in der Arabischen Republik Jemen. Allgemeine Situation und Erregerliste.* Bonn.
- HINTON, G. C. F., MAULOOD, B. K. (1979). Freshwater diatoms from Sulaimaniyah, Iraq. *Nova Hedwigia* 31: 449-466.
- HINTON, G. C. F., MAULOOD, B. K. (1980a). Freshwater red algae, a new addition to the Iraqi flora. *Nova Hedwigia* 33: 487-497.
- HINTON, G. C. F., MAULOOD, B. K. (1980b). Some diatoms from brackish water habitats in southern Iraq. *Nova Hedwigia* 33: 475-486.
- HINTON, G. C. F., MAULOOD, B. K. (1982). Contributions to the algal flora of Iraq: The non-diatom flora of the southern marshes. *Nova Hedwigia* 36: 49-63.
- HINTON, G. C. F. ✧ MAULOOD, B. K. & HINTON, G. C. F. (1978, 1979) — MAULOOD, B. K. & al. (1979).

- HIRANO, M. (1973). Fresh water algae from Mesopotamia. *Contr. Biol. Lab. Kyoto Univ.* 24: 105-119 (= see 17: 275).
- HIRMER, M. (1942). Die Forschungsergebnisse der Paläobotanik auf dem Gebiet der künophytischen Floren. *Bot. Jahrb. Syst.* 72: 347-563.
- HIRSCH, L. (1897). *Reisen in Südarabien, Mahra-Land und Hadramaut*. Leiden.
- HJELMQVIST, H. (1972). A find of *Nelumbo nucifera* from Old Cyprus. With some notes on the history of the species. *Bot. Not.* 125: 383-388.
- HOFFMANN, V. & BAUMANN, H. & HOFFMANN, V. (1980).
- HOFMANN, A. (1915). Die Vegetationsverhältnisse in Tripolitaniien. *Österr. Vierteljahrschr. Forstw., N.F.*, 33: 31-38.
- HOLLAND, J. H. (1922). Dates and date cultivation of the Iraq. *Kew Bull.*: 156-158.
- HOLLOS, I. (1902). Adatok a Kaukasz gombainak ismeretéhez. [Hungarian]. *Növényk. Közlem.* 1: 147-155.
- HOLMBOE, J. (1908). List of plants from Armenia and Trebizond collected by M. Holmboe. *Bergens Mus. Arbok* 13: 1-8.
- HOLMBOE, J. (1914). Studies on the vegetation of Cyprus based upon researches during the spring and summer 1905. *Bergens Mus. Skr., N.S.*, 1(2): 344 pp., 6 pl.
- HONGO, T. (1965). Fungi on Hindukush collected by Mr. K. Honda. *Acta Phytotax. Geobot., Kyoto* 21: 117-118.
- HONIGSBERGER, J. M. (1851). *Früchte aus dem Morgenlande*. Wien, Gerold, 590 pp., 40 pl.
- HOOG, Th. (1966). The early introduction of bulbs from Asia Minor. *J. Roy. Hort. Soc.* 91: 242-247.
- HOOKER, (Sir) J. D. (1853). Drugs collected at Aden. *Hooker's J. Bot. Kew Gard. Misc.* 5: 124.
- HOOKER, (Sir) J. D. (1861). On three oaks of Palestine. *Trans. Linn. Soc. London* 23: 381-387.
- HOOKER, (Sir) J. D. (1862). On the Cedars of Lebanon, Taurus, Algeria and India. *Nat. Hist. Rev.*: 11-18.
- HOOKER, (Sir) J. D. (1871). *Plants of Sinai*: 247-249. Sinai Ordnance Survey, Cairo.
- HOOKER'S ICONES PLANTARUM (1971). New or noteworthy species from Socotra and Abd al Kuri. *Hooker's Ic. Pl.* 37(4): t. 3673-3700.
- HOOPER, D. (1937). Useful plants and drugs of Iran and Iraq. *Fieldiana, Bot.* 9, 3: 71-241.
- HOOPER, Sheila S. (1977a). Nomenclature of a Mediterranean sedge, *Cyperus capitatus* Vand. (Cyperaceae). *Israel J. Bot.* 26: 98-99.
- HOOPER, Sheila S. (1977b). *Fuirena felcis* Hooper sp. nov., a new generic record for the Yemen. *Publ. Cairo Univ. Herb.* 7-8: 323-324.
- HOPF, M. (1969). Plant remains and early farming in Jericho. In: UCKO, P. J. & DIMBLEBY, G. W. (eds.), *The domestication and exploitation of plants and animals*: 355-359. London, G. Duckworth.
- HOPF, M. & ZOHARY, D. & HOPF, M. (1973).
- HOPKINS, D. W. & NEGBI, M. & al. (1975).
- HORN AFRANTZIEN, H. (1946). Taxonomical and phytogeographical studies in *Phleum arenarium* L. *Bot. Not.*: 364-386.
- HORNEMANN, Fr. (1802). *Tagebuch seiner Reise von Cairo nach Mursuck der Hauptstadt des Königreichs Fessan in Afrika in den Jahren 1797 und 1798*. Aus der Teutschen Handschrift desselben herausgegeben von Carl König. Weimar, Landes-Industrie-Comptoir. xxx, 240 pp., maps.

- HOROVITZ, Augusta, BULLOWA, S., NEGBI, M. (1975). Germination characters in wild and cultivated *Anemone coronaria* L. *Euphytica* 24: 213-220.
- HOROVITZ, Augusta, DANIN, A. (1983). Relatives of ornamental plants in the flora of Israel. *Israel J. Bot.* 32: 75-95.
- HOROVITZ, Augusta, GALIL, J. (1975). Biological flora of Israel. 6. *Anemone coronaria* L. *Israel J. Bot.* 24: 26-41.
- HOROVITZ, Augusta, HARDING, J. (1983). Genetics of *Lupinus*. XII. The mating system of *Lupinus pilosus*. *Bot. Gaz.* 144: 276-279.
- HOROVITZ, Augusta, ZOHARY, D. (1966). Spontaneous variegation for perianth colour in wild *Anemone coronaria*. *Heredity* 21: 513-515.
- HOROWITZ, A. (1971). Climatic and vegetational developments in N.E. Israel during Upper Pleistocene-Holocene times. *Pollen & Spores* 8: 255-278.
- HOROWITZ, A. (1973). Late Permian palynomorphs from southern Israel. *Pollen & Spores* 15: 315-334.
- HOROWITZ, A., BAUM, B. R. (1967). The arboreal pollen flora of Israel. *Pollen & Spores* 9: 71-93.
- HOROWITZ, A., WEINSTEIN, M., GANOR, E. (1975). Palynological determination of dust storms provenances in Israel. *Pollen & Spores* 17: 223-231.
- HORVAT, I. (1954). Pflanzengeographische Gliederung Südosteuropas. *Vegetatio* 5-6: 434-447.
- HORWOOD, A. R., SAMUELSSON, G. (1939). Plants of Iran collected by the Field Museum Expedition (1934). *Fieldiana, Anthropol. Ser.* 29: 573-574.
- HORWOOD, A. R., TURRILL, W. B. (1927). On the flora of the nearer East, III. *Kew Bull.*: 3-14.
- HORWOOD, F. A. (1970). Exotic xerophytes 7: some notes on the succulents of Socotra. *Natl. Cact. Succ. J.* 25: 103-105.
- HORWOOD, F. A. (1971). Exotic xerophytes: some notes on the succulents of Socotra. Part 2. *Natl. Cact. Succ. J.* 26: 106-110.
- HOSNI, H. A. (1977). A new *Tribulus* species with winged carpels. *Bot. Not.* 130: 261-262.
- HOSNY, A. I. (1977). New taxa of *Zygophyllum* from Egypt. *Bot. Not.* 130: 467-468.
- HOSSAIN, M. (1961). A revision of *Trifolium* in the Nearer East. *Notes Roy. Bot. Gard. Edinburgh* 23: 387-481.
- HOSSAIN, M., AZIZ AL-SARRAF, M. A. (1981). A new species of *Onopordum* (Compositae) from Iraq. *Kew Bull.* 36: 159-162.
- HOSSAIN, M. ♂ CHOWDHURI, P. K. & al. (1958).
- HOUTUM-SCHINDLER, A. (1888). The Acacia of Persia. *Indian Antiq.* 17: 143.
- HOUTZAGERS, G. (1954). The Near East Poplar Congress at Damascus from April 5-9, 1954 with some notes on excursions made in Syria and Lebanon on that occasion. I-II. [German]. *Tijdschr. Ned. Heidemaatsch.* 65: 207-210, 222-230.
- HOWARD, G. L. C. (1916). The wheats of Baluchistan, Khorasan and the Kurram valley. *Mem. Dept. Agric. India, Bot. Ser.* 8: 1-88.
- HOWARDI, M. ♂ DODDEMA, H. & HOWARDI, M. (1983).
- HOWELLS, V. (1957). *A naturalist in Palestine*. New York, Philosophical Library, 180 pp., ill.
- HRABETOVA-UHROVA, A. (1964). Zivotni jubilea Ph. Dr. Frantisek Nabelek, 80 let. *Preslia* 36: 311-312. port.

- HUBER, A. (1957a). The influence of depth of sowing and light condition on the development of the peanut seedling. *Bull. Res. Council Israel* 5D: 257-262.
- HUBER, H. (1957b). Revision der Gattung *Ceropegia*. *Mem. Soc. Brot.* 12: 1-203.
- HUBERMAN, M., ZAMSKI, E., GOREN, R. (1979). Hormonal control of abscission in citrus: anatomical changes at the abscission zone of citrus leaf and fruit. *Israel J. Bot.* 28: 57.
- HUBER-MORATH, A. (1938). Eine neue *Trigonella* (*T. pamphylica*) aus Kleinasien. *Repert. Spec. Nov. Regni Veg.* 44: 322-323, tab. 245.
- HUBER-MORATH, A. (1939a). Novitiae Florae anatolicae. I. *Repert. Spec. Nov. Regni Veg.* 46: 134-138.
- HUBER-MORATH, A. (1939b). Über orientalische *Verbascum*- und *Celsia*-Arten. *Repert. Spec. Nov. Regni Veg.* 46: 169-184, tab. 271-280.
- HUBER-MORATH, A. (1940a). Neue Hieracienfunde aus Mitteleuropa und dem Mediterrangebiet. *Verh. Naturf. Ges. Basel* 51: 24-42.
- HUBER-MORATH, A. (1940b). Novitiae Florae anatolicae. II. *Repert. Spec. Nov. Regni Veg.* 48: 273-292.
- HUBER-MORATH, A. (1943a). Ein Beitrag zur Kenntnis der anatolischen Flora. *Repert. Spec. Nov. Regni Veg.* 48: 179-229.
- HUBER-MORATH, A. (1943b). Novitiae Florae anatolicae. III. *Repert. Spec. Nov. Regni Veg.* 52: 40-51.
- HUBER-MORATH, A. (1945a). Ein Beitrag zur Kenntnis der anatolischen Flora. II. *Candollea* 10: 179-240.
- HUBER-MORATH, A. (1945b). Novitiae Florae anatolicae. IV. *Candollea* 10: 147-154.
- HUBER-MORATH, A. (1949). Studien über anatolische *Verbascum*- und *Celsia*-Arten. *Candollea* 12: 187-218.
- HUBER-MORATH, A. (1951a). Bearbeitung der Gattungen *Celsia* und *Verbascum* in P. H. Davis, *Additamenta ad Floram Anatolicam* III. *Kew Bull.*: 70-96.
- HUBER-MORATH, A. (1951b). Bitki Toplama Maksadi ile Anadoluda yapılan floristiksistematiği geziler ve bunların biki coğrafiası bakımından değeri. *Biologi* 1: 97-109.
- HUBER-MORATH, A. (1955). Verbreitung der Gattungen *Verbascum*, *Celsia* und *Staurophragma* im Orient. *Bauhinia* 1: 1-84, ill.
- HUBER-MORATH, A. (1958). Die anatolischen Arten der Gattung *Phlomis* L. *Bauhinia* 1: 97-123.
- HUBER-MORATH, A. (1960a). Bestimmungsschlüssel der anatolischen *Verbasceae*. *Bauhinia* 1: 282-334.
- HUBER-MORATH, A. (1960b). Novitiae Florae anatolicae. V. Gattung *Verbascum* L. *Bauhinia* 1: 335-349, ill.
- HUBER-MORATH, A. (1960c). Über die Gattung *Zederbauera* H. P. Fuchs. *Bauhinia* 1: 178-180.
- HUBER-MORATH, A. (1962a). *Celsia*, *Staurophragma*, *Verbascum*: neue Fundorte aus dem Orient. *Bauhinia* 2: 3-37.
- HUBER-MORATH, A. (1962b). Die Heimat von *Camelina stiefelhagenii* Bornm. *Bauhinia* 2: 192-213, tab. 4-13.
- HUBER-MORATH, A. (1962c). Revision der von Dr. A. Parsa aus Iran beschriebenen *Celsia*- und *Verbascum*-Arten. *Bauhinia* 2: 177-191, tab. 1-3.
- HUBER-MORATH, A. (1963). Novitiae Florae anatolicae. VI. *Bauhinia* 2: 192-213.

- HUBER-MORATH, A. (1965a). Bearbeitung orientalischer Verbasceen, 1961-1964. *Bauhinia* 2: 239-259.
- HUBER-MORATH, A. (1965b). Beiträge zur Kenntnis der anatolischen Flora. III. *Bauhinia* 3: 7-45.
- HUBER-MORATH, A. (1965c). Die anatolischen Arten der Gattung Ebenus L. *Bauhinia* 2: 219-230, map.
- HUBER-MORATH, A. (1965d). Novitiae Florae anatolicae. VII. *Bauhinia* 2: 302-306, ill.
- HUBER-MORATH, A. (1967). Novitiae Florae anatolicae. VIII. *Bauhinia* 3: 311-326.
- HUBER-MORATH, A. (1969). Das Pflanzenleben Anatoliens. *Mitth. Naturf. Ges. Bern, N.F.*, 26: 101-104.
- HUBER-MORATH, A. (1970). Novitiae Florae anatolicae. IX. *Bauhinia* 4: 197-209, ill.
- HUBER-MORATH, A. (1971). Die türkischen Verbasceen (Celsia, Staurophragma Verbascum). *Denkschr. Schweiz. Naturf. Ges.* 87: 1-166.
- HUBER-MORATH, A. (1972a). Die anatolischen Arten der Gattung Cousinia Cass. *Ber. Schweiz. Bot. Ges.* 82: 223-268.
- HUBER-MORATH, A. (1972b). Materials for a flora of Turkey. XXVIII. Cousinia. *Notes Roy. Bot. Gard. Edinburgh* 32: 49-56.
- HUBER-MORATH, A. (1973a). Ergänzungen zur Flora der Türkei. *Verh. Naturf. Ges. Basel* 183: 193-318.
- HUBER-MORATH, A. (1973b). Verbascum L. s.l. (incl. Celsia L. et Staurophragma Fisch & Mey.). *Bauhinia* 5: 7-15.
- HUBER-MORATH, A. (1974). Novitiae Florae anatolicae. X. *Bauhinia* 5: 101-102.
- HUBER-MORATH, A. (1975). Zwei neue Verbascum-Arten aus Iran. *Bauhinia* 5: 147-149.
- HUBER-MORATH, A. (1976). Novitiae Florae anatolicae. XI. *Bauhinia* 5: 231-232.
- HUBER-MORATH, A. (1977). Weitere Ergänzungen zur Flora der Türkei. *Bauhinia* 6: 93-188.
- HUBER-MORATH, A. (1978). Novitiae Florae anatolicae. XII. *Bauhinia* 6: 285-292.
- HUBER-MORATH, A. (1979). Novitiae Florae anatolicae. XIII. *Bauhinia* 6: 369-374.
- HUBER-MORATH, A. (1980). Ergänzungen zu P. H. Davis' 'Flora of Turkey and the East Aegean Islands' 1-6 (1965-1978). I. *Candollea* 35: 569-608.
- HUBER-MORATH, A. (1981a). Ergänzungen zu P. H. Davis' 'Flora of Turkey and the East Aegean Islands' 1-6 (1965-1978). II. *Candollea* 36: 77-114.
- HUBER-MORATH, A. (1981b). Novitiae Florae anatolicae. XIV. *Bauhinia* 7: 77-80.
- HUBER-MORATH, A. (1982a). Reisen durch Anatolien, 1935-1969. [German]. *Bauhinia* 7: 167-176.
- HUBER-MORATH, A. (1982b). Novitiae Florae anatolicae. XV. [German]. *Bauhinia* 7: 177-183.
- HUBER-MORATH, A. (1983). Novitiae Florae anatolicae. XVI. [German]. *Bauhinia* 7: 269-271.
- HUBER-MORATH, A., COODE, M. J. E., CULLEN, J. (1967). Materials for a flora of Turkey. XIII. Silene L. *Notes Roy. Bot. Gard. Edinburgh* 28: 1-8.
- HUBER-MORATH, A., McNEILL, J., REEVE, H. (1967). Materials for a flora of Turkey. XIV. Caryophyllaceae *Notes Roy. Bot. Gard. Edinburgh* 28: 17-23.
- HUBER-MORATH, A., ZOHARY, M. (1969). Materials for a flora of Turkey. XX. Leguminosae: Trifoliae. *Notes Roy. Bot. Gard. Edinburgh* 29: 321-323.

- HUBER-MORATH, A. † HEDGE, I. C. & al. (1967) — RECHINGER, K. H. & HUBER-MORATH, A. (1960).
- HUGHES, R. N. (1977). The biota of reef-flats and limestone cliffs near Jedda, Saudi Arabia. *J. Nat. Hist.* 11: 77-96.
- HUKKELHOVEN, M. W. A. C. † SCHOLTEN, M. E. & al. (1981).
- HULINGS, N. C. (1979). The ecology, biometry and biomass of the seagrass *Halophila stipulacea* along the Jordanian coast of the Gulf of Aqaba. *Bot. Mar.* 22: 425-430.
- HULINGS, N. C., ISMAIL, N. (1978). The organic carbon content of seagrass, coralline and terrigenous sand bottoms in the Jordanian Gulf of Aqaba. *Dirasat* 5: 155-162.
- HUMBOLDT, A. VON (1817). *De distributione geographica plantarum*. Paris, Librairie Graeco-Lat.-Germ., 249 pp.
- HUMBOLDT, A. VON (1827). Rapport sur le voyage fait par M. M. Ehrenberg et Hemprich en Egypte, Dongola, Syrie, Arabie, etc. de 1820-1824. *Nouv. Ann. Voyages* 36: 369-397.
- HUMBOLDT, A. VON (1829). Bericht über die naturhistorischen Reisen der Herren Ehrenberg und Hemprich. *Abh. Königl. Akad. Wiss. Berlin* 1826: 111-134.
- HUMBOLDT, A. VON, BONPLAND, A. (1805). *Essai sur la géographie des plantes accompagné d'un tableau physique des régions équinoxiales*. Paris, Levrault, 155 pp.
- HUME, W. F. (1906). The topography and geology of the Peninsula of Sinai, southeastern portion. Survey Dept. Egypt. Cairo. 280 pp., ill. Chapter iv: Botanical notes. App. 2: Liste of plants in Sinai Peninsula.
- HUNDE, A. (1982). Two new species of *Acacia* (Leguminosae-Mimosoideae) from Ethiopia and Yemen. *Nordic J. Bot.* 2: 337-342.
- HUNTINGDON, E. (1910). The fringe of verdure around Asia Minor. *Natl. Geogr. Mag.*: 761-775.
- HUQ, M. F., AL-SAAD, H. A., HAMEED, H. A. (1978). Phytoplankton ecology of Shatt al-Arab river at Basrah, Iraq. *Int. Vereinigung Theor. Limnol. Verh.* 20.
- HUQ, M. F. † AL-SAAD, H. A. & al. (1979) — PANKOW, H. & al. (1979).
- HURST, H. A. (1878). List of desert plants collected near Alexandria, Egypt from September 1875 to April 1876. *Mem. & Proc. Manchester Lit. Soc., Ser. 3*, 6: 151-156.
- HURST, H. A. (1880). List of Leguminosae observed growing near the Egyptian sea shore west of Rosetta, 1875-1877. *Mem. & Proc. Manchester Lit. Soc., Ser. 3*, 7: 53-56.
- HURWITZ, O. † ZOHARY, M. & al. (1958).
- HUSAIN, S. M. (1975). *Cultivated plants of Iraq and their importance*. Mosul, University of Mosul, 275 pp.
- HUSAIN, S. M., MIRZA, J. H. (1979). *A field key for the identification of common trees, shrubs and climbers of Kuwait*. Newslett. Bot. Microbiol. Dept., Univ. Kuwait, Suppl. 1, 21 pp.
- HUSS, H. (1981). Karyologische Studien an Samenpflanzen aus dem Wakhan und Grossen Pamir (NO-Afghanistan). *Phyton (Horn)* 21: 1-24.
- HUSSAIN, S. M., KASIM, M. K. (1976). Weeds and their control in Iraq. *PANS* 22: 399-404.
- HUSSAIN, S. M. † HUSAIN, S. M. (0000).
- HUSSEIN, A. M. † NAIM, M. S. & al. (1957).
- HUSSEIN, F., MOUSTAFA, S., EL-SAMIRAE, F., EL-ZEID, A. (1976). Studies on physical and chemical characteristics of eighteen date cultivars grown in Saudi Arabia. *Indian J. Hort.* 33: 107-113.
- HUSSEIN, M., SOBHI, A. G. (1936). An agricultural journey to Sinai. *Felaha* 16: 3.

HUSSON, A. H. ♂ FIGARI, A. (1845-1845, 1895).

HUVÉ, H. (1957). Sur une variété nouvelle pour la Méditerranée du *Caulerpa racemosa* (Forsk.) Agardh. *Recueil Trav. Stat. Mar. Endoume* 21(12): 67-73.

HUXLEY, A. (1963). Flowers in Greece. An outline of the flora. II. *J. Roy. Hort. Soc.* 88: 429-433.

HUXLEY, A. ♂ POLUNIN, O. & HUXLEY, A. (1965, 1978).