

Zeitschrift: IABSE congress report = Rapport du congrès AIPC = IVBH
Kongressbericht

Band: 8 (1968)

Artikel: Comments by the author of the introductory report

Autor: Scalzi, John B.

DOI: <https://doi.org/10.5169/seals-8779>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 02.02.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Remarques de l'auteur du rapport introductif
Bemerkungen des Verfassers des Einführungsberichtes
Comments by the author of the introductory report

JOHN B. SCALZI
Sc.D.
General Manager
Marketing Technical Services
United States Steel Corporation
Pittsburgh, Pennsylvania, U.S.A.

The discussions have presented additional data on the many varied applications of light-gage cold-formed steel for floors and buildings.

From a study of all the papers presented, I believe that we shall see more developments in prefabricated mass produced components in the coming years. Floor systems and entire building frameworks are being investigated for fabrication feasibility and economical costs.

Currently, roof joists using chords of cold-formed steel and beams fabricated with a fluted web welded to the cold-formed chords are being mass produced and used as roof beams competitively with other types of sections.

The most recent innovation for the application of light-gage cold-formed steel is in the construction of unitized boxes. These boxes are planned to be prefabricated of room size, fully furnished and stacked in some manner to be a hotel, hospital, apartment or office building. At present, many different studies are in the development stage and no doubt many economical methods will evolve.

The development of stainless steel for structural applications is currently being researched at Cornell University under the direction of Dr. George Winter and the results of the early studies have already been incorporated in a design specification for austenitic steels. This 1968 specification "Design of Light Gage Cold-Formed Stainless Steel Structural Members" is published by the American Iron and Steel Institute and is comparable to the specification for carbon and low-alloy steels.

I feel confident that the future will see more structural components fabricated from cold-formed carbon, low-alloy and stainless steels.

Leere Seite
Blank page
Page vide