

Prestressed slabs developments in Europe

Autor(en): **Schlub, Peter**

Objektyp: **Article**

Zeitschrift: **IABSE congress report = Rapport du congrès AIPC = IVBH
Kongressbericht**

Band (Jahr): **11 (1980)**

PDF erstellt am: **21.07.2024**

Persistenter Link: <https://doi.org/10.5169/seals-11285>

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.



PRESTRESSED SLABS DEVELOPMENTS IN EUROPE

Peter Schlub
Project Engineer
Losinger Ltd.,
Berne, Switzerland

The development of prestressed slabs in Europe was delayed in comparison with the USA and Australia.

Main reason for that delay was the missing of suitable standards and simplified design methods. With the research done (specially in Germany and Switzerland), standards and design methods could be established.

Today, recommendations are available in the United Kingdom (1) and have also been published by FIP (2). In Germany (3), Switzerland (4) and the Netherlands these standards are under preparation and will be issued shortly.

Most of the questions during the poster-session at the congress did concerne bonded versus unbonded solution, e.g. protection against corrosion, fire and earthquake behaviour.

Following the advantages respectively of unbonded and bonded systems.

Unbonded

- Maximum possible tendon drape
- No grouting required
- Corrosion protection of tendons also during transport, handling and placing
- Simple and fast placing of tendons
- Small friction losses
- Considerable dissipation of energy

Bonded

- Increased ultimate moment
- Local failures of tendons have only localised effects (e.g. in the case of fire, explosion and earthquake)

Finally, a summary of advantages of prestressed slabs:

- . Economical
- . Increased span lengths and span/depth ratios
- . Reduced dead weights and building heights
- . Deflection and crack free under permanent loading
- . Improved punching shear resistance
- . Reduced construction time due to early stripping

References:

1. Flat slabs in post-tensioned concrete with particular regard to the use of unbonded tendons—design recommendations.
Concrete Society Technical report No. 17, published 1979 by C & CA, Wexham Springs, Slough SL3 6PL.
2. Recommendations for the design of flat slabs in post-tensioned concrete (using unbonded and bonded tendons), FIP/2/5, May 1980, published by C & CA, Wexham Springs, Slough SL3 6PL.
3. DIN 4227, Teil 6 "Bauteile mit Vorspannung ohne Verbund"
4. SIA 162, Arbeitsgruppe 5, "Bruchverhalten von Platten"