

Zeitschrift: IABSE structures = Constructions AIPC = IVBH Bauwerke
Band: 3 (1979)
Heft: C-8: The structures of new railway line in Japan

Werbung

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 21.07.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>




Whenever Structural Safety is the Point... Kern Precision Instruments are the Right Choice

For measuring distances up to 2500 m:

Mekometer ME3000

Electro-optical Precision Distance Meter with the extremely high accuracy of $\pm (0.2 \text{ mm} + 1 \text{ ppm})$ and a range of 2.5 km. Digital distance display to 0.1 mm.
Universal application: structural deformation measurements, large area slip and displacement measurements, precision layout work and fundamental surveying.

The Mekometer used for dam control measurements



For measuring length variations within a distance range of 50 m:

Distometer ISETH

Precision instrument for accurate determination of length variations by means of Invar wires. Measuring accuracy $\pm 1 \text{ ppm}$; length of the Invar wire 1—50 m; measuring range for length variations 100 mm.
Special advantages: lengths of any inclination including vertical may be measured; simple layout of the measuring arrangement.
Application: structural deformation measurements.

The Distometer ISETH used for tunnel wall deformation measurement

Kern & Co. Ltd.
Mechanical, Optical and
Electronic Precision Instrument
CH-5001 Aarau, Switzerland
Telex 68 106

Please send me your detailed
documentation on:

- ☐ Mekometer ME 3000
☐ Distometer ISETH

Name: _____

Occupation: _____

Address: _____

As always, it's number one.



The Wild T2 Universal Theodolite.

Heinrich Wild's T2 set the pattern for modern, optical theodolites. The first T2 was built with glass circles and a unique reading through the telescope eyepiece. For over fifty years the Wild T2 has been at the top of its class. It has proved its mettle in Arctic ice and snow, in desert sandstorms and in tropical rain forests.

Of course, today's model incorporates all the latest technological improvements such as digital

reading and an automatic index. And it can be combined with the Wild Distomat, Gyro and Laser Eyepiece. But it's still the T2, still made from steel and optical glass for guaranteed precision and reliability in all conditions. It's a true universal theodolite for all survey work from triangulation to optical tooling.

And it's number one, the most popular one-second theodolite. Just right for you!

Free colour brochure T 2

Write or send this coupon to
Wild Heerbrugg Ltd.,
CH-9435 Heerbrugg / Switzerland

Name

Address

Wild Heerbrugg Ltd.
CH-9435 Heerbrugg, Switzerland

WILD
HEERBRUGG