

Zeitschrift: IABSE structures = Constructions AIPC = IVBH Bauwerke
Band: 10 (1986)
Heft: C-39: Energy-conservative buildings in warm climates

Werbung

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 18.03.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

HANDY FEATHERWEIGHTS


WITH BREAKTHROUGH PERFORMANCE



DI1000



DI3000



DI55

Wild DISTOMAT™ EDMs are not only extremely light and handy, but every one of them is at the top of its class.

For routine surveying, the **Wild DI1000** is the EDM with outstanding performance. Its compact size, performance, and typical Wild accuracy are the key to its success. This minor master weighs only 600 grams (1.3 lb) and takes just 5 seconds to measure up to 1000m.

For medium range, there is the **Wild DI55**, the highly accurate DISTOMAT (3mm + 2ppm). A typical measurement takes 4 seconds. In tracking mode, the distance is measured and displayed every second. The DI55 has a range of 5km and weighs only 1.1 kg (2.4lb).

For long-range applications, use the trendsetting **Wild DI3000**, the DISTOMAT with unprecedented performance, which measures distances up to 14km in only 0.8 seconds. With a standard deviation of 3mm to 5mm + 1ppm, this DISTOMAT is suitable for all

types of surveying tasks and special non-geodetic applications. The DI3000 weighs only 1.7kg (3.75lb).

All three Wild DISTOMATs, the DI1000, DI55, and DI3000 fit any optical or electronic Wild theodolite. That makes your equipment adaptable to any task at little cost.

Ask for detailed literature. ■