Revision of IS 2394: general principles on reliability for structures

Autor(en): Vrouwenvelder, Ton

Objekttyp: Article

Zeitschrift: IABSE reports = Rapports AIPC = IVBH Berichte

Band (Jahr): 74 (1996)

PDF erstellt am: **22.07.2024**

Persistenter Link: https://doi.org/10.5169/seals-56062

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern. Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Ein Dienst der *ETH-Bibliothek* ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, www.library.ethz.ch



Revision of IS 2394 General Principles on Reliability for Structures

Ton VROUWENVELDER

Delft University of Technology TNO BOUW The Netherlands Ton Vrouwenvelder was born in 1947 in The Netherlands and graduated as a Civil Engineer from Delft University of Technology. He has become a specialist in the fields of Structural Mechanics and Structural Reliability. In his present position he is deputy head of the Structural Division of TNO Bouw and part-time professor at Delft University, Department of Civil Engineering

Synopsis

The present IS 2394 which dates from 1986, has recently been rewritten and is ready for voting. A Table of Contents is presented here in Annex 1 of this paper.

It is of course interesting to compare this ISO-Draft with Eurocode 1, Basis of Design. Both documents have been written in the same period and, as far as Europe is concerned, partly by the same people (Gulvanessian, Leray, Ostlund and Vrouwenvelder were in both drafting panels).

The advantage of this panel overlap was that unnecessary and disturbing small differences between the two documents could be avoided. Some paragraphs even are completely identical.

Nevertheless there is a also a fundamental difference between the two documents. The main difference is that the ISO code is primarily of a conceptual nature where the Eurocode is more operational. As an example: the ISO code does not specify numbers for partial factors (γ factors) or load reduction factors (ψ factors).

A second typical distinction between the two documents is the explicit attention for probabilistic concepts in ISO. In this respect the new draft also differs from the 1986 version. In principle, all uncertainties and scatters encountered in the design process are basically considered from the probabilistic point of view. Topics like inherent versus statistical and model uncertainties and reliability targets are extensively discussed. In order to fulfil the reliability requirements two in principle equivalent design formats are presented:

- the probabilistic format, as discussed in chapter 6
- the partial factor format, as discussed in chapter 7

In the Eurocode only the partial factor method is presented. Only in the informative annex A the possibility of probabilistic methods as design method and as background for the partial factor method is mentioned.



One of the shortcomings of the ISO document, as mentioned before, is the lack of standardised data to help the designer to use the theoretical procedures. In this respect one might say that the present draft could not "replace" the present Eurocode 1, Basis of Design. However, this might only be a matter of time. The Joint Committee on Structural Safety is working on an operational Probabilistic Model Code, which exactly provides the missing information. In order to be prepared, it would be helpful if Eurocode 1 Basis of Design, would move already as far as possible into the direction of the new draft of IS 2394

Annex 1 Table of Contents of IS 3294

0	INTRODUCTION	
1.	GENERAL	
	1.1	Scope and filed of application
	1.2	Definitions
	1.3	Notations
2.	REQUI	REMENTS AND CONCEPTS
	2.1	Fundamental requirements
	2.2	Reliability differentiation
	2.3	Structural Design
	2.4	Conformity
	2.5	Durability and maintenance
3.		IPLES OF LIMIT STATES DESIGN
	3.1	Limit states
	3.2	Design
4.	BASIC	VARIABLES
	4.1	General
	4.2	Actions
	4.3	Environmental influences
	4.4	Properties of materials and soils
	4.5	Geometrical quantities
5.	MODELS	
•.	5.1	General
	5.2	Types of models
	5.3	Model uncertainties
	5.4	Design based on experimental models
6.	PRINC	IPLES OF PROBABILITY BASED DESIGN
	6.1	Introduction
	6.2	Systems versus element reliability
	6.3	Specified degrees of required reliability
	6.4	Calculation of failure probabilities
	6.5	Implementation of probability based design
7.	THE PARTIAL FACTORS FORMAT	
	7.1	Design conditions and design values
	7.2	Representative values of actions
	7.3	Characteristic values of properties of materials and soils
	7.4	Characteristic values of geometrical quantities
	7.5	Load cases and load combinations
	7.6	Action effects and resistance's
	7.7	Verification for fatigue
	7.8	Calibration
8.	ASSESSMENT OF EXISTING STRUCTURES	
	8.1	Relevant cases
	8.2	Principles of assessment
	8.3	Basic variables
	8.4	Investigation
	8.5	Assessment in the case of damage
Annex A:	Quality m	anagement and quality assurance

Annex B: Examples of permanent, variable and accidental actions

Annex C: Models for fatigue

Annex D: Design based on experimental models Annex E: Principles of reliability based design

Annex F: Combination of actions and estimation of action values