

# List of species taken or seen

Autor(en): **Whitebeard, S.**

Objektyp: **Article**

Zeitschrift: **Mitteilungen der Entomologischen Gesellschaft Basel**

Band (Jahr): **29 (1979)**

Heft 4

PDF erstellt am: **21.07.2024**

Persistenter Link: <https://doi.org/10.5169/seals-1042610>

## **Nutzungsbedingungen**

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern. Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden. Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

## **Haftungsausschluss**

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

LIST OF SPECIES TAKEN OR SEEN

St. Whitebread

Daytime captures, 26.5.79

Micropterigidae

- Micropterix thunbergella (Fabr.) 1 adult  
Micropterix calthella (Linn.) common

Eriocraniidae

- Dyseriocrania subpurpurella (Haw.) Larval mines on Quercus common

Incurvariidae

- Incurvaria pectinea Haw. Larval mines common on Corylus  
Lampronia luzella (Hübner.) 1 adult in beechwood  
Nemophora scabiosella (Scop.) common

Gracillariidae

- Phyllonorycter maestingella (Müll.) Abundant

Glyphipterigidae

- Anthophila fabriciana (Linn.)  
Glyphipterix simpliciella (Steph.)

Yponomeutidae

- Yponomeuta evonymella (Linn.) Larval nests on Prunus padus  
cagnagella (Hübner.) Larval nests on Euonymus

Coleophoridae

- Coleophora ornatipennella (Hübner.) Fresh adults

Elachistidae

- Elachista argentella (Clerck)  
lastrella Chrétien  
gangabella Zell.

Momphidae

- Cosmopterix schmidiella Frey  
Pancalia leuwenhoekella (Linn.)

Tortricidae

- Capua vulgana (Fröhl.)  
Epinotia tedella (Clerck)  
Zeiraphera isertana (Fabr.) 2 larvae in gall on Quercus  
Dichrorampha flavidorsana Knaggs

Cochylidae

- Aethes hartmanniana (Clerck)

Pyralidae

- Crambus nemorella (Hübner.)

Pterophoridae

- Stenoptilia bipunctidactyla (Scop.)

- Papilionidae  
*Papilio machaon* Linn.
- Pieridae  
*Gonepteryx rhamni* (Linn.) Larvae on Rhamnus  
*Pieris brassicae* (Linn.)  
*Anthocaris cardamines* (Linn.)
- Lycaenidae  
*Polyommatus icarus* (Rott.)
- Satyridae  
*Lasiommata megera* (Linn.)  
*Erebia medusa* (D. & S.)  
*Coenonympha pamphilus* (Linn.)
- Lasiocampidae  
*Malacosoma neustria* (Linn.) 1 larva
- Geometridae  
*Epirrhoe rivata* (Hüb.)  
*Minoa murinata* (Scop.)  
*Siona lineata* (Scop.)
- Lymantriidae  
*Euproctis similis* (Fuessly) 1 larva
- Arctiidae  
*Phragmatobia fuliginosa* (Linn.) in-cop.
- Noctuidae  
*Euclidia glyphica* (Linn.)

Light-trap captures. Night 26/27.5.1979

- Tineidae  
*Tinea trinotella* Thunb.
- Gracillariidae  
*Caloptilia alchimiella* (Scop.)  
*syringella* (Fab.)  
*Phyllonorycter roboris* (Zell.)  
*quercifoliella* (Zell.)  
*muelleriella* (Zell.)  
*maestingella* (Müll.)
- Yponomeutidae  
*Pseudoswammerdamia combinella* (Hüb.)  
*Ypsolopha nemorella* (Linn.) Larva on Herr Buser's sheet!  
*Plutella xylostella* (Linn.)
- Coleophoridae  
*Coleophora leucapennella* (Hüb.)  
*ornatipennella* (Hüb.)
- Elachistidae  
*Elachista argentella* (Clerck)

- Oecophoridae  
 Hofmannophila pseudospretella (Stt.)
- Tortricidae  
 Syndemis musculana (Hübner.)  
 Capua vulgana (Fröhl.)  
 Pseudargyrotoza conwagana (Fabr.)  
 Olethreutes lacunana (D. & S.)  
 Bactra lancealana (Hübner.)  
 Ancylis laetana (Fabr.)  
     mitterbacheriana (D. & S.)  
     badiana (D. & S.)  
 Epinotia tedella (Clerck)  
 Epiblema cynosbatella (Linn.)  
 Rhyacionia pinivorana (Lien. & Zell.)  
 Eucosmomorpha albersana (Hübner.)
- Cochylidae  
 Aethes smeathmanniana (Fabr.)  
 Eupoecilia ambiguella (Hübner.)
- Pyralidae  
 Crambus nemorella (Hübner.)  
 Evergestis forficalis (Linn.)  
 Pyrausta cespitalis (D. & S.)  
 Nomophila noctuella (D. & S.)  
 Agrotis nemoralis (Scop.)  
 Aphomia sociella (Linn.)  
 Nephopterix hostilis (Steph.)
- Saturniidae  
 Aglia tau (Linn.)
- Drepanidae  
 Falcaria lacertinaria (Linn.)  
 Drepana binaria (Hufn.)  
     cultraria (Fabr.)  
     falcataria (Linn.)
- Thyatiridae  
 Tethea or (D. & S.)
- Geometridae  
 Cyclophora punctaria (Linn.)  
     linearia (Hübner.)  
 Timandra griseata (Pet.)  
 Scopula immorata (Linn.)  
 Xanthorhoe designata (Hufn.)  
     ferrugata (Clerck)  
     fluctuata (Linn.)  
 Cosmorhoe ocellata (Linn.)  
 Epirrhoe rivata (Hübner.)  
 Lampropteryx suffumata (D. & S.)  
 Catarhoe cuculata (Hufn.)  
 Ecliptopera silaceata (D. & S.)  
 Thera obeliscata (Hübner.)  
     variata (D. & S.)
- Thera albonigrata Gornik  
 Electrophaes corylata (Thunb.)  
 Colostygia pectinataria (Knoch)  
 Hydriomena impluviata (D. & S.)  
 Melanthia procellata (D. & S.)  
 Pareulype berberata (D. & S.)  
 Perizoma affinitatum (Steph.)  
 Eupithecia exiguata (Hübner.)  
     tripunctaria H. -S.  
     tantillaria Boisd.  
 Chloroclystis v-ata (Haw.)  
 Aplocera plagiata (Linn.)  
 Asthena albulata (Hufn.)  
 Minoa murinata (Scop.)  
 Lobophora halterata (Hufn.)  
 Lomaspilis marginata (Linn.)  
 Ligdia adustata (D. & S.)  
 Semiothisa clathrata (Linn.)  
 Cepphis advenaria (Hübner.)  
 Petrophora chlorosata (Scop.)  
 Plagodis dolabraria (Linn.)  
 Opisthograptis luteolata (Linn.)  
 Pseudopanthera macularia (Linn.)  
 Selenia tetralunaria (Hufn.)  
 Odontopera bidentata (Clerck)  
 Biston betularia (Linn.)  
 Serraca punctinalis (Scop.)  
 Ectropis consonaria (Hübner.)  
 Aethalura punctulata (D. & S.)  
 Cabera pusaria (Linn.)  
     exanthemata (Scop.)  
 Lomographa bimaculata (Fabr.)  
     temerata (D. & S.)  
 Siona lineata (Scop.)
- Sphingidae  
 Mimas tiliiae (Linn.)  
 Smerinthus ocellata (Linn.)  
 Deilephila porcellus (Linn.)
- Notodontidae  
 Notodonta dromedarius (Linn.)  
 Eligmodonta ziczac (Linn.)  
 Harpyia milhauseri (Fabr.)  
 Peridea anceps (Goeze)  
 Pheosia gnoma (Fabr.)  
     tremula (Clerck)  
 Ptilodon capucina (Linn.)  
 Pterostoma palpina (Clerck)  
 Drymonia dodonaea (D. & S.)  
 Gluphisia crenata (Esp.)  
 Clostera pigra (Hufn.)  
     curtula (Linn.)

Lymantriidae	Noctuidae
<i>Dasychira pudibunda</i> (Linn.)	<i>Hadena rivularis</i> (Fabr.)
Arctiidae	<i>albimacula</i> (Borkh.)
<i>Eilema sororcula</i> (Hufn.)	<i>Panolis flammea</i> (D. & S.)
<i>Spilosoma lubricipeda</i> (Linn.)	<i>Egira conspicularis</i> (Linn.)
<i>luteum</i> (Hufn.)	<i>Orthosia gothica</i> (Linn.)
<i>Diaphora mendica</i> (Clerck)	<i>Moma alpium</i> (Osbeck)
<i>Phragmatobia fuliginosa</i> (Linn.)	<i>Acronicta auricoma</i> (D. & S.)
Nolidae	<i>rumicis</i> (Linn.)
<i>Nola confusalis</i> (H. -S.)	<i>Craniophora ligustri</i> (D. & S.)
Noctuidae	<i>Rusina ferruginea</i> (Esp.)
<i>Agrotis exclamationis</i> (Linn.)	<i>Phlogophora meticulosa</i> (Linn.)
<i>Axylia putris</i> (Linn.)	<i>Apamea sordens</i> (Hufn.)
<i>Ochropleura plecta</i> (Linn.)	<i>Charanyca trigrammica</i> (Hufn.)
<i>Xestia c-nigrum</i> (Linn.)	<i>Elaphria venustula</i> (Hübner)
<i>Hada nana</i> (Hufn.)	<i>Lithacodia deceptoria</i> (Scop.)
<i>Lacanobia thalassina</i> (Hufn.)	<i>Colocasia coryli</i> (Linn.)
<i>suasa</i> (D. & S.)	<i>Diachrysia chrysitis</i> (Linn.)
<i>oleracea</i> (Linn.)	<i>Plusia festucae</i> (Linn.)
	<i>Autographa gamma</i> (Linn.)
	<i>Abrostola trigemina</i> (Wern.)
	<i>Scoliopteryx libatrix</i> (Linn.)

Martigny-Rosel, VS . 570, 8/108, 9(LS/50), 460 m. 30 June-1 July 1979

LIST OF SPECIES TAKEN OR SEEN

St. Whitebread

Daytime captures, 30.6 and 1.7.79 (excluding butterflies)

Nepticulidae

<i>Stigmella floslactella</i> (Haw.)	larvae
<i>paradoxa</i> (Frey)	"
<i>plagicolella</i> (Stt.)	Old larval mines
<i>crataegella</i> (Klim.)	larvae. New for Switzerland!
<i>aceris</i> (Frey)	"

Zygaenidae

<i>Zygaena purpuralis</i> (Brün.)	
<i>Polymorpha ephialtes</i> (Linn.)	'in-cop'

Psychidae (det. P. Hättenschwiler)

<i>Solenobia triquetrella</i> Hb.	Larval cases
<i>Taleporia tubulosa</i> Retz.	" "
<i>Eumasia parietariella</i> N.S.	" "
<i>Psyche casta</i> Pall.	" "
<i>crassiorella</i> Brd.	" "
<i>Lepidopsyche unicolor</i> Hufn.	" "
<i>Sterrhopterix fusca</i> Haw.	" "
<i>Apterona helix</i> Siebold	" "

Lyonetiidae		
	<i>Bucculatrix ulmella</i> Zell.	Old larval mines
	<i>crataegi</i> Zell.	larvae
Gracillariidae		
	<i>Parornix anglicella</i> (Stt.)	larvae
	<i>devoniella</i> (Stt.)	"
	<i>Phyllonorycter roboris</i> (Zell.)	pupae, parasitised larvae & 1 adult
	<i>sylvella</i> (Haw.)	larval mines
Coleophoridae		
	<i>Coleophora ochrea</i> (Haw.)	larvae on <i>Helianthemum</i>
	<i>directella</i> Zell.	larvae on <i>Artemisia campestris</i>
	<i>onosmella</i> (Brahm)	larval cases spun on grass stems etc.
	<i>anatipennella</i> (Hüb. n.)	young larvae on <i>Prunus spinosa</i>
	<i>crocinnella</i> (Teng.)	1 case on <i>Astragalus</i> sp.
Gelechiidae		
	<i>Scrobipalpa artemisiella</i> (Tr.)	larvae common in spun, mined leaves of <i>Artemisia campestris</i> .
Tortricidae		
	<i>Isotrias rectifasciana</i> (Haw.)	
	<i>Orthotaenia undulana</i> (D. & S.)	
	<i>Ancylis achatana</i> (D. & S.)	
Pyralidae		
	<i>Platytes alpinella</i> (Hüb. n.)	
	<i>Homoeosoma sinuella</i> (Fabr.)	
Lasiocampidae		
	<i>Lasiocampa trifolii</i> (D. & S.)	1 larva
Geometridae		
	<i>Idaea flaveolaria</i> (Hüb. n.)	
	<i>Cabera exanthemata</i> (Scop.)	
Arctiidae		
	<i>Cybosia mesomella</i> (Linn.)	
Noctuidae		
	<i>Heliothis viriplaca</i> (Hufn.)	

Light-trap captures 30.6. - 1.7.79

Cossidae		Tortricidae
	<i>Zeuzera pyrina</i> (Linn.) 1 ♀	<i>Archips crataegana</i> (Hüb. n.)
Yponomeutidae		<i>Choristoneura hebenstreitella</i> (Müll.)
	<i>Plutella xylostella</i> (Linn.)	<i>Clepsis consimilana</i> (Hüb. n.)
Ethmiidae		<i>Tortrix viridana</i> (Linn.)
	<i>Ethmia bipunctella</i> (Fabr.)	<i>Zeiraphera isertana</i> (Fabr.)
Gelechiidae		Cochylidae
	<i>Syncopacma taeniolella</i> (Zell.)	<i>Stenodes straminea</i> (Haw.)
Tortricidae		Pyralidae
	<i>Archips podana</i> (Scop.)	<i>Catoptria mytilella</i> (Hüb. n.)
		<i>falsella</i> (D. & S.)

Pyralidae

*Pyrausta sanguinalis* (Linn.)  
*Anania verbascalis* (D. & S.)  
*Loxostege virescalis* (Guen.)  
*Dolicarthria punctalis* (D. & S.)  
*Lamoria anella* (D. & S.)  
*Eurhodope marmorea* (Haw.)  
*Hypochalcia ahenella* (D. & S.)  
*Nyctegretis achatinella* (Hübner.)  
*Pima boisduvaliella* (Guen.)

Pterophoridae

*Cnaemidophorus rhododactyla* (D. & S.)

Lasiocampidae

*Malacosoma castrensis* (Linn.) 1 ♀

Thyatiridae

*Habrosyne pyritoides* (Hufner.)  
*Tethea or* (D. & S.)

Geometridae

*Thetidia smaragdaria* (Fabr.)  
*Thalera fimbrialis* (Scop.)  
*Hemistola chrysoprasaria* (Esp.)  
*Idaea typicata* (Guen.)  
    *flaveolaria* (Hübner.)  
    *aversata* (Linn.)  
*Scotopteryx bipunctaria* (D. & S.)  
*Epirrhoe galiata* (D. & S.)  
*Eulithis pyraliata* (D. & S.)  
*Cidaria fulvata* (Forst.)  
*Cosmorhoe ocellata* (Linn.)  
*Melanthia procellata* (D. & S.)  
*Cataclysmes riguata* (Hübner.)  
*Semiothisa alternaria* (Linn.)  
*Ourapteryx sambucaria* (Linn.)  
*Angerona prunaria* (Linn.)  
*Biston betularia* (Linn.)  
*Alcis repandata* (Linn.)  
*Lomographa temerata* (D. & S.)

Sphingidae

*Hyles euphorbiae* (Linn.) 10  
*Deilephila porcellus* (Linn.)  
    *elpenor* (Linn.)

Notodontidae

*Pterostoma palpina* (Clerck)

Arctiidae

*Miltochrista miniata* (Forst.)  
*Atolmis rubricollis* (Linn.)  
*Eilema complana* (Linn.)  
*Coscinia cribraria* (Linn.)

Noctuidae

*Euxoa decora* (D. & S.)  
*Agrotis ipsilon* (Hufner.)  
*Ochropleura plecta* (Linn.)  
*Axylia putris* (Linn.)  
*Chersotis fimbriola* Esp.  
*Anaplectoides prasina* (D. & S.)  
*Discestra trifolii* (Hufner.)  
*Polia nebulosa* (Hufner.)  
*Melanchra persicariae* (Linn.)  
*Lacanobia thalassina* (Hufner.)  
*Hadena irregularis* (Hufner.)  
*Mythimna impura* (Hübner.)  
    *l-album* (Linn.)  
*Craniophora ligustri* (D. & S.)  
*Rusina ferruginea* (Esp.)  
*Dicycla oo* (Linn.)  
*Apamea monoglypha* (Hufner.)  
    *lithoxylaea* (D. & S.)  
*Charanyca trigrammica* (Hufner.)  
*Hoplodrina respersa* (D. & S.)  
*Heliothis virescens* (Linn.)  
*Pyrrhia umbra* (Hufner.)  
*Bena prasinana* (Linn.)  
*Diachrysa chrysis* (Linn.)  
*Dysgonia algira* (Linn.)  
*Lygephila lusoria* (Linn.)

Dorenaz. VS . 30.6.79 (List of captures at light by Herr Buser, Sissach)

Tortricidae

*Tortrix viridana* (Linn.)

Lasiocampidae

*Malacosoma castrensis* (Linn.)

Geometridae

*Scopula immorata* (Linn.)

*decorata* (D. & S.)

*Rhodostrophia vibicaria* (Clerck)

*Cosmorhoe ocellata* (Linn.)

*Ourapteryx sambucaria* (Linn.)

*Angerona prunaria* (Linn.)

*Peribatodes rhomboidaria* (D. & S.)

*Psodos quadrifaria* Sulz.

Sphingidae

*Hyles euphorbiae* (Linn.)

Notodontidae

*Gluphisia crenata* (Esp.)

Lymantriidae

*Dasychira pudibunda* (Linn.)

Arctiidae

*Coscinia cribraria* (Linn.)

Thyatiridae

*Tethea or* (D. & S.)

Noctuidae

*Agrotis eclamationis* (Linn.)

*ippsilon* (Hufn.)

*Hadena laudeti* (Boisd.)

*irregularis* (Hufn.)

*Dicycla oo* (Linn.)

*Hoplodrina respersa* (D. & S.)

*Heliothis viriplaca* (Hufn.)

The above lists comprise those species identified by mid-July 1979. The identification of a number of further specimens, mainly 'micros', awaits confirmation by genitalia dissection or comparison with reference material.

Adresse des Verfassers:

St. Whitebread  
Burghaldenstrasse 313  
CH-5027 Herznach