

Zeitschrift: L'Enseignement Mathématique
Band: 54 (2008)
Heft: 1-2

Artikel: Cohomology of pure automorphism groups of free products of finite groups
Autor: Jensen, Craig
DOI: <https://doi.org/10.5169/seals-109910>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 07.10.2024

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

41

COHOMOLOGY OF PURE AUTOMORPHISM GROUPS OF FREE PRODUCTS OF FINITE GROUPS

by Craig JENSEN

Recently, John McCammond, John Meier and I verified [2] the Brownstein–Lee conjecture [1]. It concerns the cohomology of the *pure symmetric automorphism group of a free group*, $P\Sigma_n$, namely the group which has to take each of the preferred generators of free group F_n to a conjugate of itself.

THEOREM 41.1 (The Brownstein–Lee Conjecture). *The cohomology ring $H^*(P\Sigma_n, \mathbf{Z})$ is generated by one-dimensional classes α_{ij}^* , where $i \neq j$, subject to the relations*

- (1) $\alpha_{ij}^* \wedge \alpha_{ij}^* = 0$
- (2) $\alpha_{ij}^* \wedge \alpha_{ji}^* = 0$
- (3) $\alpha_{kj}^* \wedge \alpha_{ji}^* = (\alpha_{kj}^* - \alpha_{ij}^*) \wedge \alpha_{ki}^*$

and the Poincaré series is $p(z) = (1 + nz)^{n-1}$.

What can we say about the cohomology of similar groups? A first question might be:

QUESTION 41.2. *What is the cohomology of $\text{PAut}(\mathbf{Z}/p * \cdots * \mathbf{Z}/p)$? That is, what is the cohomology of the pure (meaning each \mathbf{Z}/p in the free product has to be taken to a conjugate of itself) automorphism group of a free product of n copies of \mathbf{Z}/p ?*

After we get this, a more generalized question would be:

QUESTION 41.3. *Let G_1, \dots, G_n be finite abelian groups. What is the cohomology of $\text{PAut}(G_1 * \cdots * G_n)$?*

or perhaps

QUESTION 41.4. *Let G_1, \dots, G_n be finite abelian groups or \mathbf{Z} . What is the cohomology of $\text{PAut}(G_1 * \dots * G_n)$?*

or perhaps even

QUESTION 41.5. *Let G_1, \dots, G_n be finite groups or \mathbf{Z} . What is the cohomology of $\text{PAut}(G_1 * \dots * G_n)$?*

REFERENCES

- [1] BROWNSTEIN, A. and R. LEE. Cohomology of the group of motions of n strings in 3-space. In: *Mapping Class Groups and Moduli Spaces of Riemann Surfaces (Göttingen, 1991 and Seattle, WA, 1991)*, 51–61. *Contemp. Math.* 150. Amer. Math. Soc., 1993.
- [2] JENSEN, C. A., J. MCCAMMOND and J. MEIER. The integral cohomology of the group of loops. *Geom. Topol.* 10 (2006), 759–784.

Craig Jensen

Department of Mathematics
University of New Orleans
New Orleans, LA 70148
USA
e-mail: cjensen@uno.edu