

**Zeitschrift:** Mitteilungen / Schweizerische Vereinigung der Versicherungsmathematiker = Bulletin / Association Suisse des Actuaires = Bulletin / Swiss Association of Actuaries

**Herausgeber:** Schweizerische Vereinigung der Versicherungsmathematiker

**Band:** - (1989)

**Heft:** 1

**Artikel:** The distribution of actuarial functions

**Autor:** De Pril, Nelson

**DOI:** <https://doi.org/10.5169/seals-967211>

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 13.07.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

NELSON DE PRIL, Leuven

## The Distribution of Actuarial Functions\*

### 1 Introduction

In the classical textbooks on life contingencies only the expected value of actuarial functions has been considered in studying life insurances and annuities. The use of concepts of probability theory such as variance, moment generating function, probability density function and distribution function has been largely avoided. By considering only the mean value of the benefits information is lost on other aspects of the distribution, such as the variability of the actual benefits paid out.

It is the merit of the recent books by *Bowers et al.* (1986) and *Gerber* (1986) that they have stressed the fact that actuarial functions are random variables depending on the time until death (for simplicity the interest rate is taken as constant; this will also be the case in this paper). The much fuller use of probability theory is apparent e.g. in the calculation of the variance of actuarial functions, giving a measure for the actual risk of the insurer.

What we have not found in these books, nor in other publications, is a general and systematic treatment of the distribution of actuarial functions.

Therefore we will give in this paper an explicit expression for the probability density function and the distribution function of the most common actuarial functions on a single life. Our main purpose is not mathematical originality or sophistication, but to give a synthesis of the probabilistic basis of life insurance mathematics.

For completeness both continuous and discrete actuarial functions will be considered. In the first approach the future lifetime is regarded as a continuous random variable, in the second a discrete random variable is associated to it.

### 2 The distribution of continuous actuarial functions

In the continuous model one considers the continuous non-negative random variable  $T(x)$ , further abbreviated as  $T$ , representing the future lifetime of a life-aged- $x$ .

\* The author thanks Mr. T. Bauwelinckx for some preliminary calculations and Mr. J. Dhaene for helpful comments.

Using the common actuarial notation, the distribution function (d.f.) of  $T$  can be written as

$$F(t) = Pr[T \leq t] = {}_t q_x = 1 - {}_t p_x \quad t \geq 0 \quad (1)$$

with

$${}_0 q_x = 0 \quad \text{and} \quad \lim_{t \rightarrow \infty} {}_t q_x = 1.$$

The probability density function (p.d.f.) of  $T$  is given by

$$f(t) = F'(t) = {}_t p_x \mu_{x+t} \quad t \geq 0 \quad (2)$$

where  $\mu_x$  denotes the force of mortality of a life-aged- $x$ .

The present value at policy issue of the benefit payment from a given life insurance contract can be represented by an appropriate function of  $T$ . The d.f. and p.d.f. of this non-negative random function  $S$  can be found from the distribution of  $T$ .

The formulae will be developed for a benefit equal to a unit amount and the following financial quantities will be used:

$i$ :	the constant annual rate of interest, $i > 0$ ;
$\delta = \ln(1 + i)$ :	force of interest;
$v = 1/(1 + i)$ :	present value of 1 due in a year's time;
$\bar{a}_{\bar{n}} = (1 - v^n)/\delta$ :	present value of an annuity-certain of 1 per annum payable continuously for $n$ years.

The characteristics of the distribution of the most common continuous actuarial functions are summarized in the Tables 1 to 3 (see Appendix), respectively dealing with the life insurances, endowment insurances and annuities. In the first column appears the name of the function and the International Actuarial Notation for the corresponding net single premium, that is the expected value of the random variable  $S$  which is defined in column 2. The following columns contain the p.d.f.  $f(s)$  and the d.f.  $F(s)$  of  $S$  for values of  $s \geq 0$ . Since  $S$  is a non-negative random variable one has of course  $f(s) = F(s) = 0$  for  $s < 0$ . For some functions one has a mixed distribution with both a probability mass and a continuous part. Proofs are easy and are left to the reader.

### 3 The distribution of discrete actuarial functions

In this case one associates with future lifetime a discrete random variable  $K(x)$ , further abbreviated as  $K$ , representing the number of full years to death of a person aged  $x$ . This random variable is defined over the non-negative integers and one has the relationship  $K = [T]$ , where the brackets denote the greatest integer function.

The probability function (p.f.) of  $K$  can be written as

$$\begin{aligned} f(k) &= \Pr[K = k] = \Pr[k \leq T < k + 1] \\ &= {}_k p_x - {}_{k+1} p_x = {}_k p_x q_{x+k} = {}_k q_x \quad k = 0, 1, \dots \end{aligned} \tag{3}$$

with  ${}_0 q_x = q_x$ .

The d.f. of  $K$  is given by

$$F(k) = \Pr[K \leq k] = {}_{[k+1]} q_x \quad k \geq 0 \tag{4}$$

where  $[k + 1]$  is the greatest integer less than or equal to  $k + 1$ .

Remark that one has also that

$$\Pr[K < k] = {}_{\lceil k \rceil} q_x \quad k > 0 \tag{5}$$

where  $\lceil k \rceil$  denotes the smallest integer greater than or equal to  $k$ .

Analogous to the continuous case the discrete actuarial functions are obtained by considering appropriate functions of  $K$ . The following symbols from the theory of interest will be used:

- $d = 1 - v$  : discount rate;
- $\ddot{a}_{\bar{n}} = (1 - v^n)/d$  : present value of an annuity-due of 1 per annum payable for  $n$  years;
- $a_{\bar{n}} = (1 - v^n)/i$  : present value of an immediate annuity of 1 per annum payable for  $n$  years, in the limiting case  $n = 0$  one has  $a_{\bar{0}} = 0$ .

Tables 4 to 7 summarize the results for the distribution of the discrete actuarial functions. They deal respectively with life insurances, endowment insurances, annuities-due and annuities-immediate.

Nelson De Pril  
University of Leuven  
Institute of Actuarial Science  
Dekenstraat 2  
B-3000 Leuven  
Belgium

## References

- Bauwelinckx, T. (1988): Verdelingsfuncties voor enkele klassieke levensverzekeringsvormen, unpublished note, University of Leuven.
- Bowers, N. L. / Gerber, H. U. / Hickman, J. C. / Jones, D. A. / Nesbitt, C. J. (1986): Actuarial Mathematics. The Society of Actuaries, Itasca, Illinois.
- Gerber, H. U. (1986): Lebensversicherungsmathematik. Vereinigung schweizerischer Versicherungsmathematiker, Springer-Verlag, Berlin / Heidelberg.

## Appendix

Table 1

Life insurances payable at the moment of death

$$\tau = -\frac{1}{\delta} \ln s$$

Life insurance	$S$	$f(s)$	$F(s)$	
whole life $\bar{A}_x$	$v^T$ $T \geq 0$	${}_{\tau} p_x \mu_{x+\tau} / \delta s$ 0 elsewhere	$0$ ${}_{\tau} p_x$ $1$	$s = 0$ $0 < s < 1$ $s \geq 1$
$n$ -year term $\bar{A}_{x:n}^1$	$v^T$ $0 \leq T < n$ $0$ $T \geq n$	${}_n p_x$ ${}_{\tau} p_x \mu_{x+\tau} / \delta s$ 0 elsewhere	${}_n p_x$ ${}_{\tau} p_x$ $1$	$0 \leq s \leq v^n$ $v^n < s < 1$ $s \geq 1$
$m$ -year deferred ${}_m \bar{A}_x$	$0$ $0 \leq T < m$ $v^T$ $T \geq m$	${}_m q_x$ ${}_{\tau} p_x \mu_{x+\tau} / \delta s$ 0 elsewhere	${}_m q_x$ ${}_{\tau} p_x$ $1$	$s = 0$ $0 < s \leq v^m$ $0 < s < v^m$ $s \geq v^m$
$m$ -year deferred $n$ -year term ${}_m \bar{A}_{x:n}^1$	$0$ $0 \leq T < m$ $v^T$ $m \leq T < m+n$ $0$ $T \geq m+n$	${}_m q_x + {}_{m+n} p_x$ ${}_{\tau} p_x \mu_{x+\tau} / \delta s$ 0 elsewhere	${}_m q_x + {}_{m+n} p_x$ ${}_{\tau} p_x$ $1$	$0 \leq s \leq v^{m+n}$ $v^{m+n} < s < v^m$ $s \geq v^m$

Table 2

Endowment insurances with death benefits payable at the moment of death

$$\tau = -\frac{1}{\delta} \ln s$$

Endowment insurance	S	f(s)	F(s)
$n$ -year pure endowment $\bar{A}_{x; \overline{n}}$ or ${}_n E_x$	$0 \leq T < n$ $v^n$	${}_n q_x$ ${}_n p_x$ 0 elsewhere	$s = 0$ $s = v^n$ elsewhere
$n$ -year endowment $\bar{A}_{x; \overline{n}}$	$0 \leq T < n$ $T \geq n$	${}_n p_x$ ${}_{\tau} p_x \mu_{x+\tau} / \delta s$ 0	$s = v^n$ $v^n < s \leq 1$ elsewhere
$m$ -year deferred $n$ -year endowment ${}_m \bar{A}_{x; \overline{n}}$	$0 \leq T < m$ $m \leq T < m+n$ $T \geq m+n$	${}_m q_x$ ${}_{m+n} p_x$ ${}_{\tau} p_x \mu_{x+\tau} / \delta s$ 0	$s = 0$ $s = v^{m+n}$ $v^{m+n} < s \leq v^m$ elsewhere
			${}_m q_x$ ${}_m q_x + {}_{\tau} p_x$ 1
			$0 \leq s < v^{m+n}$ $v^{m+n} \leq s < v^m$ $s \geq v^m$

Table 3

Continuous life annuities

$$\alpha = -\frac{1}{\delta} \ln(1 - \delta s) \quad \text{and} \quad \beta = -\frac{1}{\delta} \ln(v^m - \delta s)$$

Life annuity	$S$	$f(s)$	$F(s)$
whole life $\bar{a}_x$	$\bar{a}_{\lceil T \rceil}$ $T \geq 0$	$\alpha p_x \mu_{x+\alpha} / (1 - \delta s) \quad 0 \leq s < 1/\delta$ 0 elsewhere	$\alpha q_x \quad 0 \leq s < 1/\delta$ 1 $s \geq 1/\delta$
$n$ -year temporary $\bar{a}_{x:\overline{n}}$	$\bar{a}_{\lceil T \rceil}$ $0 \leq T < n$ $\bar{a}_{\overline{n}}$ $T \geq n$	$\alpha p_x \mu_{x+\alpha} / (1 - \delta s) \quad 0 \leq s < \bar{a}_{\overline{n}}$ $n p_x \quad s = \bar{a}_{\overline{n}}$ 0 elsewhere	$\alpha q_x \quad 0 \leq s < \bar{a}_{\overline{n}}$ 1 $s \geq \bar{a}_{\overline{n}}$
$m$ -year deferred $m \bar{a}_x$	$0 \quad 0 \leq T < m$ $\bar{a}_{\lceil T \rceil} - \bar{a}_{\overline{m}} \quad T \geq m$	$m q_x \quad s = 0$ $\beta p_x \mu_{x+\beta} / (v^m - \delta s) \quad 0 < s < v^m / \delta$ 0 elsewhere	$\beta q_x \quad 0 \leq s < v^m / \delta$ 1 $s \geq v^m / \delta$
$m$ -year deferred $n$ -year temporary $m \bar{a}_{x:\overline{n}}$	$0 \quad 0 \leq T < m$ $\bar{a}_{\lceil T \rceil} - \bar{a}_{\overline{m}} \quad m \leq T < m+n$ $v^m \bar{a}_{\overline{n}} \quad T \geq m+n$	$m q_x \quad s = 0$ $\beta p_x \mu_{x+\beta} / (v^m - \delta s) \quad 0 < s < v^m \bar{a}_{\overline{n}}$ $m+n p_x \quad s = v^m \bar{a}_{\overline{n}}$ 0 elsewhere	$\beta q_x \quad 0 \leq s < v^m \bar{a}_{\overline{n}}$ 1 $s \geq v^m \bar{a}_{\overline{n}}$

Table 4

Life insurance payable at the end of the year of death

$$\tau = \left[ -1 - \frac{1}{\delta} \ln s \right]$$

Life insurance	$S$	$f(s)$	$F(s)$
whole life $A_x$	$v^{K+1}$ $K = 0, 1, \dots$	$k q_x$ $s = v^{k+1},$ $k = 0, 1, \dots$	$0$ $s = 0$
		$0$ elsewhere	$\tau p_x$ $0 < s < v$ $1$ $s \geq v$
$n$ -year term $A_{x:(\bar{n})}^1$	$v^{K+1}$ $K = 0, 1, \dots, n-1$ $0$ $K = n, n+1, \dots$	$n p_x$ $s = 0$ $k q_x$ $s = v^{k+1},$ $k = 0, 1, \dots, n-1$ $0$ elsewhere	$n p_x$ $0 \leq s < v^n$ $\tau p_x$ $v^n \leq s < v$ $1$ $s \geq v$
		$m q_x$ $s = 0$ $k q_x$ $s = v^{k+1},$ $k = m, m+1, \dots$ $0$ elsewhere	$m q_x$ $s = 0$ $m q_x + \tau p_x$ $0 < s < v^{m+1}$ $1$ $s \geq v^{m+1}$
$m$ -year deferred $n$ -year term $m A_{x:(\bar{n})}^1$	$0$ $K = 0, 1, \dots, m-1$ $v^{K+1}$ $K = m, \dots, m+n-1$ $0$ $K = m+n, m+n+1, \dots$	$m q_x + m+n p_x$ $s = 0$ $k q_x$ $s = v^{k+1},$ $k = m, \dots, m+n-1$ $0$ elsewhere	$m q_x + m+n p_x$ $0 \leq s < v^{m+n}$ $m q_x + \tau p_x$ $v^{m+n} \leq s < v^{m+1}$ $1$ $s \geq v^{m+1}$

Table 5

Endowment insurances with death benefits payable at the end of the year of death

$$\tau = \left\lceil -1 - \frac{1}{\delta} \ln s \right\rceil$$

Endowment insurance	S		f(s)		F(s)	
$n$ -year pure endowment	0	$K = 0, 1, \dots, n-1$	$nq_x$	$s = 0$	$nq_x$	$0 \leq s < v^n$
			$np_x$	$s = v^n$		
$A_{x:n}$ or $_n E_x$	$v^n$	$K = n, n+1, \dots$	0	elsewhere	1	$s \geq v^n$
$n$ -year endowment	$v^{K+1}$	$K = 0, 1, \dots, n-1$	$n-1 p_x$	$s = v^n$	0	$0 \leq s < v^n$
			$k q_x$	$s = v^{k+1},$ $k = 0, 1, \dots, n-2$	$\tau p_x$	$v^n \leq s < v$
$A_{x:\bar{n}}$	$v^n$	$K = n, n+1, \dots$	0	elsewhere	1	$s \geq v$
$m$ -year deferred $n$ -year endowment $m A_{x:\bar{n}}$	0	$K = 0, 1, \dots, m-1$	$m q_x$	$s = 0$	$m q_x$	$0 \leq s < v^{m+n}$
	$v^{K+1}$	$K = m, \dots, m+n-1$	$m+n-1 p_x$	$s = v^{m+n}$	$m p_x + \tau p_x$	$v^{m+n} \leq s < v^{m+1}$
	$v^{m+n}$	$K = m+n, m+n+1, \dots$	$k q_x$	$s = v^{k+1},$ $k = m, \dots, m+n-2$	1	$s \geq v^{m+1}$
			0	elsewhere		

Table 6

Life annuities-due

$$\alpha = \left[ -\frac{1}{\delta} \ln(1 - ds) \right] \quad \text{and} \quad \beta = \left[ -\frac{1}{\delta} \ln(v^m - ds) \right]$$

Life annuity	$S$	$f(s)$	$F(s)$
whole life $\ddot{a}_x$	$\ddot{a}_{K+1}$ $K = 0, 1, \dots$	${}_k q_x$ $s = \ddot{a}_{k+1},$ $k = 0, 1, \dots$ 0 elsewhere	${}_xq_x$ $0 \leq s < 1/d$ 1 $s \geq 1/d$
$n$ -year temporary $\ddot{a}_{x:\bar{n}}$	$\ddot{a}_{K+1}$ $K = 0, 1, \dots, n-1$ $\ddot{a}_{\bar{n}}$ $K = n, n+1, \dots$	${}_k q_x$ $s = \ddot{a}_{k+1},$ $k = 0, 1, \dots, n-2$ ${}_{n-1}p_x$ $s = \ddot{a}_{\bar{n}}$ 0 elsewhere	${}_xq_x$ $0 \leq s < \ddot{a}_{\bar{n}}$ 1 $s \geq \ddot{a}_{\bar{n}}$
$m$ -year deferred $m \ddot{a}_x$	0 $K = 0, 1, \dots, m-1$ $\ddot{a}_{K+1} - \ddot{a}_{\bar{m}}$ $K = m, m+1, \dots$	${}_m q_x$ $s = 0$ ${}_{m+k} q_x$ $s = v^m \ddot{a}_{k+1},$ $k = 0, 1, \dots$ 0 elsewhere	${}_\beta q_x$ $0 \leq s < v^m/d$ 1 $s \geq v^m/d$
$m$ -year deferred $n$ -year temporary $m \ddot{a}_{x:\bar{n}}$	0 $K = 0, 1, \dots, m-1$ $\ddot{a}_{K+1} - \ddot{a}_{\bar{m}}$ $K = m, \dots, m+n-1$ $v^m \ddot{a}_{\bar{n}}$ $K = m+n, m+n+1, \dots$	${}_m q_x$ $s = 0$ ${}_{m+k} q_x$ $s = v^m \ddot{a}_{k+1},$ $k = 0, 1, \dots, n-2$ ${}_{m+n-1}p_x$ $s = v^m \ddot{a}_{\bar{n}}$ 0 elsewhere	${}_\beta q_x$ $0 \leq s < v^m \ddot{a}_{\bar{n}}$ 1 $s \geq v^m \ddot{a}_{\bar{n}}$

Table 7

Life annuities-immediate

$$\alpha = \left[ -\frac{1}{\delta} \ln(v - ds) \right] \quad \text{and} \quad \beta = \left[ -\frac{1}{\delta} \ln(v^{m+1} - ds) \right]$$

Life annuity	$S$	$f(s)$	$F(s)$
whole life $a_x$	$a_{\bar{K}}$ $K = 0, 1, \dots$	$\begin{cases} k q_x & s = a_{\bar{k}}, \\ & k = 0, 1, \dots \\ 0 & \text{elsewhere} \end{cases}$	$\begin{cases} \alpha q_x & 0 \leq s < 1/i \\ 1 & s \geq 1/i \end{cases}$
$n$ -year temporary $a_{x:\bar{n}}$	$a_{\bar{K}}$ $K = 0, 1, \dots, n-1$ $a_{\bar{n}}$ $K = n, n+1, \dots$	$\begin{cases} k q_x & s = a_{\bar{k}}, \\ & k = 0, 1, \dots, n-1 \\ n p_x & s = a_{\bar{n}} \\ 0 & \text{elsewhere} \end{cases}$	$\begin{cases} \alpha q_x & 0 \leq s < a_{\bar{n}} \\ 1 & s \geq a_{\bar{n}} \end{cases}$
$m$ -year deferred $m a_x$	$0 \quad K = 0, 1, \dots, m-1$ $a_{\bar{K}} - a_{\bar{m}} \quad K = m, m+1, \dots$	$\begin{cases} m+1 q_x & s = 0 \\ m+k q_x & s = v^m a_{\bar{k}}, \\ & k = 1, 2, \dots \\ 0 & \text{elsewhere} \end{cases}$	$\begin{cases} \beta q_x & 0 \leq s < v^m/i \\ 1 & s \geq v^m/i \end{cases}$
$m$ -year deferred $n$ -year temporary $m a_{x:\bar{n}}$	$0 \quad K = 0, 1, \dots, m-1$ $a_{\bar{K}} - a_{\bar{m}} \quad K = m, \dots, m+n-1$ $v^m a_{\bar{n}} \quad K = m+n, m+n+1, \dots$	$\begin{cases} m+1 q_x & s = 0 \\ m+k q_x & s = v^m a_{\bar{k}}, \\ & k = 1, 2, \dots, n-1 \\ m+n p_x & s = v^m a_{\bar{n}} \\ 0 & \text{elsewhere} \end{cases}$	$\begin{cases} \beta q_x & 0 \leq s < v^m a_{\bar{n}} \\ 1 & s \geq v^m a_{\bar{n}} \end{cases}$

