Zeitschrift:	Mitteilungen / Schweizerische Vereinigung der Versicherungsmathematiker = Bulletin / Association Suisse des Actuaires = Bulletin / Swiss Association of Actuaries
Herausgeber:	Schweizerische Vereinigung der Versicherungsmathematiker
Band:	- (1990)
Heft:	1
Artikel:	Hierarchical models in insurance
Autor:	De Schepper, Ann / Heijnen, Bart
DOI:	https://doi.org/10.5169/seals-967236

#### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. <u>Mehr erfahren</u>

#### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. <u>En savoir plus</u>

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. <u>Find out more</u>

# Download PDF: 04.07.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

ANN DE SCHEPPER and BART HEIJNEN, Antwerpen

Hierarchical Models in Insurance

# 1 Introduction

In a "chain of reinsurance", every company  $C_i$  buys reinsurance from company  $C_{i+1}$  and sells to company  $C_{i-1}$ .  $C_0$  is only a buyer and  $C_n$ , at the end of the chain, is only a seller. Some optimal risk exchanges between the companies of the chain were calculated by *Gerber* (1984). *Lemaire/Quairière* (1986) used Pareto-optimality to find the best transactions in the chain.

In reality, one company of course has more than one client. Therefore, *Heijnen* (1989) introduced a tree-hierarchical structure, in which one company can have many clients. To get explicit results, Heijnen didn't make restrictions on the utility functions (as usual), but on the "nature" of the risk; every risk X had to be "small", i.e. rather stable around its mean E(X). In practice, one could use the results e.g. for life insurance portfolios, which have rather stable results every year.

For other types of risks, one has to choose explicitly a utility function, to find an analytic solution. The most usual choice is then to take exponential utilities:

$${}_{j}u_{i}(x) = \frac{1}{{}_{j}a_{i}}[1 - e^{-{}_{j}a_{i}x}], \qquad -\infty < x < \infty$$
(1.1)

for company *i* on tree-level *j* (see section 2 for more details on the indices). The coefficient  $_{j}a_{i}$  can be interpreted as the "risk aversion" of the company and is equal to

$$-\frac{ju_i''(x)}{ju_i'(x)}, \qquad -\infty < x < \infty.$$

Another disadvantage of the approximations used by Heijnen (1989) is that results are only determined up to some arbitrary constant c, which is in fact the expected value of the result. This means that one first has to choose a "desired level of average yearly reimbursement", before determining the optimal risk exchange.

Mitteilungen der Schweiz. Vereinigung der Versicherungsmathematiker, Heft 1/1990

In this papier we start from another point of view. We consider a number of direct insurers (level 1 in the tree) with surplusses  ${}_{1}Z_{i}$ . Every company *i* has accepted to insure the risk  $X_{i}$ , and is looking for reinsurance covering for that risk on the second level of the tree. Its modified surplus after reinsurance is  ${}_{1}Y_{i}$ . The reinsurance companies in the tree (on levels j = 2 until *n*) have surplusses  ${}_{j}Z_{i}$ , before reinsuring their parts of the original risks  $X_{k}$ . After accepting the reinsurance, their surplusses will have changed into  ${}_{j}Y_{i}$ . We will calculate explicit expressions for those modified surplusses, using the concept of "Pareto-optimal risk exchanges", introduced by *Borch* (1962)., An exchange is said to be Pareto-optimal if it cannot be improved for all companies at

### Borch's theorem

For *n* insurance companies with utility functions  $u_1, \ldots, u_n$  and surplusses  $Z_1, \ldots, Z_n$  respectively, the following statements are equivalent:

the same time. In our models we need the famous "theorem of Borch" on

a) A risk exchange  $(Y_1, \ldots, Y_n)$  is Pareto-optimal

Pareto-optimal risk exchanges. It says fhe following:

b) Some positive constants  $c_2, \ldots, c_n$  exist, such that

$$u'_{i}(Y_{i}) = c_{i}u'_{1}(Y_{1}), \quad \text{for} \quad j = 2, \dots, n.$$
 (1.2)

This theorem will be used between successive levels in the tree. A proof can be found, e.g. in *Bühlmann* (1970).

# 2 Construction of the tree

We will use the same kind of notations as *Heijnen* (1989) introduced in his paper. A company on level j sells a reimbursement to several companies on level j-1. Each of those companies is in touch with several companies on level j-2 and so on. On each level we number the companies (and their stochastic variables) with a right-under-index, while a left- under-index denotes the level itself. The tree which we consider, consists of n levels. At the top, we only have one company, with surplus  ${}_{n}Z$ . Every other level has many companies, and we will use  ${}_{j}Z_{i}$  for the initial surplus of the *i*-th company on level j. Finally we also need a notation for the sum of the surplusses of the companies on the k-th level connected with company i on level j (with of course k < j). Therefore we will use the notation  ${}^{j}_{k}Z^{i}_{.}$  As an illustration, we present a picture of such a tree in the following figure.



In the following sections, we will always use  ${}_{j}Z_{i}$  as notation for the initial surplus of company *i* on level *j*, while  ${}_{j}Y_{i}$  denotes its surplus after the risk transaction. Furthermore, we assume that this company evaluates its surplus with an exponential utility function  ${}_{j}u_{i}(x)$ , described in (1.1), with risk aversion  ${}_{j}a_{i}$ .

## **3** Forward Pareto-optimal model

In this section and in section 4, we suppose that company *i* on level *j* buys a reimbursement  $_{j}R_{i}$  for a premium  $_{j}\pi_{i}$ . It will not be necessary to know a priori how to calculate the premium; assuming the utility functions to be exponential will be enough to determine the optimal  $_{j}R_{i}$ . Afterwards, one can apply any premium calculation principle on this optimal  $_{j}R_{i}$ .

In this forward model, we only have local Pareto-optimality. Indeed, when working out the transaction between company j on level  $\ell$  and company i on level  $\ell + 1$ , we don't know whether or not the second one looks for a reinsurer on level  $\ell + 2$  to improve its situation.

Suppose company j on level 1 is in contact with company i on level 2. We can describe the transaction as

$${}_{1}Y_{j} = {}_{1}Z_{j} - {}_{1}\pi_{j} + {}_{1}R_{j}$$
  
$${}_{2}Y'_{1} = {}_{2}Z_{i} + {}_{1}^{2}\pi_{.}^{i} - {}_{1}^{2}R_{.}^{i}$$
(3.1)

and this will be the same for every transaction between the levels 1 and 2. Every reimbursement  ${}_1R_j$  will be determined as a Pareto-optimal solution by using *Borch's* theorem. The accent  $({}_2Y'_1)$  denotes the fact that the situation of this company is not yet final, because, after selling reinsurance to a company of the first level, it will look for protection at some company on the third level. This will change its surplus form  ${}_2Y'_i$  into  ${}_2Y_i$ .

In general, the risk exchange between company j on level  $\ell$  and company i on level  $\ell + 1$  can be described as follows:

$${}_{\ell}Y_{j} = {}_{\ell}Z_{j} + {}_{\ell-1}{}^{\ell}\pi_{\cdot}^{j} - {}_{\ell-1}{}^{\ell}R_{\cdot}^{j} - {}_{\ell}\pi_{j} + {}_{\ell}R_{j}$$

$${}_{\ell+1}Y_{i}' = {}_{\ell+1}Z_{i} + {}^{\ell+1}{}_{\ell}\pi_{\cdot}^{i} - {}^{\ell+1}{}_{\ell}R_{\cdot}^{i}.$$
(3.2)

This holds for each company on level  $\ell$  connected with a company on level  $\ell+1$ . Again, every  $_{\ell}R_j$  is determined as a Pareto-optimal solution using *Borch's* theorem.

According to this theorem, the transaction leads to one equation (we have a risk exchange between two companies)

with  $\ell^{\ell+1}_{\ell} k_i^i$  a positive constant.

Since a claim equal to zero implies a reimbursement equal to zero, also the equation

$${}_{\ell+1}u'_{i}\left({}_{\ell+1}Z_{i} + {}^{\ell+1}_{\ell}\pi^{i}\right) = {}^{\ell+1}_{\ell}k^{i}_{j\,\ell}u'_{j}\left({}_{\ell}Z_{j} + {}^{\ell}_{\ell-1}\pi^{j}_{\cdot} - {}_{\ell}\pi_{j}\right)$$
(3.4)

must hold. This will eliminate  $\ell^{\ell+1}_{\ell}k_j^i$  in (3.3), and we get

$$\frac{{}_{\ell+1}u'_{i}\left({}_{\ell+1}Z_{i}+{}^{\ell+1}_{\ell}\pi^{i}-{}^{\ell+1}_{\ell}R^{i}\right)}{{}_{\ell+1}u'_{i}\left({}_{\ell+1}Z_{i}+{}^{\ell+1}_{\ell}\pi^{i}\right)} = \frac{{}_{\ell}u'_{j}\left({}_{\ell}Z_{j}+{}^{\ell+1}_{\ell-1}\pi^{j}-{}^{\ell}_{\ell-1}R^{j}_{\cdot}-{}^{\ell}_{\ell}\pi_{j}+{}^{\ell}_{\ell}R_{j}\right)}{{}_{\ell}u'_{j}\left({}_{\ell}Z_{j}+{}^{\ell}_{\ell-1}\pi^{j}_{\cdot}-{}^{\ell}_{\ell}\pi_{j}\right)}.$$
(3.5)

Using exponential utility functions, as described in formula (1.1), this equation can be written as

$$\frac{\exp\left[-_{\ell+1}a_{i}\left(_{\ell+1}Z_{i}+^{\ell+1}\pi_{.}^{i}-^{\ell+1}\ell_{.}^{k}R_{.}^{i}\right)\right]}{\exp\left[-_{\ell+1}a_{i}\left(_{\ell+1}Z_{i}+^{\ell+1}\pi_{.}^{i}\right)\right]} = \frac{\exp\left[-_{\ell}a_{j}\left(_{\ell}Z_{j}+^{\ell}\ell_{.}^{\ell}\pi_{.}^{j}-^{\ell}\ell_{.}^{\ell}R_{.}^{j}-^{\ell}\ell_{.}\pi_{j}+^{\ell}\ell_{.}^{k}R_{.}^{j}\right)\right]}{\exp\left[-_{\ell}a_{j}\left(_{\ell}Z_{j}+^{\ell}\ell_{.}^{\ell}\pi_{.}^{j}-^{\ell}\ell_{.}\pi_{.}^{j}\right)\right]}$$
(3.6)

which simplifies to

$${}_{\ell+1}a_{i}^{\ell+1}R_{\cdot}^{i} = {}_{\ell}a_{j}\left({}_{\ell-1}^{\ell}R_{\cdot}^{j} - {}_{\ell}R_{j}\right).$$
(3.7)

We introduce the notation

$${}^{m}_{\ell}p^{i}_{j} = \frac{{}^{m}a_{i}}{{}^{\ell}a_{j}}.$$
(3.8)

Then we can write (3.7) as

$${}_{\ell}R_{j} = {}_{\ell-1}^{\ell}R_{.}^{j} - {}_{\ell}^{\ell+1}p_{j}^{i} {}_{\ell}^{\ell+1}R_{.}^{i}.$$
(3.9)

After summation over all j (i.e. over all companies on level  $\ell$  connected with company i on level  $\ell + 1$ ) we get

$${}^{\ell+1}_{\ell}R^{i}_{\cdot} = {}^{\ell+1}_{\ell-1}R^{i}_{\cdot} - {}^{\ell+1}_{\ell}p^{i}_{\cdot} {}^{\ell+1}_{\ell}R^{i}_{\cdot}$$

or

$${}^{\ell+1}_{\ell}R^{i}_{\cdot} = \frac{1}{1 + {}^{\ell+1}_{\ell}p^{i}_{\cdot}} {}^{\ell+1}_{\ell-1}R^{i}_{\cdot}.$$
(3.10)

Substituting (3.10) in (3.9), we find

$${}_{\ell}R_{j} = {}_{\ell-1}^{\ell}R_{\cdot}^{j} - \frac{{}_{\ell}^{\ell+1}p_{j}^{i}}{1 + {}_{\ell}^{\ell+1}p_{\cdot}^{i}} {}_{\ell-1}^{\ell+1}R_{\cdot}^{i}.$$
(3.11)

In particular, we have for the optimal reimbursements of the first level

$${}_{1}R_{j} = {}_{0}^{1}R_{.}^{j} - \frac{{}_{1}^{2}p_{j}^{i}}{1 + {}_{1}^{2}p_{.}^{i}} {}_{0}^{2}R_{.}^{i}$$

$$R_j = X_j - \frac{{}_1^2 p_j^i}{1 + {}_1^2 p_{.}^i} {}^2 X_{.}^i$$
(3.12)

with  ${}^{2}X_{i}^{i}$  the sum of the original risks  $X_{k}$  of companies on level 1 connected with company *i* on level 2.

In formula (3.11) we see that the reimbursements of the companies on level  $\ell$  depend on those of the companies on level  $\ell - 1$ . This fact, used in an inductive way, and combined with (3.12), shows us that every reimbursement  $\ell R_i$  depends on the original risks  $X_k$ .

We are also able to find a result for the "net" payment (i.e. reimbursements sold minus reimbursement bought)

$${}_{\ell}D_j = {}_{\ell-1}^{\ell}R_{\cdot}^j - {}_{\ell}R_j.$$

This payment is equal to

$${}_{\ell}D_{j} = \frac{{}^{\ell+1}_{\ell}p_{j}^{i}}{1 + {}^{\ell+1}_{\ell}p_{j}^{i}} {}^{\ell+1}_{\ell-1}R^{i}_{\cdot}.$$
(3.13)

These two results, (3.11) and (3.13), are very similar to those found by *Heijnen* (1989), who used general utility functions but assumed the risk to be stable around its mean.

## 4 Backward Pareto-optimal model

In stead of local Pareto-optimality, used in our first model, we now assume the tree to be entirely formed. The different transactions will use global Pareto-optimality. Indeed, in this model a company on level  $\ell$  will make the amount of reimbursements it sells to companies on level  $\ell - 1$ , depending on the reinsurance it can buy form a company on level  $\ell + 1$ .

Suppose company j on level 1 looks for protection with company i on level 2. Their transaction can be described as follows:

$${}_{1}Y_{j} = {}_{1}Z_{j} - {}_{1}\pi_{j} + {}_{1}R_{j}$$
  
$${}_{2}Y_{i} = {}_{2}Z_{i} + {}_{1}^{2}\pi_{i}^{i} - {}_{1}^{2}R_{i}^{i} - {}_{2}\pi_{i} + {}_{2}R_{i}$$

$$(4.1)$$

or

1

and this is true for all transactions between the levels 1 and 2. The reimbursements  ${}_1R_j$  will be determined as Pareto-optimal solutions by *Borch's* theorem, and will depend on  ${}_2R_i$  which is the reimbursement company *i* itself can buy from a higher level.

More general, the risk exchange between company j on level  $\ell$  and company i on level  $\ell + 1$  leads to the situation

$${}_{\ell}Y_{j} = {}_{\ell}Z_{j} + {}_{\ell-1}\pi_{\cdot}^{j} - {}_{\ell-1}R_{\cdot}^{j} - {}_{\ell}\pi_{j} + {}_{\ell}R_{j}$$

$${}_{\ell+1}Y_{i} = {}_{\ell+1}Z_{i} + {}^{\ell+1}{}_{\ell}\pi_{\cdot}^{i} - {}^{\ell+1}{}_{\ell}R_{\cdot}^{i} - {}_{\ell+1}\pi_{i} + {}_{\ell+1}R_{i}$$
(4.2)

with  $_{\ell}R_j$  the Pareto-optimal solution, found by *Borch's* theorem. Using this theorem on the last situation, we find the equation

and also

$$\begin{aligned} & (4.4) \\ & = {\ell + 1 \choose \ell} {\ell \choose i} {\ell + 1 \choose \ell} {\pi \choose i} - {\ell + 1 \choose \ell} {\pi \choose i} \\ & = {\ell + 1 \choose \ell} {k \choose j} {\ell \choose \ell} {\ell \choose j} {\ell \choose \ell} {\ell \choose j} {\ell \choose \ell} {\pi \choose j} - {\ell \choose \ell} {\pi \choose j} \end{aligned}$$

since the reimbursement will be equal to zero when the claim equals zero. Thus

$$\frac{{}_{\ell+1}u'_{i}\left({}_{\ell+1}Z_{i}+{}^{\ell+1}_{\ell}\pi_{.}^{i}-{}^{\ell+1}_{\ell}R_{.}^{i}-{}_{\ell+1}\pi_{i}+{}_{\ell+1}R_{i}\right)}{{}_{\ell+1}u'_{i}\left({}_{\ell+1}Z_{i}+{}^{\ell+1}_{\ell}\pi_{.}^{i}-{}_{\ell+1}\pi_{i}\right)}$$

$$=\frac{{}_{\ell}u'_{j}\left({}_{\ell}Z_{j}+{}_{\ell-1}{}^{\ell}\pi_{.}^{j}-{}_{\ell}\pi_{j}+{}_{\ell}R_{j}\right)}{{}_{\ell}u'_{j}\left({}_{\ell}Z_{j}+{}_{\ell-1}{}^{\ell}\pi_{.}^{j}-{}_{\ell}\pi_{j}\right)}$$

$$(4.5)$$

Assuming exponential utility functions, we obtain

$$\frac{\exp\left[-_{\ell+1}a_{i}\left(_{\ell+1}Z_{i}+\overset{\ell+1}{\ell}\pi_{.}^{i}-\overset{\ell+1}{\ell}R_{.}^{i}-_{\ell+1}\pi_{i}+_{\ell+1}R_{i}\right)\right]}{\exp\left[-_{\ell+1}a_{i}\left(_{\ell+1}Z_{i}+\overset{\ell+1}{\ell}\pi_{.}^{i}-_{\ell+1}\pi_{i}\right)\right]} = \frac{\exp\left[-_{\ell}a_{j}\left(_{\ell}Z_{j}+\overset{\ell}{\ell}\pi_{.}^{j}-\overset{\ell}{\ell}R_{.}^{j}-\underset{\ell}{\ell}\pi_{j}+\underset{\ell}{\ell}R_{j}\right)\right]}{\exp\left[-_{\ell}a_{j}\left(_{\ell}Z_{j}+\overset{\ell}{\ell}\pi_{.}^{j}-\underset{\ell}{\ell}\pi_{j}\right)-\underset{\ell}{\ell}\pi_{j}\right)\right]}$$
(4.6)

which simplifies to

$${}_{\ell+1}a_i \left( {}^{\ell+1}_{\ell}R^i_{\cdot} - {}_{\ell+1}R_i \right) = {}_{\ell}a_j \left( {}_{\ell-1}{}^{\ell}R^j_{\cdot} - {}_{\ell}R_j \right), \tag{4.7}$$

which means that  $_{\ell}a_j(_{\ell-1}^{\ell}R_j^j - _{\ell}R_j)$  is independent of  $\ell$  and j! We will denote this common quantity by H. So we get

$$\sum_{\ell=1}^{n} \sum_{j} \left( \frac{H}{\ell^{a_{j}}} \right) = \sum_{\ell=1}^{n} \sum_{j} \left( \ell^{\ell} R_{\perp}^{j} - \ell^{\ell} R_{j}^{j} \right) = X$$
(4.8)

with X the sum of the original risks  $X_k$ , and with the summation taken over all companies of the tree.

We introduce the notation

$$\frac{1}{a} = \sum_{\ell=1}^{n} \sum_{j} \frac{1}{\ell^{a_{j}}}$$
(4.9)

which gives us

 $H =: a \cdot X \tag{4.10}$ 

The "net" payment

$${}_{\ell}D_j = {}_{\ell-1}^{\ell}R_j^j - {}_{\ell}R_j \tag{4.11}$$

then becomes

$$_{\ell}D_{j} = \frac{:a.}{_{\ell}a_{j}}X \tag{4.12}$$

This result will enable us to get explicit results for the reimbursements  $_{\ell}R_j$ . We have

$${}_{\ell-1}D_k = {}_{\ell-2}^{\ell-1}R_{\cdot}^k - {}_{\ell-1}R_k.$$

Summing over all k, connected with company j on level  $\ell$ , one finds

$${}^{\ell}_{\ell-1}D^j_{\cdot} = {}^{\ell}_{\ell-2}R^j_{\cdot} - {}^{\ell}_{\ell-1}R^j_{\cdot}$$

and substituting this in (4.11), we get

$${}_{\ell}D_{j} + {}_{\ell-1}{}^{\ell}D_{\cdot}^{j} = {}_{\ell-2}{}^{\ell}R_{\cdot}^{j} - {}_{\ell}R_{j}.$$
(4.13)

Next, we have

$$_{\ell-2}D_k = {\ell-2 \atop \ell-3} R_{\cdot}^k - {\ell-2 \atop \ell-2} R_k.$$

Summing again over all k, connected with company j on level  $\ell$ , one finds

$${}_{\ell-2}{}^{\ell}D_{\cdot}^{j} = {}_{\ell-3}{}^{\ell}R_{\cdot}^{j} - {}_{\ell-2}{}^{\ell}R_{\cdot}^{j}$$

and substituting this in (4.13), we get

$${}_{\ell}D_{j} + {}_{\ell-1}{}^{\ell}D_{\cdot}^{j} + {}_{\ell-2}{}^{\ell}D_{\cdot}^{j} = {}_{\ell-3}{}^{\ell}R_{\cdot}^{j} - {}_{\ell}R_{j}.$$
(4.14)

Generalization of this result gives us

$$_{\ell}R_{j} = {}^{\ell}X_{.}^{j} - (_{\ell}D_{j} + {}_{\ell-1}D_{.}^{j} + \dots + {}_{1}D_{.}^{j})$$

with  $\ell X^j$  the sum of the original risks  $X_k$  of companies on level 1, connected (undirectly) with company j on level  $\ell$ . Using (4.12), we can write this as

$$_{\ell}R_{j} = {}^{\ell}X_{\cdot}^{j} - :a.\left(\frac{1}{_{\ell}a_{j}} + \sum_{i}\frac{1}{_{\ell-1}a_{i}} + \dots + \sum_{i}\frac{1}{_{1}a_{i}}\right)X.$$

We introduce the notation

$$\frac{1}{\ell^{a_j^+}} = \sum_{k=1}^{\ell-1} \sum_i \frac{1}{k^{a_i}}$$
(4.15)

with the summation over *i* taken over those companies on level *k* which are in touch (undirectly) with company *j* on level  $\ell$ . So we get

$${}_{\ell}R_{j} = {}^{\ell}X_{\cdot}^{j} - :a.\left(\frac{1}{{}_{\ell}a_{j}} + \frac{1}{{}_{\ell}a_{j}^{+}}\right)X.$$
(4.16)

This result can be transformed into an expression which is more similar to the solutions obtained by *Heijnen* (1989) using the following notation

$$_{\ell}p_{j}^{+} = \sum_{k=1}^{\ell-1} \sum_{i} \sum_{k=1}^{n} p_{i}$$
(4.17)

where the summations are the same as in (4.15), and where  ${}_{k}^{n}p_{i} = {}_{n}a/{}_{k}a_{i}$  as described in (3.8).

In this case we have

$${}_{n}a\left(\frac{1}{{}_{\ell}a_{j}}+\frac{1}{{}_{\ell}a_{j}^{+}}\right) = {}_{\ell}^{n}p_{j} + {}_{\ell}p_{j}^{+}$$
(4.18)

and also

$${}_{n}a\frac{1}{:a.} = 1 + {}_{n}p^{+}.$$
(4.19)

The result of (4.16) can now be rewritten as

$${}_{\ell}R_{j} = {}^{\ell}X_{+}^{j} - \frac{{}_{\ell}^{n}p_{j} + {}_{\ell}p_{j}^{+}}{1 + {}_{n}p^{+}}X$$
(4.20)

Which is the final expression for the reimbursement bought by company j on level  $\ell$  from a company one level higher in the tree.

Ann De Schepper Bart Heijnen Universiteit Antwerpen, RUCA Middelheimlaan 1 B-2020 Antwerpen Belgium

#### References

Borch, K. (1962a): Equilibrium in a reinsurance market. Econometrica, 424-444.

- Borch, K. (1962b): A contribution to the theory of reinsurance markets. Scandinavian Actuarial Journal, 176-189.
- Bühlmann, H. (1970): Mathematical Methods in Risk Theory. Springer, New York.
- D'Ursel, L./Lauwers, M. (1985): Chains of Reinsurance: Noncooperative equilibria and Paretooptimality. Insurance: Mathematics and Economics 4, 279-285.
- Gerber, H.U. (1984): Chains of reinsurance. Insurance: Mathematics and Economics 3, 43-48.
- Heijnen, B. (1989): Perturbation calculus in risk theory: application to chains and trees of reinsurance. Insurance: Mathematics and Economics 8, 97-104.
- Heijnen, B./Gerber, H.U. (1986): On the small risk approximation. Insurance: Mathematics and Economics 5, 151-157.

Lemaire, J./Quairière, J.-P. (1986): Chains of reinsurance revisited. Astin Bulletin 16, 77-87.

### Summary

In this paper we present a generalization of the "chain of reinsurance" – model, first introduced by *Gerber*, and developed further by a.o. *Lemaire/Quairière*. In a chain, every company is linked to only one other company, as if it would have just one client. To describe real situations however, one needs a kind of "tree" structure, where one company is in contact with several clients. Using exponential utilities, we calculate the optimal risk exchange for several optimality criteria.

## Zusammenfassung

In der vorliegenden Arbeit wird eine Verallgemeinerung des zuerst von Gerber eingeführten und von Lemaire/Quairière weiterentwickelten Modells von "Rückversicherungsketten" vorgestellt. In einer solchen Kette ist jede Gesellschaft mit einer einzigen anderen Gesellschaft verbunden, als ob sie nur gerade einen Kunden hätte. Die Beschreibung der realen Situationen erfordert jedoch eine Baumstruktur, in der die Gesellschaften mit mehreren Klienten in Kontakt sind. Unter Zugrundelegung von exponentiellen Utilitäten wird für verschiedene Optimalitätskriterien der optimale Risikoaustausch ermittelt.

#### Résumé

Les auteurs présentent une généralisation de la notion de "chaîne de réassurance" introduite par *Gerber*, puis développée entre autres par *Lemaire/Quairière*. Dans une chaîne chaque compagnie est liée à une seule autre compagnie comme si elle n'avait qu'un seul client. Les situations réelles nécessitent de disposer d'une structure arborescente dans laquelle les compagnies sont en contact avec plusieurs clients. Sur la base d'utilités exponentielles, les auteurs déterminent les échanges de risque optimaux correspondant à divers critères d'optimalité.