

Zeitschrift:	Schweizerische mineralogische und petrographische Mitteilungen = Bulletin suisse de minéralogie et pétrographie
Band:	62 (1982)
Heft:	3
Artikel:	Comment on "physical constants of alpine rocks (density, porosity, specific heat, thermal diffusivity and conductivity)" by H.-R. Wenk and E. Wenk
Autor:	Nolen-Hoeksema, Richard C.
DOI:	https://doi.org/10.5169/seals-47977

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 13.07.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Comment on “Physical Constants of Alpine Rocks (Density, Porosity, Specific Heat, Thermal Diffusivity and Conductivity)” by H.-R. Wenk and E. Wenk

by *Richard C. Nolen-Hoeksema**

Abstract

In an article by H.-R. WENK and E. WENK (1969), thermal conductivity values for rocks from the Swiss Alps were incorrectly reported. The corrected thermal conductivity values are presented here.

H.-R. WENK and E. WENK (1969) published physical constants of Alpine rocks. Most of the samples were collected in the Lepontine area of the Swiss Alps. However, the published values of the thermal conductivity, K (Table II in WENK and WENK, 1969), are incorrect. Here, I present the corrected values (Table 1).

The thermal conductivity values in WENK and WENK (1969) were obtained indirectly. They are calculated from values of thermal diffusivity, α , density, ρ and specific heat, c , using the formula

$$K = \alpha c \rho$$

The values of α , ρ and c were all obtained by direct measurement for each rock (WENK and WENK, 1969, p. 345–346).

H.-R. Wenk and E. Wenk published their calculated thermal conductivity values in the c.g.s. units of erg/ (cm sec °C). In calculating the thermal conductivity values, a conversion from calories to ergs was necessary. The conversion is (CLARK, 1966, p. 580)

$$1 \text{ calorie} = 4.1840 \cdot 10^7 \text{ ergs} = 4.1840 \text{ joules}$$

or

$$1 \text{ erg} = 0.23901 \cdot 10^{-7} \text{ calories}$$

* Department of Geology and Geophysics, Yale University, P.O. Box 6666, New Haven, Connecticut, U.S.A. 06511.

which was correctly stated in the text of WENK and WENK (1969, p. 345-346). During actual conversion of heat capacity from calories to ergs, however, WENK and WENK (1969) inadvertently used the incorrect mantissa in the conversion factor and multiplied calories by $0.23901 \cdot 10^7$ erg/cal instead of by $4.1840 \cdot 10^7$ erg/cal; note, the exponent used was correct. Thus, in Table II of WENK and WENK (1969), columns 6 [Heat capacity in units of erg/(g °C)], and consequently, 10, 11, and 12 [Thermal conductivity in units of erg/(cm sec °C)] are all incorrect.

In Table 1, I present the corrected values. Unlike H.-R. WENK and E. WENK (1969), I have not converted calories to ergs, because the unit

$$\begin{aligned} 1 \text{ TCU} &= 1 \cdot 10^{-3} \text{ cal}/(\text{cm sec } ^\circ\text{C}) \\ &= 0.4184 \text{ W}/(\text{m } ^\circ\text{K}) \end{aligned}$$

is a standard unit used in geothermal investigations ($1 \text{ TCU} = 1$ Thermal Conductivity Unit).

Acknowledgements

This work was supported by a U.S. National Science Foundation Doctoral Dissertation Improvement grant, No. EAR-8007747, that was awarded to the author and to his advisor Dr. Sydney P. Clark, Jr. This manuscript benefited from a review by Prof. A. B. Thompson.

References

- CLARK, S. P., JR. (1966): Handbook of Physical Constants. Geol. Soc. America Memoir 97.
 WENK, H.-R. and WENK, E. (1969): Physical constants of Alpine rocks (density, porosity, specific heat, thermal diffusivity and conductivity). Schweiz. mineral. petrogr. Mitt. 49/2, 343-357.

Manuscript received September 30, 1982.

Table 1 Corrected Thermal Conductivity Values for Alpine Rocks... Original Values From Table 2 in Wenk and Wenk (1969)...

Rock Type	Specimen No.	Area Code	K_a (T.C.U.) *	K_b (T.C.U.) *	K_c (T.C.U.) *
GRANITE	3	MALCANTONE	5.93	6.13	
	7	SCHWARZWALD	4.98	5.03	
	72	BERGELL	3.42	4.78	4.58
	73	NOVATE	4.83	4.98	5.13
	74	GRIMSEL	5.76	5.76	5.85
	104	BERNINA	4.61	4.61	5.37
	105	JULIER	5.69	5.59	5.35
GNEISS	110	BALTSCHIEDERTAL	5.49	5.73	5.54
	1	LEVENTINA	3.71	4.70	3.07
	8	MAGGIA	4.67	4.57	3.11
	9	LEVENTINA	4.66	4.87	3.16
	27	MATORELLO	5.46	5.04	4.42
	30	SAMBUCO	5.11	5.43	3.44
	32	SAMBUCO	4.80	5.71	4.09
	33	SAMBUCO	5.38	5.00	4.33
	34	SAMBUCO	4.28	4.84	3.51
	35	SAMBUCO	4.58	5.24	3.56
	36	SAMBUCO	4.12	4.94	4.07
	38	SAMBUCO	5.07	5.02	3.17
	39	MATORELLO	4.57	4.61	3.27
	40	CALANCA	5.52	5.82	4.21
	41	RIVIERA	4.43	4.69	4.48
	42	RIVIERA	3.85	4.10	3.27
	43	MAGGIA	4.67	5.94	4.16
	44	MTE. LEONE	3.71	3.90	3.52
	45	DOMODOSSOLA	3.10	4.29	3.58
	46	DOMODOSSOLA	5.25	6.20	3.92
	47	BEURA	4.22	5.25	3.59
	48	ANTIGORIO	4.85	5.21	3.01
	49	ANTIGORIO	4.30	5.55	3.55
	50	ANTIGORIO	3.80	4.90	3.59
	51	ANTIGORIO	4.77	4.82	4.46
	52	ANTIGORIO	4.60	4.75	3.83
	53	ANTIGORIO	4.56	4.46	3.91
	54	ANTIGORIO	4.90	4.66	4.33
	55	ANTIGORIO	4.50	4.97	3.93
	56	DEVERO	2.73	3.60	3.19
	57	VERZASCA	5.17	6.04	4.08
	58	VERZASCA	5.05	4.96	4.55
	59	VERZASCA	5.81	5.52	4.76
	60	SAMBUCO	5.04	5.04	4.77
	61	PECCIA	4.74	5.50	3.76
	62	PECCIA	5.21	5.31	5.36
	69	CALANCA	4.73	5.29	2.88
	75	GOTTHARD	5.76	5.36	5.61
	76	ADULA	6.07	5.77	3.09
	77	ROFLA	5.07	6.10	4.24
	78	ROFLA	4.47	5.99	4.47
	79	ROFLA	3.93	5.36	3.97
	80	SPLUEGEN	4.69	6.24	4.74
	81	ADULA	5.14	5.34	4.98
	82	BASODINO	4.24	5.19	4.62
	83	BASODINO	5.53	5.86	3.70
	84	BASODINO	6.25	7.68	6.15
	85	ROBIEI	5.72	6.96	5.34
	86	BASODINO	5.10	5.40	5.30

* a = measured parallel to a lineation; b = measured parallel to another lineation; and c = measured perpendicular to the foliation (Wenk and Wenk, 1969, p. 346).

Table I (Continued) Correctd Thermal Conductivity Values for Alpine Rocks

Rock Type	Specimen No.	Area Code	K_a (T.C.U.) [*]	K_b (T.C.U.) [*]	K_c (T.C.U.) [*]
GNEISS	93	CALANCA	5.53	5.33	4.36
	94	SAMBUCO	4.16	5.11	4.43
	95	WEISSMIES	5.97	7.26	4.77
	97	IVREA	7.42	7.32	6.42
	103	SPLUEGEN	4.61	4.61	3.73
	109	GOTTHARD	6.00	5.65	5.60
	111	CENTOVALLI	4.50	5.68	5.59
SCHIST	4	LEVENTINA	6.39	7.22	5.21
	16	BRIG	9.78	9.94	6.58
	19	VARZO	6.28	5.97	5.30
	26	BACENO	8.63	8.77	4.45
	28	SAMBUCO	5.83	7.37	3.98
	29	SAMBUCO	5.58	7.23	4.14
	31	SAMBUCO	4.26	5.73	3.55
	37	SAMBUCO	7.06	9.89	3.75
	68	BACENO	5.22	4.89	2.10
	87	ROBIEI	7.45	7.87	6.08
	88	CAVAGNOLI	4.85	6.46	4.31
	89	BAVONA	5.79	6.47	5.26
	90	CAVAGNOLI	6.85	8.30	6.64
	91	ROBIEI	6.30	7.67	3.86
	92	DERVIO	4.85	6.22	3.96
	96	CAVAGNOLI	7.57	8.52	6.75
	101	CAVAGNOLI	5.12	5.82	5.82
	108	SCHIN	5.57	6.15	3.87
QUARTZITE	100	WEISSMIES	8.39	7.90	8.35
	102	AVERS	11.15	11.91	12.08
PEGMATITE	63	MONTESCHENO	7.88	7.93	6.55
	64	DOMODOSSOLA	7.36	6.42	6.36
	65	CENTOVALLI	3.58	3.21	4.32
AMPHIBOLITE	20	RIVIERA	3.77	3.62	3.33
	21	CALANCA	3.98	3.87	3.10
	22	SAMBUCO	3.08	2.98	2.52
	23	ANZOLA	3.95	3.95	3.69
	66	CENTOVALLI	3.50	4.18	4.35
	67	SAMBUCO	3.04	3.62	2.22
	70	SISSONE	3.43	3.52	2.43
	71	SISSONE	3.46	3.37	2.32
ULTRABASIC	5	DISGRAZIA	6.00	6.00	4.11
	6	MALENCO	5.45	8.50	4.51
	24	RIVIERA	5.81	6.95	6.83
	25	MONTESCHENO	12.74	12.53	12.74
	106	POSCHIAVO	6.43	7.07	5.48
CARBONATE	2	JURA	4.87	4.92	
	10	PECCIA	4.95	4.00	4.22
	11	PECCIA	5.46	4.22	4.59
	12	CREVOLA			
	13	CREVOLA	6.94	7.62	6.50
	14	CANDOGLIA	5.75	5.47	5.64
	15	RIVIERA	5.35	4.75	5.69
	17	VALAIS	5.06	5.06	5.42
	18	SIMPLON	4.63	5.41	4.54
	98	CANDOGLIA	6.29	6.34	5.69
	99	ROBIEI	5.63	6.18	5.98
	107	POSCHIAVO	6.40	8.23	5.91

* a = measured parallel to a lineation; b = measured parallel to another lineation; and c = measured perpendicular to the foliation (Wenk and Wenk, 1969, p. 346).