

**Zeitschrift:** Schweizerische mineralogische und petrographische Mitteilungen =  
Bulletin suisse de minéralogie et pétrographie

**Band:** 73 (1993)

**Heft:** 3

**Artikel:** Standardisation of polytype suffixes

**Autor:** Nickel, E.H.

**DOI:** <https://doi.org/10.5169/seals-55587>

#### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Siehe Rechtliche Hinweise.

#### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. Voir Informations légales.

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. See Legal notice.

**Download PDF:** 26.04.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## Standardisation of polytype suffixes

E.H. Nickel<sup>1</sup>

(Vice-Chairman, I.M.A. Commission on New Minerals and Mineral Names)

The Commission on New Minerals and Mineral Names (CNMMN) of the International Mineralogical Association has published guidelines on a number of matters dealing with mineralogical nomenclature, including polytype nomenclature (e.g. NICKEL and MANDARINO, 1987). In essence, polytypes are distinguished by alphanumeric symbols appended to the root name and joined to it by a hyphen. The numeric part of the symbol represents the layering periodicity, and the alphabetic part, rendered in italic print, represents the crystallographic system. For example, wurtzite  $4H$  is a hexagonal wurtzite polytype with a peri-

odicity of 4 times the  $c$ -dimension of the wurtzite parent.

Prior to the publication of these guidelines, various other polytype symbols had been used in the mineralogical literature and, in an effort to standardise polytype nomenclature, members of the CNMMN decided that previous usage should be brought into conformity with current practice, which follows recommendations of the International Union of Crystallography (GUINIER et al., 1984). Polytype names in the literature that require changing are as follows:

Original Name	Present Name	Reference
Anandite-2 <i>Or</i>	Anandite-2 <i>O</i>	FILUT et al. (1958)
Gageite-1 <i>Tc</i>	Gageite-1 <i>A</i>	FERRARIS et al. (1987)
Hilgardite-1 <i>Tc</i>	Hilgardite-1 <i>A</i> ,	GHOSE (1985)
Hilgardite-3 <i>Tc</i>	Hilgardite-1 <i>A</i>	GHOSE (1985)
Pyrophyllite-1 <i>Tc</i>	Pyrophyllite-1 <i>A</i>	WARDLE and BRINDLEY (1972)
Sapphirine-1 <i>Tc</i>	Sapphirine-1 <i>A</i>	MERLINO (1973)
Tyretskite-1 <i>Tc</i>	Tyretskite-1 <i>A</i>	GHOSE (1985)
Wollastonite-1 <i>T</i>	Wollastonite-1 <i>A</i>	HENMI et al. (1978)
Wollastonite-3 <i>T</i>	Wollastonite-3 <i>A</i>	HENMI et al. (1983)
Wollastonite-4 <i>T</i>	Wollastonite-4 <i>A</i>	HENMI et al. (1983)
Wollastonite-5 <i>T</i>	Wollastonite-5 <i>A</i>	HENMI et al. (1983)
Wollastonite-7 <i>T</i>	Wollastonite-7 <i>A</i>	HENMI et al. (1978)

It is quite likely that the mineralogical literature contains additional examples of polytype symbols that do not conform to the recommended usage. Such names should also be revised to bring them into conformity. The recommended alphabetic symbols are as follows: cubic, *C*; hexagonal, *H*; rhombohedral, *R*; trigonal, *T*; tetragonal, *Q* (for quadratic); orthorhombic, *O*; monoclinic, *M*; and triclinic, *A* (for anorthic).

### References

- FERRARIS, G., MELLINI, M. and MERLINO, S. (1987): Electron-diffraction and electron-microscopy study of balangerite and gageite: Crystal structures, polytypism, and fibre texture. American Mineralogist 72, 382–391.  
FILUT, M.A., RULE, A.C. and BAILEY, S.W. (1985): Crystal structure refinement of anandite – 2 *Or*, a barium- and sulfur-bearing trictahedral mica. American Mineralogist 70, 1298–1308.

<sup>1</sup> Division of Mineral Products, CSIRO, Wembley, WA 6014 Australia.

- GHOSE, S. (1985): A new nomenclature for the borate minerals in the hilgardite ( $\text{Ca}_2\text{B}_5\text{O}_9\text{Cl} \cdot \text{H}_2\text{O}$ )/tyrets-kite ( $\text{Ca}_2\text{B}_5\text{O}_9\text{OH} \cdot \text{H}_2\text{O}$ ) group. *American Mineralogist* 70, 636–637.
- GUINER, A. et al. (1984): Nomenclature of polytype structures. Report of the International Union of Crystallography Ad-Hoc Committee on the Nomenclature of Disordered, Modulated and Polytype Structures. *Acta Crystallographica*, A40, 399–404.
- HENMI, C., KUSACHI, I., KAWAHARA, A. and HENMI, K. (1978): 7  $T$  wollastonite from Fuka, Okayama Prefecture. *Mineralogical Journal* 9, 169–181.
- HENMI, C., KAWAHARA, A., HENMI, K., KUSACHI, I. and TEKEUCHI, Y. (1983): The 3  $T$ , 4  $T$  and 5  $T$  polytypes of wollastonite from Kushiro, Hiroshima Prefecture, Japan. *American Mineralogist* 68 (1983), 156–163.
- MERLINO, S. (1973): Polymorphism in sapphirine. Contributions to Mineralogy and Petrology 41, 23–29.
- NICKEL, E.H. and MANDARINO, J.A. (1987): Procedures involving the IMA Commission on New Minerals and Mineral Names, and guidelines on mineral nomenclature. *Schweiz. Mineral. Petrogr. Mitt.* 67, 185–210 (also published in other mineralogical journals).
- WARDLE, R. and BRINDLEY, G.W. (1972): The crystal structures of pyrophyllite, 1  $T_c$ , and of its dehydroxylate. *American Mineralogist* 57, 732–750.