

Zeitschrift: The Swiss observer : the journal of the Federation of Swiss Societies in the UK

Herausgeber: Federation of Swiss Societies in the United Kingdom

Band: - (1940)

Heft: 974

Artikel: The Rhaetian railway : an uncelebrated centenary

Autor: [s.n.]

DOI: <https://doi.org/10.5169/seals-693660>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. [Siehe Rechtliche Hinweise.](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. [Voir Informations légales.](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. [See Legal notice.](#)

Download PDF: 18.03.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

LETTER BY THE SWISS MINISTER TO THE PRESIDENT OF THE SWISS RELIEF CENTRE.

18, Montagu Place,
Bryanston Square, W.1.

18th July, 1940.

Monsieur le Président,

Last week you were kind enough to invite Madame Thurnheer and myself to visit the "Swiss Relief Centre." We both were very glad to have the opportunity of viewing this new establishment which we inspected from top to bottom. We were particularly impressed by the perfect neatness, the excellent planning and the arrangement of the various rooms; everything is simple, practical and friendly. One can see that each member of the Committee and of their sub-committees, to all of whom I am most grateful, have done their utmost to obtain the best result with the funds at their disposal.

This brings me to the question of the donors. I have looked through the records of the contributions in money and kind and was extremely pleased with the results of the collection. It shows plainly that there exists the right spirit in the London Colony when an appeal is made for the creation of a useful institution. There is good reason to be proud of such a Colony and I should like to express my sincere thanks to all the generous contributors.

If you wish to publish this letter in the "Swiss Observer," I gladly authorize you to do so.

Believe me to be, Monsieur le Président,
yours sincerely,

W. THURNHEER,
Ministre de Suisse.

THE RHAETIAN RAILWAY.

An Uncelebrated Centenary.

(*"Modern Transport,"* 13.7.40.)

Visitors in pre-war days to the Rhaetian Alps and the Engadine had reason to know the Rhaetian Railway, which gave them access to such resorts as Davos and St. Moritz, and carried them, through dizzy twists and turns, across improbably high-looking viaducts, through some of the most superb mountain country in Europe. In the autumn of last year, the company celebrated their jubilee, or, rather, they would have celebrated it but for the intervention of war. Half a century ago, eastern Switzerland was one of the more particularly inaccessible regions of the Continent. It was possible to skirt the Engadine by rail; within, lumbering diligences in summer and picturesquely inefficient sleighs in winter served rather to emphasise the quite frightening remoteness of the mountain villages. It was an impossible country for the construction of orthodox standard gauge railways.

But where the standard gauge might not penetrate, the metre gauge could, and, in the early autumn of 1889, the first section of what was to be the present Rhaetian Railway system was completed between

Landquart, where connection was made with the standard gauge United Swiss system, and Klosters. A festal trial trip, complete with the traditional brass band on an open car in the rear, was made on September 29th, and the regular train service followed on October 9th. This initial section had a length of 20½ miles. It was extended a further 10½ miles, southwards from Klosters, in July of the following year, and for the first time Davos, already known as a resort, was connected with the main European railway system. In 1896 an isolated stretch of metre gauge line was opened further south, between Chur and Thusis, but in the same summer the intervening gap between Chur and Landquart was filled up. These four sections gave the infant system, at the turn of the century, a route mileage of slightly over 57 miles. In July, 1904, the completion of the necessarily devious Albula Railway, with its famous tunnel, linked up Thusis with St. Moritz. By July, 1913, the Rhaetian Railway system had attained its present form, extending south to Pontresina, east to Schuls, and west to Disentis, comprising in all 164½ miles of route.

To-day, the Rhaetian Railway, in itself a remarkably extensive and efficient example of a narrow gauge railway, forms a link in an even more extensive metre gauge system. The Bernina Railway, in the south, provides an outlet to northern Italy from Pontresina; westwards from Disentis (reached by the Rhaetian lines in 1912) a through route extends, by means of the Furka-Oberalp Railway and the Visp-Zermatt Railway, far down through Andermatt, Gletsch and Brig to the foot of the Matterhorn. Present appendages of the Rhaetian include the truly remarkable Davos-Parsonn funicular railway, one of the newest Swiss lines, which materialised at the beginning of the early nineteen thirties.

The original line was operated by a company calling itself the Landquart-Davos Narrow-Gauge Railway, having its headquarters at Davos. The Rhaetian Railway Company, as we know it to-day, received its title in 1899. The company has for years had its headquarters at Chur, while the locomotive, carriage and wagon works are at Landquart, the original starting point.

Throughout the system, in spite of the narrow gauge railway propensity for slipping round corners and zigzagging down slopes, the Rhaetian Railway is rich in major engineering features. The Albula Tunnel, between Preda and Spinas, carrying a single metre-gauge track, is 6,414 yd. in length, and was begun in October, 1899. Very severe trouble was encountered with underground springs, and the bore was not completed until the end of February, 1903. The railway's struggle with natural forces was not ended merely by the completion of the system. Nature having her own way of hitting back sometimes, especi-

Drink delicious "Ovaltine"
at every meal—for Health!

ally in mountainous country such as the Rhaetian Alps.

In the summer of 1910, and again in 1927, a tremendous amount of damage was done by flooding. On April 29th, 1917, a train was struck by an avalanche near Davos, and ten persons were killed. More than once trains have collided with fallen rocks, and on August 3rd, 1931, a tremendous landslide struck a train between Filisur and Stuls. The track was destroyed over a distance of some 250 ft., and the driver of the train was killed. No passengers suffered severely, though the locomotive and two vehicles were thrown to a considerably lower level and much damaged. The heavy electric locomotive had, in the end, to be taken to pieces where it lay, and conveyed home via the mountain road which, at that point, ran below the railway, further down the mountain side. As far as is humanly possible, the Rhaetian Railway system is now protected throughout against such natural attacks, its defensive masonry work and avalanche-tunnels being on a scale in harmony with the long Albula Tunnel, with the great Wiesener, Landwasser, and other viaducts, and with the astounding loops and spirals on the Albula line south of Filisur.

Coming to locomotives and rolling stock, the Rhaetian Railway — or rather the Landquart-Davos — began its active life with five 2-6-0 tank engines, built in 1889, and capable of hauling a load of 45 metric tons up a 45 per cent. gradient at not less than 9.3 miles an hour. A similar, though larger engine, still does duty as station and yard pilot at Landquart to-day, the 2-6-0 type having been perpetuated over some years, the general design remaining little altered. In the early years of this century eight articulated Mallet compounds were built for the Albula line. Thereafter, the standard Rhaetian locomotive, as far as steam traction was concerned, was the 2-8-0 with a separate tender. The original design was a two-cylinder compound; latterly, boiler dimensions were increased and simple expansion, using superheated steam, became the rule. The last steam locomotive was built in 1915, by which time the company owned 57 engines altogether.

Electrification of at least certain stretches of the Rhaetian Railway was mooted as far back as 1906. The reasons for electrification were the same as those which have applied to so many Swiss railways — gradients, high cost of fuel, the existence of ample water power in the district served, and the possibility, with electric traction, of recreating energy by regenerative braking on down-hill stretches. These recommendations were all brought forward at a meeting of the company in March, 1905, but the scheme was nevertheless shelved.

It was not, however, dropped, and the Bevers-Schuls line, in the Engadine, was scheduled for experimental traction on the single-phase system (11,000 V., 16 $\frac{2}{3}$ cycles). The Brusio Power Station undertook to supply current for traction purposes, and a sub-station was erected at Bevers. Between August, 1911, and July, 1913, 38 $\frac{1}{2}$ miles of route in the Engadine were equipped for electric traction. Throughout the first war period, when, as now, steam traction was at a particular disadvantage, the electrified lines gave the highest satisfaction, and from 1919 to 1922 the whole of the system was converted to electric working.

A SWISS RUNNING SHED.

(“*Modern Transport*,” 13.7.40.)

Only with the completion of the Manchester-Sheffield electrification on the L.N.E.R. will the British locomotive man come to know the peculiarities of the running-shed which accommodates a large number of both steam and electric locomotives. In Switzerland, where three-quarters of the main line system is electrically operated, such a thing is, of course, a commonplace. In fact, the average running-shed of the Swiss Federal Railways is distinguished by the fact that it exists for the convenience of handling and housing electric locomotives, and that it accommodates steam engines as a sort of side line. In the big running-sheds at Zürich, for example, there are stationed 156 electric locomotives of various types, and 40 steam locomotives. The former work on nearly all services radiating from Zürich; the latter, consisting of a very limited number of classes — 4-6-0, 2-6-2T and 0-6-0 shunting tanks — serve as reserve engines, as yard shunters, and on such relatively unimportant services as are still entrusted purely to steam traction. One of the first things one sees on approaching the shed, for example, is a 4-6-0 of 1916 vintage, gently simmering at the head of a breakdown train, and seemingly never moving. The atmosphere of the shed is electric, though not in the usual figurative sense of the phrase. It is designed to accommodate the electric locomotive to best advantage, and is not a steam shed adapted; rather, the steam locomotive seems to be there almost on sufferance. An electric locomotive's “shed day,” infrequently as it occurs nowadays, is something of a revelation. It lasts six working hours. Formerly, a locomotive came in for light overhaul once a month; now, unless some unexpected defect occurs it takes place only once in three months. Every fourteenth day, a locomotive is due for cleaning, and the way in which this is carried out is another revelation.

At Zürich the cleaning-shed is an appendage of the main running-sheds, with which it is connected by a traverser. The old roundhouse, with a central turntable, is still fairly common in Switzerland, but it is definitely a survival from steam days. The cleaning-shed at Zürich can hold four electric locomotives at a time, on two tracks. There are the usual pits between the rails, and the working platforms on each side of the tracks are also at a lower level to facilitate access to the lower external parts. For the cleaning of working parts, hot water is employed at a pressure of 227.5 lb. per sq. in., and at a temperature of 80-90 deg. Centigrade (176-194 deg. Fahrenheit). The water in the tank is forced into the pipes leading to the cleaning nozzles by an electric compression unit. Formerly air was introduced under pressure close to the nozzles themselves, but this was found to induce an unwelcome cooling effect to the water before it did its work. The cleaning of the upper bodywork of electric locomotives and motor vehicles is carried out with thin oil. A feature of the cleaning-shed is the lack of obstruction. Save for the cleaning nozzle connections, the floor and pits are completely unencumbered. Nevertheless, the arrangements for lighting up the mechanical parts of locomotives are complete and most efficient. Along the walls are powerful electric lamps sliding on runways, the frame supporting each set of lamps being roughly triangular, while similar lamps are provided in the pits themselves.