

Landquart Grusch Bahn : our railway, the story

Autor(en): **Saint, Phil**

Objektyp: **Article**

Zeitschrift: **Swiss express : the Swiss Railways Society journal**

Band (Jahr): - **(2016)**

Heft 127

PDF erstellt am: **22.07.2024**

Persistenter Link: <https://doi.org/10.5169/seals-854070>

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.


Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Landquart Grusch Bahn

Phil Saint

Our railway. The story.



The charm of effective lighting on a layout's night time scene.
All photos: Phil Saint



While the kids were young we started with an LGB 'starter set' as nearly everyone does. The kids grew up and we hardly used it apart from summer evenings. Not very inspiring!

Then I bought a cheap loco and some wagons. Where are they going? In the garden!?! The boss eventually relented and construction started. How to lay track? Several people offered advice - phew! The Internet didn't help. Dig a trench fill with concrete! No way!

A visit to the Arcadia railway shop proved rather painful on the wallet. A nice shiny red Ge 4/4¹¹¹. Tim 'the owner' said he would put it away and take payments toward the purchase. So that was it, RhB all the way.

So back to the construction; the idea was to build like a conventional indoor layout but beefed up. A visit to the timber yard and a pile of decking was obtained. Then out in to the garden in winter at - 4C. You must be mad said the boss. The boards then required topping off with something. A call from one of my customers solved that. Phenol faced plywood, and pressure treated.

The fall of the garden dictated that steep inclines were not the way to go, but that meant elevating the track. So how about a bridge? A quick visit to my timber merchants brought the answer. MDF to form shuttering. This was the first venture into bridge building, and to be fair it wasn't too bad. Then we decided to install a rack section, which would sit behind the bridge. This was OK, but the piers hid it.

Some years later, when working, I was repairing a machine when I noticed the client's CNC router was vacant. Not being


TOP: The red Ge 44¹¹¹ in the snow at Susch. The joys of operating in the open!

MIDDLE: The 'EMS' locomotive repainted by Phil.

BOTTOM: A busy scene at Susch.

one to miss a chance I asked could they machine some MDF to form a long arch and promptly sketched what I visualised. The following day it was ready. Well done, Jon. Then into the garden to fit bendy ply to form curved shuttering for the invert to the arch. When that was done, off to Wickes for sand gravel and cement. I estimated that somewhere in the region of three hundred kilos went into the bridge. Finished, it was 12' long and 3' high allowing for the base pads, etc. At the top of the arch there was just enough room to get a conduit in for cables to pass through.

Then with having electric locomotives I decided to put up catenary. The RhB type was thought about, but in the end tramway was used. That just wasn't right so off it came - and onto eBay to look for second hand. It took a few months and gradually it came together. Including some transverse ones for the station.

So now to the motive power. All are digital, and most have sound. Ge 4/4¹¹: 'Albula' with yodel*; 'Holchim', repainted by me; 'Capito', LGB original; 'EMS', repainted by me; 2 x 'B C U', LGB original - one of which is due to make Lazzarini. Ge4/4¹¹: 'Arosa'; 'Zuoz'; 'Klosters'; 'Felsberg'; 2 x Ge 6/6 Krokodile - one brown, one blue. Ge 6/6¹¹; 'Davos'. Abe8/12 Allegra. *The 'yodel' comes from the loco's digital sound system. Probably not prototypical! 



TOP: The viaduct under construction.


ABOVE: An overall view of Susch in the sun.

Sta. Maria – Part 3

Martin Fisher concludes his article on the construction of his RhB layout.

In Part 2 of the description of Sta. Maria (*Swiss Express* - March 2016) I concluded with the comment that the layout would be extended. In its original form the layout ended where it met the side of our freezer. However, with the freezer relocated, permission was duly obtained to extend the layout over the tumble drier (which took the place of the freezer) and the washing machine. The location of this extension can be worked out by reference to the plan accompanying Part 1 (*Swiss Express* - September 2015). [Older SRS members may think it ironic that a 'freezer' was blocking a model railway!] The accompanying photographs show the extension and the passing station Valcava. Other photos appeared in Part 1.

Wall battens at the back and on the end wall largely support a frame (also supported by a 2" x 1" post at the side of the washing machine) that, in turn, supports the repositioned fiddle yard. With the electrics disconnected, this can be removed if we need to get to the back of the white goods or when "the-gas-man-comes-to-call" to service the boiler that is located above the fiddle yard. Completely by chance the original baseboards were very nearly at the right height for such an extension. To ensure the supporting frame was just clear of the white goods, I only needed to lift the running line on the extension by about half an inch. Once the surrounding scenery was in place, this slight incline became invisible. The framework which had supported the fiddle yard in its original location was fortuitously the right height to support a sub-base, over which the extended main line could run on a low embankment, which would enable



Ge4/4II 612 "Thusis" on a passenger train for Sta. Maria passes Ge2/4 207 in the mill siding.

me to utilise one of a pair of pedestrian under-bridges bought many years ago but never made-up. A spare point and motor were unearthed so a siding could be run off the main line, over the other under-bridge and up to a mill. So the only purchase thus far for this four-foot extension was two yards of track.

By and large, construction methods were the same as for the original layout. The tunnel mouth was moved from its original position to the new fiddle yard entrance, whilst the old short tunnel was opened out into a deep cutting. Having previously exhausted my supply of vaguely suitable old Swiss calendar photographs, I purchased two plain sky papers for the back-scene. Surprisingly, I had (just) enough spare trees for the extension and enough wires for the overhead;